

I

(Acts whose publication is obligatory)

COMMISSION REGULATION (EC) No 2032/2003

of 4 November 2003

on the second phase of the 10-year work programme referred to in Article 16(2) of Directive 98/8/EC of the European Parliament and of the Council concerning the placing of biocidal products on the market, and amending Regulation (EC) No 1896/2000

(Text with EEA relevance)

THE COMMISSION OF THE EUROPEAN COMMUNITIES,

Having regard to the Treaty establishing the European Community,

Having regard to Directive 98/8/EC of the European Parliament and of the Council of 16 February 1998 concerning the placing of biocidal products on the market ⁽¹⁾, and in particular Article 16(2) thereof,

Whereas:

(1) Pursuant to Directive 98/8/EC a programme of work is to be carried out for the review of all active substances in biocidal products already on the market on 14 May 2000, hereinafter 'existing active substances'. The initial phase of the programme was laid down in Commission Regulation (EC) No 1896/2000 of 7 September 2000 on the first phase of the programme referred to in Article 16(2) of Directive 98/8/EC of the European Parliament and of the Council on biocidal products ⁽²⁾.

(2) Under Regulation (EC) No 1896/2000 existing active substances for use in biocidal products had to be identified and those to be evaluated with a view to their possible inclusion in Annex I, IA or IB to Directive 98/8/EC in one or more product types had to be notified no later than 28 March 2002. An additional period for the submission of notifications for existing active substances that had been identified only or had been notified only in respect of certain product types was granted by Commission Regulation (EC) No 1687/2002 of 25 September 2002 on an additional period for notification of certain active substances already on the market for biocidal use as established in Article 4(1) of Regulation (EC) No 1896/2000 ⁽³⁾. That period expired on 31 January 2003.

(3) It is necessary to establish an exhaustive list of existing active substances that have been identified in accordance

with Article 3(1) or Article 5(2) of Regulation (EC) No 1896/2000 or in respect of which equivalent information has been submitted in a notification in accordance with Article 4(1) of that Regulation.

(4) It is also necessary to establish an exhaustive list of existing active substances in respect of which at least one notification has been accepted in accordance with Article 4(2) of Regulation (EC) No 1896/2000 or in which a Member State has expressed an interest in accordance with Article 5(3) of that Regulation. That list should specify the product types concerned.

(5) Since existing active substances that have been identified only will not be evaluated within the framework of the review programme, they should not be included in Annex I, IA or IB to Directive 98/8/EC. The same should apply to any existing active substance/product type combination, notification of which has not been accepted.

(6) It is necessary to specify the date from which, in view of that non-inclusion decision, the Member States must comply with their obligations under Article 16(3) of Directive 98/8/EC.

(7) After the exhaustive list of existing substances has been established, no further phase-out period should be allowed for active substances not identified within the time-limits laid down in Regulation (EC) No 1896/2000, or for biocidal products containing those substances.

(8) For the second phase of the review programme, priorities for the evaluation of existing active substances should be established. The lists of prioritised substances and the dates for submission of complete dossiers should be specified. The task of evaluation should be distributed among the competent authorities of the various Member States. In order to enable new Member

⁽¹⁾ OJ L 123, 24.4.1998, p. 1.

⁽²⁾ OJ L 228, 8.9.2000, p. 6.

⁽³⁾ OJ L 258, 26.9.2002, p. 15.

States to participate in the review programme after their accession, it is appropriate, for the time being, to designate Rapporteur Member States only in respect of certain product types. A Member State which has indicated an interest in seeking review of a particular active substance should not be designated Rapporteur Member State for that substance.

- (9) In order to avoid duplication of work, and in particular to reduce testing involving vertebrate animals, the requirements concerning preparation and submission of the complete dossier should be such as to encourage those whose notifications have been accepted, hereinafter 'participants', to act collectively, in particular by submitting collective dossiers. It should be possible for the Rapporteur Member State to make available the reference to any test involving vertebrate animals that has been carried out in respect of a notified existing active substance unless that reference is confidential under Article 19 of Directive 98/8/EC. Also, in order to gain experience on the appropriateness of data requirements and to ensure that the review of active substances is carried out in a cost-effective way, participants should be encouraged to provide information on the costs of compiling a dossier and on the need to carry out tests on vertebrate animals.
- (10) In order to avoid delays, participants should start discussions as early as possible with Rapporteur Member States in order to resolve uncertainties in relation to data requirements. Applicants, other than participants, who wish to apply in accordance with Article 11 of Directive 98/8/EC for inclusion in Annex I, IA or IB thereto of an active substance/product type combination being evaluated under the review programme should submit complete dossiers for that combination no earlier than participants so as not to disturb the smooth functioning of the review programme.
- (11) The requirements concerning the content and format of dossiers and the number of dossiers to be submitted should be defined.
- (12) Provision should be made for cases in which a participant is joined by a producer, formulator or association and in which a participant withdraws from the review programme.
- (13) Producers, formulators or associations should within certain time-limits have the opportunity of taking over the role of participant for an existing active substance/product type combination in respect of which all participants have withdrawn or none of the dossiers meets requirements. Subject to the same time-limits, it should also be possible in certain circumstances for Member States to indicate an interest in the inclusion in Annex I,

IA or IB to Directive 98/8/EC of such a combination. A Member State which has indicated such an interest should be deemed to act as participant.

- (14) All information required for a proper evaluation of, and decision on, the active substance concerned in the light of the criteria set out in Articles 10 and 11 of Directive 98/8/EC should be submitted in the complete dossier. If only limited information is submitted, in particular for the purposes of risk assessment regarding exposure of humans or the environment, the conditions for inclusion of the active substance in Annex I, IA or IB to Directive 98/8/EC should, where appropriate, be made more stringent.
- (15) Time-limits should be specified within which the Rapporteur Member States must verify the completeness of the dossiers. It should be possible, in exceptional circumstances, for the Rapporteur Member States to establish a new deadline for the submission of parts of a dossier, in particular where the participant has demonstrated that it was impossible to submit information in due time or in order to resolve uncertainties regarding data requirements that remain despite earlier discussions between the participant and the Rapporteur Member State.
- (16) For each existing active substance, the Rapporteur Member State should examine and evaluate the dossier and present the results to the Commission and the other Member States in the form of a competent authority report and a recommendation as to the decision to be taken with regard to the active substance concerned. In order not to prolong decision-making unnecessarily, the Rapporteur Member State should at the same time consider carefully the need for additional studies. For the same reason, Rapporteur Member States should be obliged to take into consideration information submitted after acceptance of the dossier only under specified conditions.
- (17) The competent authority reports should be examined by the other Member States within a programme co-ordinated by the Commission before they are submitted to the Standing Committee on Biocidal Products.
- (18) Where, despite a recommendation for inclusion of an active substance in Annex I, IA or IB to Directive 98/8/EC, concerns as referred to in Article 10(5) of that Directive remain, it should be possible for the Commission to take into account, but without prejudice to Article 12 of that Directive, the finalisation of the evaluation on other existing active substances applied for the same use. Provision should be made for Rapporteur Member States to update competent authority reports where necessary.

- (19) Rules should be laid down regarding access to the information in the final competent authority reports.
- (20) It should be possible to suspend the procedures provided for in this Regulation in the light of the application of other Community acts, in particular as regards Council Directive 76/769/EEC of 27 July 1976 on the approximation of the laws, regulations and administrative provisions of the Member States relating to restrictions on the marketing and use of certain dangerous substances and preparations⁽¹⁾, as last amended by Directive 2003/53/EC of the European Parliament and of the Council⁽²⁾.
- (21) In requiring notifiers to submit the complete dossier to the Commission rather than to the Rapporteur Member State, Article 4(3) and the first subparagraph of Article 8(2) of Regulation (EC) No 1896/2000 are incompatible with Articles 8 and 11 of Directive 98/8/EC. Also, since it was urgent that the evaluation of active substances in relation to product types 8 and 14 commence without delay, provisions concerning those substances were laid down in Regulation (EC) No 1896/2000. For reasons of clarity and coherence, however, it is appropriate to lay down in a single instrument the provisions concerning all product types referred to in Directive 98/8/EC.
- (22) Regulation (EC) No 1896/2000 should therefore be amended accordingly.
- (23) The measures provided for in this Regulation are in accordance with the opinion of the Standing Committee on Biocidal Products,

HAS ADOPTED THIS REGULATION:

Article 1

Subject matter

This Regulation lays down detailed rules for the implementation of the second phase of the programme of work for the systematic examination of all active substances already on the market on 14 May 2000 as active substances of biocidal products, hereinafter 'the review programme', referred to in Article 16(2) of Directive 98/8/EC.

Article 2

Definitions

For the purposes of this Regulation the definitions in Article 2 of Directive 98/8/EC and Article 2 of Regulation (EC) No 1896/2000 shall apply.

⁽¹⁾ OJ L 262, 27.9.1976, p. 201.

⁽²⁾ OJ L 178, 17.7.2003, p. 24.

In addition, 'participant' means a producer, formulator or association which has submitted a notification that has been accepted by the Commission in accordance with Article 4(2) of Regulation (EC) No 1896/2000 or a Member State which has indicated an interest in accordance with Article 5(3) of that Regulation.

Article 3

Identified and notified existing active substances

1. Annex I contains the exhaustive list of existing active substances which have been identified in accordance with the requirements of Article 3(1) or 5(2) of Regulation (EC) No 1896/2000 or in respect of which equivalent information has been provided in a notification submitted in accordance with Article 4(1) of that Regulation.

2. Annex II contains the exhaustive list of existing active substances in respect of which:

(a) at least one notification has been accepted by the Commission in accordance with Article 4(2) of Regulation (EC) No 1896/2000, or

(b) a Member State has indicated an interest in accordance with Article 5(3) of Regulation (EC) No 1896/2000.

That list specifies, for each notified existing active substance included, the product type(s) in respect of which notification has been accepted or a Member State has expressed an interest.

3. Annex III contains the list of existing active substances that have been identified but in respect of which there has been neither an accepted notification nor an expression of interest by a Member State.

Article 4

Non-inclusion

1. Active substances listed in Annex III shall not be included in Annex I, IA or IB to Directive 98/8/EC within the framework of the review programme.

An active substance listed in Annex II shall not be included in Annex I, IA or IB to Directive 98/8/EC within the framework of the review programme in relation to any product type not specified in Annex II in conjunction with that substance.

2. Without prejudice to Article 8 of Directive 98/8/EC, the date with effect from which Member States shall, in accordance with Article 16(3) of Directive 98/8/EC, cancel existing authorisations or registrations for biocidal products containing the active substances listed in Annex III, and ensure that such biocidal products are not placed on the market in their territory, shall be 1 September 2006.

In the case of an active substance listed in Annex II, the first subparagraph shall also apply to that substance in relation to any product type for which no notification has been accepted.

3. From the date of entry into force of this Regulation, any active substance not listed in Annex I shall be deemed not to have been placed on the market for biocidal purposes before 14 May 2000.

Article 5

Review of notified existing active substances

1. The review of an active substance listed in Annex II, in respect of the product type(s) specified, shall be undertaken by the Rapporteur Member State designated for that purpose on the basis of the complete dossier for that substance and product type, provided that:

- (a) the dossier complies with the requirements set out in Annex IV;
- (b) the complete dossier is submitted within the time period specified in Annex V to this Regulation for the product type concerned, together with the summary dossier referred to in Article 11(1)(b) of Directive 98/8/EC and defined in Annex IV to this Regulation.

Without prejudice to Article 8 of this Regulation, an active substance listed in Annex II shall be reviewed exclusively in relation to the product type(s) in respect of which notification has been accepted.

2. The Rapporteur Member States designated to review active substances listed in Annex II in respect of product types 8 and 14 are specified in Part A of Annex V.

The Rapporteur Member States designated to review active substances listed in Annex II in respect of product types 16, 18, 19 and 21 are specified in Part B of Annex V.

A Member State which has indicated an interest in an existing active substance pursuant to Article 5(3) of Regulation (EC) No 1896/2000 shall not be designated as Rapporteur Member State in respect of that substance.

3. Without prejudice to Article 8 of this Regulation, an applicant who is not a participant and who wishes to apply, in accordance with Article 11 of Directive 98/8/EC, for the inclusion in Annex I, IA or IB thereto of an existing active substance which has been notified, or in which a Member State has indicated an interest, in relation to a product type specified in Annex V to this Regulation shall submit a complete dossier within the time period specified in that Annex for that substance/product type combination.

4. The relevant competent authorities as of 1 July 2003 are listed in Annex VI.

Article 6

Preparation of the complete dossier

1. In the preparation of the complete dossier, all reasonable efforts shall be made, *inter alia*, to avoid duplication of testing on vertebrate animals and, where appropriate, to establish a collective complete dossier.

2. Before commencing compilation of the complete dossier, a participant shall:

- (a) inform the Rapporteur Member State of any testing on vertebrate animals that it has already carried out;
- (b) contact the Rapporteur Member State for advice as to the acceptability of justifications for waiving certain studies;
- (c) inform the Rapporteur Member State of any intention to carry out further testing on vertebrate animals for the purposes of the complete dossier;
- (d) when informed by the Rapporteur Member State that another participant has notified plans to carry out the same tests, make all reasonable efforts to cooperate with that participant in the performance of common testing.

Advice given by Rapporteur Member States in accordance with point (b) of the first subparagraph shall not predetermine the outcome of the completeness check under Article 9(1).

3. A Rapporteur Member State may make available the reference to any test carried out on vertebrate animals in respect of an active substance listed in Annex II to this Regulation, save where that reference is to be treated as confidential in accordance with Article 19 of Directive 98/8/EC. Such reference may include the name of the active substance concerned, the end points of the tests, and the contact address of the data owner.

4. Where a Rapporteur Member State is aware that more than one participant is seeking review of a particular active substance, it shall inform those participants accordingly.

5. Participants seeking review of the same active substance for the same product type(s) shall undertake all reasonable efforts to submit a collective complete dossier, while fully respecting the Community rules on competition.

Where, in those circumstances, a collective dossier is not submitted, each individual dossier shall detail the efforts made to secure co-operation and the reasons for non-participation.

6. Details shall be given in the complete dossier and in the summary dossier of the efforts made to avoid duplication of testing on vertebrate animals.

7. In order to provide information on the costs entailed in applying for review and on the need for animal testing for the purposes of compiling the complete dossier, participants may submit to the Rapporteur Member State together with the complete dossiers a breakdown of the costs of the respective actions and studies carried out.

The Rapporteur Member State shall communicate that information to the Commission when submitting the competent authority report in accordance with Article 10(5).

8. The Commission shall include in the report referred to in Article 18(5) of Directive 98/8/EC information on the costs entailed in compiling the complete dossier and on the animal testing carried out for that purpose, together with any appropriate recommendations concerning modifications of data requirements in order to reduce to a minimum the need for testing on vertebrate animals, and to ensure cost-effectiveness and proportionality.

Article 7

Submission of the complete dossier

A participant shall submit to the Rapporteur Member State at least one paper copy of the complete dossier and one copy in electronic format. The Rapporteur Member State may require additional copies on paper or in electronic format.

The participant shall also, in accordance with Article 9(3), submit one paper copy of the summary dossier and one copy in electronic format to the Commission and to each of the other Member States.

Article 8

Joining, replacing or withdrawal of participants

1. If, by mutual agreement, a producer, formulator or association joins or replaces a participant in the submission of the complete dossier, all parties to the agreement shall jointly inform the Commission and the Rapporteur Member State accordingly, attaching any relevant letter of access.

The Commission shall inform accordingly any other participant seeking review of the same active substance in relation to the same product type(s).

2. If a participant intends to discontinue participation in the review programme, it shall inform the relevant Rapporteur Member State and the Commission accordingly, in writing and without delay, stating the reasons.

The Commission shall inform accordingly the other Member States and any other participant seeking review of the same active substance in relation to the same product type(s).

3. The Commission shall inform the Member States if a situation arises where, as regards a particular existing active substance/product type combination, all the participants have withdrawn. That information shall also be made public by electronic means.

4. Within three months of the publication of the information referred to in paragraph 3, a producer, formulator, association or other person wishing to take over the role of participant as regards the existing active substance/product type combination shall inform the Commission accordingly.

Within the time period referred to in the first subparagraph, a Member State also may indicate to the Commission an interest in the inclusion in Annex I, IA or IB to Directive 98/8/EC of the existing active substance/product type combination, where there are uses which the Member State considers essential, in particular for the protection of human health, animal health or the environment. By indicating such an interest that Member State shall be deemed to have taken over the role of participant.

In the cases envisaged in the first and second subparagraphs, the relevant time period specified in Annex V may, where appropriate, be prolonged and a different Rapporteur Member State may be designated.

5. Where the Commission receives no response pursuant to paragraph 4, a decision shall be taken not to include the existing active substance in Annex I, IA or IB to Directive 98/8/EC within the framework of the review programme for the product type(s) concerned.

Article 9

Completeness check of dossiers

1. Within three months of receiving the dossier for an existing active substance/product type combination and no later than three months after the end of the time period specified in Annex V to this Regulation, the Rapporteur Member State shall verify whether the dossier is to be accepted as complete in accordance with Article 11(1)(b) of Directive 98/8/EC.

Where the Rapporteur Member State has initiated consultations with other Member States and the Commission in relation to the acceptability of a dossier, the period may be prolonged until consultations have been finalised, up to a maximum of six months from receipt of the dossier.

2. A Rapporteur Member State may require, as a condition for considering a dossier to be complete advance payment, in full or in part, of the charges payable under Article 25 of Directive 98/8/EC and proof of payment to be provided in the dossier.

3. Where a dossier is considered to be complete, the Rapporteur Member State shall confirm acceptance of the dossier to the participant and agree to the participant forwarding the summary dossier to the Commission and the other Member States within one month of receiving the confirmation.

4. In exceptional circumstances, the Rapporteur Member State may establish a new deadline for the submission of information which, for reasons duly substantiated, the participant was unable to submit in due time.

The participant shall, within three months of being informed of the new deadline, provide evidence to the Rapporteur Member State that work to provide the missing information has been commissioned.

If the Rapporteur Member State considers that it has received sufficient evidence, it shall carry out its evaluation in accordance with Article 10 as if the dossier were complete. Otherwise, the evaluation shall not commence until the missing information is submitted.

5. If a complete dossier is not received within the time period specified in Annex V or, where relevant, by a new deadline established in accordance with paragraph 4, the Rapporteur Member State shall inform the Commission, giving the reasons put forward by the participant by way of justification.

The Rapporteur Member State shall also inform the Commission in cases where a participant fails to provide the evidence required in accordance with the second subparagraph of paragraph 4.

In the cases referred to in the first and second subparagraphs and if no other dossier concerns the same existing active substance/product type combination, the procedure referred to in Article 8(3), (4) and (5) shall apply *mutatis mutandis*.

6. If a Member State in receipt of a summary dossier in accordance with paragraph 3 has legitimate reason to believe that the dossier is incomplete, it shall without delay communicate its concerns to the Rapporteur Member State, the Commission and the other Member States.

The Rapporteur Member State shall immediately take up consultations with that Member State and the Commission in order to discuss the concern expressed and resolve divergent opinions.

Article 10

Evaluation of dossiers by the Rapporteur Member State

1. The Rapporteur Member State shall, in the case of a dossier which it considers to be complete, carry out the evaluation in accordance with Article 11(2) of Directive 98/8/EC and shall prepare a report on that evaluation, hereinafter 'the competent authority report'.

Without prejudice to Article 12 of Directive 98/8/EC, the Rapporteur Member State may take into consideration other relevant technical or scientific information regarding the properties of the active substance, metabolites or residues.

2. A participant may require the Rapporteur Member State to take into consideration additional information relating to an active substance for which the dossier has been accepted as complete only if, at the time when the dossier was submitted, the participant informed the Rapporteur Member State that preparation of the information was under way, and if:

- (a) the information is submitted no later than nine months after acceptance of the dossier in accordance with Article 9(3);
- (b) by comparison with the data originally submitted, the information is equally or more reliable owing to the application of the same or higher quality standards;
- (c) by comparison with the data originally submitted, the information supports a different conclusion concerning the active substance for the purposes of the recommendation under paragraph 7.

The Rapporteur Member State shall take into account additional information submitted by persons other than the participant only if that information satisfies the conditions set out in points (a), (b) and (c) of the first subparagraph.

3. Where relevant in the application of paragraph 1, in particular when additional information has been requested by a deadline established by the Rapporteur Member State, the latter may request that the participant submit updated summary dossiers to the Commission and the other Member States when the additional information is received.

Article 8(3), (4) and (5) shall apply *mutatis mutandis* if:

- (a) the additional information is not received by the deadline;
- (b) the participant fails to provide adequate justification for further postponing the deadline;
- (c) no other dossier concerns the same existing active substance/product type combination.

4. The Commission shall organise, when necessary, meetings with experts from the Member States to discuss specific issues arising in the context of ongoing evaluations.

A Rapporteur Member State may request that the Commission include certain specific problems on the agenda of those meetings, in which case it shall provide the necessary documentation for distribution through the Commission.

5. The Rapporteur Member State shall, without undue delay, send a copy of the competent authority report to the Commission, the other Member States and to the participant.

6. A Rapporteur Member State may decide to withhold the competent authority report if the charges payable under Article 25 of Directive 98/8/EC have not been paid in full, in which case it shall inform the participant and the Commission accordingly.

Article 8(3), (4) and (5) shall apply *mutatis mutandis* if:

- (a) full payment is not received within three months of the date of receipt of that information;
- (b) no other dossier concerns the same existing active substance/product type combination.

7. The competent authority report shall be presented in a format to be recommended by the Commission and shall include one of the following:

- (a) a recommendation to include the existing active substance in Annex I, IA or IB to Directive 98/8/EC, stating, where appropriate, conditions for inclusion;
- (b) a recommendation not to include the existing active substance in Annex I, IA or IB to Directive 98/8/EC, stating the reasons.

Article 11

Commission procedures

1. When the Commission receives a competent authority report pursuant to Article 10(5) of this Regulation it shall, without undue delay, prepare a draft decision in accordance with Article 27 of Directive 98/8/EC.

2. Before preparing the draft decision referred to in paragraph 1, the Commission shall, when necessary in the light of the comments received on the competent authority report, organise meetings with experts from the Member States to discuss any problems remaining unresolved. Where necessary and upon a request from the Commission, the Rapporteur Member State shall prepare an updated competent authority report.

3. In the case of an existing active substance which, despite a recommendation for inclusion pursuant to Article 10(7) of this Regulation, still gives rise to concern, as referred to in Article 10(5) of Directive 98/8/EC, the Commission may, without prejudice to Article 12 of that Directive, take into account the finalisation of the evaluation on other existing active substances applied for the same use.

Article 12

Access to information

When a Rapporteur Member State has submitted the competent authority report in accordance with Article 10(5) of this Regulation, the report shall be made publicly available by electronic means, except for information that is to be treated as confidential in accordance with Article 19 of Directive 98/8/EC.

Article 13

Suspension of procedures

Where, in respect of an active substance listed in Annex II to this Regulation, the Commission presents a proposal to the European Parliament and to the Council, pursuant to Directive 76/769/EEC, for the prohibition of its placing on the market or its use, including use for biocidal purposes, in certain or all product types, the procedures provided for in this Regulation concerning that substance for use in the product type(s) concerned may be suspended pending a decision on that proposal.

*Article 14***Amendments to Regulation (EC) No 1896/2000**

Regulation (EC) No 1896/2000 is amended as follows:

(1) In Article 4, paragraph 3 is replaced by the following:

‘3. If a notification is accepted by the Commission, the notifier shall provide to the competent authority of the designated Rapporteur Member State all data and information necessary for the evaluation of the existing active substance with a view to its possible inclusion in Annex I or Annex IA to Directive 98/8/EC during the second phase of the review programme. The designation shall be carried out by the Commission when the list referred to in Article 6(1)(b) of this Regulation is established.’

(2) In Article 4(4), the first three subparagraphs are deleted.

(3) Article 7 is deleted.

(4) In Article 8(2), the first subparagraph is replaced by the following:

‘If a notification is accepted by the Commission, the notifier shall provide to the competent authority of the designated Rapporteur Member State all data and information necessary for the evaluation of the existing active substance with a view to its possible inclusion in Annex IB to Directive 98/8/EC during the second phase of the review programme. The designation shall be carried out by the Commission when the list referred to in Article 6(1)(b) of this Regulation is established.’

*Article 15***Entry into force**

This Regulation shall enter into force on the twentieth day following that of its publication in the *Official Journal of the European Union*.

This Regulation shall be binding in its entirety and directly applicable in all Member States.

Done at Brussels, 4 November 2003

For the Commission
Margot WALLSTRÖM
Member of the Commission

ANNEX I

EXISTING ACTIVE SUBSTANCES

| Name (EINECS and/or others) | EC number | CAS number |
|--|-----------|------------|
| Formaldehyde | 200-001-8 | 50-00-0 |
| Ergocalciferol / Vitamin D2 | 200-014-9 | 50-14-6 |
| Lactic acid | 200-018-0 | 50-21-5 |
| Clofenotane / DDT | 200-024-3 | 50-29-3 |
| Ascorbic acid | 200-066-2 | 50-81-7 |
| 2-(2-butoxyethoxy)ethyl 6-propylpiperonyl ether / Piperonyl butoxide | 200-076-7 | 51-03-6 |
| 2,4-dinitrophenol | 200-087-7 | 51-28-5 |
| 2-imidazol-4-ylethylamine | 200-100-6 | 51-45-6 |
| Bronopol | 200-143-0 | 52-51-7 |
| Trichlorfon | 200-149-3 | 52-68-6 |
| Sodium salicylate | 200-198-0 | 54-21-7 |
| Fenthion | 200-231-9 | 55-38-9 |
| Glycerol trinitrate | 200-240-8 | 55-63-0 |
| Bis(tributyltin) oxide | 200-268-0 | 56-35-9 |
| Tributyltin acetate | 200-269-6 | 56-36-0 |
| Coumaphos | 200-285-3 | 56-72-4 |
| Glycerol | 200-289-5 | 56-81-5 |
| Chlorhexidine diacetate | 200-302-4 | 56-95-1 |
| Allyl isothiocyanate | 200-309-2 | 57-06-7 |
| Cetrimonium bromide / Hexadecyltrimethylammonium bromide | 200-311-3 | 57-09-0 |
| Urea | 200-315-5 | 57-13-6 |
| Strychnine | 200-319-7 | 57-24-9 |
| Propane-1,2-diol | 200-338-0 | 57-55-6 |
| Caffeine | 200-362-1 | 58-08-2 |
| Diphenoxarsin-10-yl oxide | 200-377-3 | 58-36-6 |
| Gamma-HCH or Gamma-BHC / Lindane / 1,2,3,4,5,6-hexachlorocyclohexane | 200-401-2 | 58-89-9 |
| Sulfaquinoxaline | 200-423-2 | 59-40-5 |
| Chlorocresol | 200-431-6 | 59-50-7 |
| 2-phenylethanol | 200-456-2 | 60-12-8 |
| Dimethoate | 200-480-3 | 60-51-5 |
| Methylthioninium chloride | 200-515-2 | 61-73-4 |
| Thiourea | 200-543-5 | 62-56-6 |
| Dichlorvos | 200-547-7 | 62-73-7 |

| Name (EINECS and/or others) | EC number | CAS number |
|---|-----------|------------|
| Carbaryl | 200-555-0 | 63-25-2 |
| Ethanol | 200-578-6 | 64-17-5 |
| Formic acid | 200-579-1 | 64-18-6 |
| Acetic acid | 200-580-7 | 64-19-7 |
| Benzoic acid | 200-618-2 | 65-85-0 |
| Propan-2-ol | 200-661-7 | 67-63-0 |
| Chloroform / Trichloromethane | 200-663-8 | 67-66-3 |
| Colecalciferol | 200-673-2 | 67-97-0 |
| Salicylic acid | 200-712-3 | 69-72-7 |
| Hexachlorophene | 200-733-8 | 70-30-4 |
| Propan-1-ol | 200-746-9 | 71-23-8 |
| Butan-1-ol | 200-751-6 | 71-36-3 |
| Methoxychlor | 200-779-9 | 72-43-5 |
| Bromomethane / Methyl bromide | 200-813-2 | 74-83-9 |
| Hydrogen cyanide | 200-821-6 | 74-90-8 |
| Metaldehyde | 200-836-8 | 9002-91-9 |
| Carbon disulfide | 200-843-6 | 75-15-0 |
| Ethylene oxide | 200-849-9 | 75-21-8 |
| Iodoform / Triiodomethane | 200-874-5 | 75-47-8 |
| Tert-butyl hydroperoxide | 200-915-7 | 75-91-2 |
| Trichloronitromethane | 200-930-9 | 76-06-2 |
| Bornan-2-one / Campher | 200-945-0 | 76-22-2 |
| (3aS,6aR,7aS,8S,11aS,11bS,11cS)-1,3a,4,5,6a,7,7a,8,11,11a,11b,11c-dodecahydro-2,10-dimethoxy-3,8,11a,11c-tetramethyldibenzo[de,g]chromene-1,5,11-trione / Quassin | 200-985-9 | 76-78-8 |
| 1,3-dibromo-5,5-dimethylhydantoin | 201-030-9 | 77-48-5 |
| 3.beta.-hydroxyurs-12-en-28-oic acid / Ursolic acid | 201-034-0 | 77-52-1 |
| Citric acid | 201-069-1 | 77-92-9 |
| Citric acid monohydrate | 201-069-1 | 5949-29-1 |
| 1,3,4,5-tetrahydroxycyclohexanecarboxylic acid | 201-072-8 | 77-95-2 |
| Linalool | 201-134-4 | 78-70-6 |
| 2-methylpropan-1-ol | 201-148-0 | 78-83-1 |
| 2-chloroacetamide | 201-174-2 | 79-07-2 |
| Bromoacetic acid | 201-175-8 | 79-08-3 |
| Propionic acid | 201-176-3 | 79-09-4 |
| Chloroacetic acid | 201-178-4 | 79-11-8 |
| Glycollic acid | 201-180-5 | 79-14-1 |

| Name (EINECS and/or others) | EC number | CAS number |
|---|-----------|------------|
| Peracetic acid | 201-186-8 | 79-21-0 |
| L-(+)-lactic acid | 201-196-2 | 79-33-4 |
| p-(1,1-dimethylpropyl)phenol | 201-280-9 | 80-46-6 |
| Pin-2(3)-ene | 201-291-9 | 80-56-8 |
| Sennoside A | 201-339-9 | 81-27-6 |
| Warfarin | 201-377-6 | 81-81-2 |
| Coumachlor | 201-378-1 | 81-82-3 |
| Diphacinone | 201-434-5 | 82-66-6 |
| Ethyl quinine carbonate | 201-500-3 | 83-75-0 |
| (2R,6aS,12aS)-1,2,6,6a,12,12a-hexahydro-2-isopropenyl-8,9-dimethoxychromeno[3,4-b]furo[2,3-h]chromen-6-one / Rotenone | 201-501-9 | 83-79-4 |
| Anthraquinone | 201-549-0 | 84-65-1 |
| Dibutyl phthalate | 201-557-4 | 84-74-2 |
| Salicylanilide | 201-727-8 | 87-17-2 |
| (+)-tartaric acid | 201-766-0 | 87-69-4 |
| Pentachlorophenol | 201-778-6 | 87-86-5 |
| Symclosene | 201-782-8 | 87-90-1 |
| Chloroxylenol | 201-793-8 | 88-04-0 |
| 2,4,6-trichlorophenol | 201-795-9 | 88-06-2 |
| Menthol | 201-939-0 | 89-78-1 |
| Isopulegol | 201-940-6 | 89-79-2 |
| Thymol | 201-944-8 | 89-83-8 |
| Guaiacol / 2-methoxyphenol | 201-964-7 | 90-05-1 |
| Biphenyl-2-ol | 201-993-5 | 90-43-7 |
| Naphthalene | 202-049-5 | 91-20-3 |
| Propyl 4-hydroxybenzoate | 202-307-7 | 94-13-3 |
| Butyl 4-hydroxybenzoate | 202-318-7 | 94-26-8 |
| Dibenzoyl peroxide | 202-327-6 | 94-36-0 |
| 2-ethylhexane-1,3-diol | 202-377-9 | 94-96-2 |
| Benzotriazole | 202-394-1 | 95-14-7 |
| 3-chloropropane-1,2-diol | 202-492-4 | 96-24-2 |
| Dichlorophen | 202-567-1 | 97-23-4 |
| Eugenol | 202-589-1 | 97-53-0 |
| Allantoin | 202-592-8 | 97-59-6 |
| Methyl 4-hydroxybenzoate | 202-785-7 | 99-76-3 |
| Benzyl alcohol | 202-859-9 | 100-51-6 |

| Name (EINECS and/or others) | EC number | CAS number |
|--|-----------|------------|
| 2,2'-[(1,1,3-trimethylpropane-1,3-diy)]bis(oxy)]bis[4,4,6-trimethyl-1,3,2-dioxaborinane] | 202-899-7 | 100-89-0 |
| Methenamine / Hexamethylenetetramine | 202-905-8 | 100-97-0 |
| Triclocarban | 202-924-1 | 101-20-2 |
| Chlorpropham | 202-925-7 | 101-21-3 |
| 1,1',1'',1'''-ethylenedinitrilotetrapropan-2-ol | 203-041-4 | 102-60-3 |
| 2,2',2''-nitrilotriethanol | 203-049-8 | 102-71-6 |
| Chlorphenesin | 203-192-6 | 104-29-0 |
| Anethole | 203-205-5 | 104-46-1 |
| Cinnamaldehyde / 3-phenyl-propen-2-al | 203-213-9 | 104-55-2 |
| 2-ethylhexan-1-ol / Isooctanol | 203-234-3 | 104-76-7 |
| Citronellol | 203-375-0 | 106-22-9 |
| Citronellal | 203-376-6 | 106-23-0 |
| Geraniol | 203-377-1 | 106-24-1 |
| 1,4-dichlorobenzene | 203-400-5 | 106-46-7 |
| Ethyldiamine | 203-468-6 | 107-15-3 |
| Chloro-acetaldehyde | 203-472-8 | 107-20-0 |
| Ethane-1,2-diol | 203-473-3 | 107-21-1 |
| Glyoxal | 203-474-9 | 107-22-2 |
| Methyl formate | 203-481-7 | 107-31-3 |
| Butane-1,3-diol | 203-529-7 | 107-88-0 |
| Vinyl acetate | 203-545-4 | 108-05-4 |
| Acetic anhydride | 203-564-8 | 10824-7 |
| m-Cresol | 203-577-9 | 108-39-4 |
| Resorcinol | 203-585-2 | 108-46-3 |
| Cyanuric acid | 203-618-0 | 108-80-5 |
| Phenol | 203-632-7 | 108-95-2 |
| Ethyl formate | 203-721-0 | 109-94-4 |
| Succinic acid | 203-740-4 | 110-15-6 |
| Hexa-2,4-dienoic acid / Sorbic acid | 203-768-7 | 110-44-1 |
| Pyridine | 203-809-9 | 110-86-1 |
| Morpholine | 203-815-1 | 110-91-8 |
| Glutaral | 203-856-5 | 111-30-8 |
| 2-Butoxyethanol | 203-905-0 | 111-76-2 |
| Cetrimonium chloride / Hexadecyl-trimethylammoniumchloride | 203-928-6 | 112-02-7 |
| Nonanoic acid | 203-931-2 | 112-05-0 |
| Undecan-2-one / Methyl-nonyl-ketone | 203-937-5 | 112-12-9 |

| Name (EINECS and/or others) | EC number | CAS number |
|---|-----------|------------|
| 2,2'-(ethylenedioxy)diethanol / Triethylene-glycol | 203-953-2 | 112-27-6 |
| Undec-10-enoic acid | 203-965-8 | 112-38-9 |
| Oleic acid | 204-007-1 | 112-80-1 |
| (Z)-docos-13-enoic acid | 204-011-3 | 112-86-7 |
| N-(2-ethylhexyl)-8,9,10-trinorborn-5-ene-2,3-dicarboximide | 204-029-1 | 113-48-4 |
| Propoxur | 204-043-8 | 114-26-1 |
| Endosulfan | 204-079-4 | 115-29-7 |
| 1,7,7-trimethylbicyclo[2.2.1]hept-2-yl thiocyanatoacetate | 204-081-5 | 115-31-1 |
| Dicofol | 204-082-0 | 115-32-2 |
| Linalyl acetate | 204-116-4 | 115-95-7 |
| 3,3',4',5,7-pentahydroxyflavone | 204-187-1 | 117-39-5 |
| 1,3-dichloro-5,5-dimethylhydantoin | 204-258-7 | 118-52-5 |
| Methyl salicylate | 204-317-7 | 119-36-8 |
| Clorophene | 204-385-8 | 120-32-1 |
| Ethyl 4-hydroxybenzoate | 204-399-4 | 120-47-8 |
| Benzyl benzoate | 204-402-9 | 120-51-4 |
| Piperonal | 204-409-7 | 120-57-0 |
| Indole | 204-420-7 | 120-72-9 |
| 3-(but-2-enyl)-2-methyl-4-oxocyclopent-2-enyl-2,2-dimethyl-3-(3-methoxy-2-methyl-3-oxoprop-1-enyl)cyclopropanecarboxylate / Cinerin II | 204-454-2 | 121-20-0 |
| 2-methyl-4-oxo-3-(penta-2,4-dienyl)cyclopent-2-enyl [1R-[1.alpha.[S*(Z)],3.-beta.]]-chrysanthemate / Pyrethrin I | 204-455-8 | 121-21-1 |
| 2-methyl-4-oxo-3-(penta-2,4-dienyl)cyclopent-2-enyl [1R-[1.alpha.[S*(Z)](3.-beta.)-3-(3-methoxy-2-methyl-3-oxoprop-1-enyl)-2,2-dimethylcyclopropanecarboxylate / Pyrethrin II | 204-462-6 | 121-29-9 |
| Benzethonium chloride | 204-479-9 | 121-54-0 |
| 5-nitrothiazol-2-ylamine | 204-490-9 | 121-66-4 |
| Malathion | 204-497-7 | 121-75-5 |
| Fenitrothion | 204-524-2 | 122-14-5 |
| Cetalkonium chloride | 204-526-3 | 122-18-9 |
| Benzyltrimethyl(octadecyl)ammonium chloride | 204-527-9 | 122-19-0 |
| Simazine | 204-535-2 | 122-34-9 |
| Propham | 204-542-0 | 122-42-9 |
| 4-Phenylbutanone | 204-555-1 | 122-57-6 |
| 2-Phenoxyethanol | 204-589-7 | 122-99-6 |
| Cetylpyridinium chloride | 204-593-9 | 123-03-5 |
| Cetylpyridinium chloride monohydrate | 204-593-9 | 6004-24-6 |
| 2-Ethylhexanal | 204-596-5 | 123-05-7 |

| Name (EINECS and/or others) | EC number | CAS number |
|--|-----------|------------|
| Pyridazine-3,6-diol / Maleic hydrazide | 204-619-9 | 123-33-1 |
| Adipic acid | 204-673-3 | 124-04-9 |
| Octanoic acid | 204-677-5 | 124-07-2 |
| Dodecylamine / Laurylamine | 204-690-6 | 124-22-1 |
| Carbon dioxide | 204-696-9 | 124-38-9 |
| Sodium dimethylarsinate | 204-708-2 | 124-65-2 |
| Exo-1,7,7-trimethylbicyclo[2.2.1]heptan-2-ol | 204-712-4 | 124-76-5 |
| Nitromethylidynetrimethanol | 204-769-5 | 126-11-4 |
| Sodium acetate | 204-823-8 | 127-09-3 |
| Sodium N-chlorobenzenesulphonamide | 204-847-9 | 127-52-6 |
| Tosylchloramide sodium | 204-854-7 | 127-65-1 |
| Bis(2,3,3,3-tetrachloropropyl) ether | 204-870-4 | 127-90-2 |
| Potassium dimethyldithiocarbamate | 204-875-1 | 128-03-0 |
| Sodium dimethyldithiocarbamate | 204-876-7 | 128-04-1 |
| N-bromosuccinimide | 204-877-2 | 128-08-5 |
| N-chlorosuccinimide | 204-878-8 | 128-09-6 |
| 2,6-di-tert-butyl-p-cresol | 204-881-4 | 128-37-0 |
| Warfarin sodium | 204-929-4 | 129-06-6 |
| Dimethyl phthalate | 205-011-6 | 131-11-3 |
| Sodium pentachlorophenolate | 205-025-2 | 131-52-2 |
| Sodium 2-biphenylate | 205-055-6 | 132-27-4 |
| Sodium 2-biphenylate tetrahydrate | 205-055-6 | 6152-33-6 |
| Captan | 205-087-0 | 133-06-2 |
| N-(trichloromethylthio)phthalimide / Folpet | 205-088-6 | 133-07-3 |
| 2,4-Dichloro-3,5-xlenol | 205-109-9 | 133-53-9 |
| Methyl anthranilate | 205-132-4 | 134-20-3 |
| Bis(8-hydroxyquinolinium) sulphate | 205-137-1 | 134-31-6 |
| N,N-diethyl-m-toluamide | 205-149-7 | 134-62-3 |
| Dipropyl pyridine-2,5-dicarboxylate | 205-245-9 | 136-45-8 |
| Zinc bis(2-ethylhexanoate) | 205-251-1 | 136-53-8 |
| 6-methylbenzotriazole | 205-265-8 | 136-85-6 |
| Thiram | 205-286-2 | 137-26-8 |
| Ziram | 205-288-3 | 137-30-4 |
| Sodium propionate | 205-290-4 | 137-40-6 |
| Potassium methylthiocarbamate | 205-292-5 | 137-41-7 |
| Metam-sodium | 205-293-0 | 137-42-8 |

| Name (EINECS and/or others) | EC number | CAS number |
|---|-----------|------------|
| Dipentene | 205-341-0 | 138-86-3 |
| Disodium cyanodithiocarbamate | 205-346-8 | 138-93-2 |
| Benzododecinium chloride | 205-351-5 | 139-07-1 |
| Miristalkonium chloride | 205-352-0 | 139-08-2 |
| Nitrilo triacetic acid | 205-355-7 | 139-13-9 |
| p-tolyl acetate | 205-413-1 | 140-39-6 |
| 1,3-bis(hydroxymethyl)urea | 205-444-0 | 140-95-4 |
| Sodium formate | 205-488-0 | 141-53-7 |
| 2,3-dihydroxypropyl laurate | 205-526-6 | 142-18-7 |
| Nabam | 205-547-0 | 142-59-6 |
| Hexanoic acid | 205-550-7 | 142-62-1 |
| Lauric acid | 205-582-1 | 143-07-7 |
| Potassium oleate | 205-590-5 | 143-18-0 |
| Sodium hydrogencarbonate | 205-633-8 | 144-55-8 |
| Oxalic acid | 205-634-3 | 144-62-7 |
| Quinolin-8-ol | 205-711-1 | 148-24-3 |
| Thiabendazole | 205-725-8 | 148-79-8 |
| Benzothiazole-2-thiol | 205-736-8 | 149-30-4 |
| Monuron | 205-766-1 | 150-68-5 |
| Rutoside | 205-814-1 | 153-18-4 |
| Glyoxylic acid | 206-058-5 | 298-12-4 |
| Fenchlorphos | 206-082-6 | 299-84-3 |
| Naled | 206-098-3 | 300-76-5 |
| 5-chlorosalicylic acid | 206-283-9 | 321-14-2 |
| Diuron | 206-354-4 | 330-54-1 |
| Potassium thiocyanate | 206-370-1 | 333-20-0 |
| Diazinon | 206-373-8 | 333-41-5 |
| Decanoic acid | 206-376-4 | 334-48-5 |
| Cyanamide | 206-992-3 | 420-04-2 |
| Metronidazole | 207-136-1 | 443-48-1 |
| Cineole | 207-431-5 | 470-82-6 |
| 7,8-dihydroxycoumarin | 207-632-8 | 486-35-1 |
| Sodium carbonate | 207-838-8 | 497-19-8 |
| 2-hydroxy-4-isopropyl-2,4,6-cycloheptatrien-1-one | 207-880-7 | 499-44-5 |
| Carvacrol | 207-889-6 | 499-75-2 |

| Name (EINECS and/or others) | EC number | CAS number |
|--|-----------|------------|
| 6.beta.-acetoxy-3beta(.beta.-D-glucopyranosyloxy)-8,14-dihydroxybufa-4,20,22-trienolide / Scilliroside | 208-077-4 | 507-60-8 |
| Barium carbonate | 208-167-3 | 513-77-9 |
| 3-acetyl-6-methyl-2H-pyran-2,4(3H)-dione | 208-293-9 | 520-45-6 |
| Osalmid | 208-385-9 | 526-18-1 |
| 2,6-Dimethoxy-p-benzoquinone | 208-484-7 | 530-55-2 |
| Acridine-3,6-diamine dihydrochloride | 208-515-4 | 531-73-7 |
| Sodium benzoate | 208-534-8 | 532-32-1 |
| Dazomet | 208-576-7 | 533-74-4 |
| Trisodium hydrogencarbonate / Sodium sesquicarbonate | 208-580-9 | 533-96-0 |
| Silver carbonate | 208-590-3 | 534-16-7 |
| Crimidine | 208-622-6 | 535-89-7 |
| Calcium diformate | 208-863-7 | 544-17-2 |
| Myristic acid | 208-875-2 | 544-63-8 |
| 1-isopropyl-4-methylbicyclo[3.1.0]hexan-3-one | 208-912-2 | 546-80-5 |
| 1,3,4,6,8,13-hexahydroxy-10,11-dimethylphenanthro[1,10,9,8-opqra]perylene-7,14-dione / Hypericum perforatum | 208-941-0 | 548-04-9 |
| [4-[4,4'-bis(dimethylamino)benzhydrylidene]cyclohexa-2,5-dien-1-ylidene]dimethylammonium chloride | 208-953-6 | 548-62-9 |
| Zinc dibenzoate | 209-047-3 | 553-72-0 |
| Methyl isothiocyanate | 209-132-5 | 556-61-6 |
| 4,4'-(4-iminocyclohexa-2,5-dienylidenemethylene)dianiline hydrochloride | 209-321-2 | 569-61-9 |
| [4-[alpha-[4-(dimethylamino)phenyl]benzylidene]cyclohexa-2,5-dien-1-ylidene]dimethylammonium chloride / Malachite green chloride | 209-322-8 | 569-64-2 |
| Potassium benzoate | 209-481-3 | 582-25-2 |
| (RS)-3-allyl-2-methyl-4-oxocyclopent-2-enyl-(1RS,3RS;1RS,3SR)-2,2-dimethyl-3-(2-methylprop-1-enyl)-cyclopropanecarboxylate (all isomers; ratio: 1:1:1:1:1:1) / Allethrin | 209-542-4 | 584-79-2 |
| Sodium 3-(p-anilinophenylazo)benzenesulphonate / Metanil yellow | 209-608-2 | 587-98-4 |
| DL-lactic acid | 209-954-4 | 598-82-3 |
| BHC or HCH / Hexachlorocyclohexane | 210-168-9 | 608-73-1 |
| DL-malic acid | 210-514-9 | 617-48-1 |
| N-(hydroxymethyl)acetamide | 210-897-2 | 625-51-4 |
| Succinaldehyde | 211-333-8 | 638-37-9 |
| 2-fluoroacetamide | 211-363-1 | 640-19-7 |
| Phthalaldehyde | 211-402-2 | 643-79-8 |
| 2-hydroxyethanesulphonic acid, compound with 4,4'-[hexane-1,6-diybis(oxy)]bis[benzenecarboxamidine] (2:1) | 211-533-5 | 659-40-5 |
| Tetrahydro-2,5-dimethoxyfuran | 211-797-1 | 696-59-3 |

| Name (EINECS and/or others) | EC number | CAS number |
|--|-----------|------------|
| N-[(dichlorofluoromethyl)thio]phthalimide | 211-952-3 | 719-96-0 |
| Dichloro-N-[(dimethylamino)sulphonyl]fluoro-N-(p-tolyl)methanesulphamide / Tolyfluamid | 211-986-9 | 731-27-1 |
| Hydroxyl-2-pyridone | 212-506-0 | 822-89-9 |
| 2,6-dimethyl-1,3-dioxan-4-yl acetate | 212-579-9 | 828-00-2 |
| Terbutryn | 212-950-5 | 886-50-0 |
| Proflavine hydrochloride | 213-459-9 | 952-23-8 |
| N'1-quinoxalin-2-ylsulphanilamide, sodium salt | 213-526-2 | 967-80-6 |
| Norbormide | 213-589-6 | 991-42-4 |
| (hydroxymethyl)urea | 213-674-8 | 1000-82-4 |
| Dichlofluamid | 214-118-7 | 1085-98-9 |
| Copper thiocyanate | 214-183-1 | 1111-67-7 |
| Dodecyltrimethylammonium bromide | 214-290-3 | 1119-94-4 |
| Tetradonium bromide | 214-291-9 | 1119-97-7 |
| (1,3,4,5,6,7-hexahydro-1,3-dioxo-2H-isoindol-2-yl)methyl (1R-trans)-2,2-dimethyl-3-(2-methylprop-1-enyl)cyclopropanecarboxylate / d-Tetramethrin | 214-619-0 | 1166-46-7 |
| 4,5-dichloro-3H-1,2-dithiol-3-one | 214-754-5 | 1192-52-5 |
| Xylenol | 215-089-3 | 1300-71-6 |
| Bentonite | 215-108-5 | 1302-78-9 |
| Diarsenic pentaoxide | 215-116-9 | 1303-28-2 |
| Diboron trioxide | 215-125-8 | 1303-86-2 |
| Potassium hydroxide | 215-181-3 | 1310-58-3 |
| Sodium hydroxide | 215-185-5 | 1310-73-2 |
| Silicic acid, potassium salt / Potassium silicate | 215-199-1 | 1312-76-1 |
| Zinc oxide | 215-222-5 | 1314-13-2 |
| Trizinc diphosphide | 215-244-5 | 1314-84-7 |
| Zinc sulphide | 215-251-3 | 1314-98-3 |
| Trimanganese tetraoxide | 215-264-5 | 1317-35-7 |
| Copper oxide | 215-269-0 | 1317-38-0 |
| Dicopper oxide | 215-270-7 | 1317-39-1 |
| Cresol | 215-293-2 | 1319-77-3 |
| Aluminum chloride, basic | 215-477-2 | 1327-41-9 |
| Disodium tetraborate, anhydrous | 215-540-4 | 1330-43-4 |
| Disodium tetraborate decahydrate | 215-540-4 | 1303-96-4 |
| Dicopper chloride trihydroxide | 215-572-9 | 1332-65-6 |
| Chromium trioxide | 215-607-8 | 1333-82-0 |
| Sodium hydrogendifluoride | 215-608-3 | 1333-83-1 |

| Name (EINECS and/or others) | EC number | CAS number |
|--|-----------|------------|
| Naphthenic acids, copper salts | 215-657-0 | 1338-02-9 |
| 2-Butanone, peroxide | 215-661-2 | 1338-23-4 |
| Naphthenic acids | 215-662-8 | 1338-24-5 |
| Ammonium hydrogendifluoride | 215-676-7 | 1341-49-7 |
| Silicic acid, sodium salt | 215-687-4 | 1344-09-8 |
| Copper(II) chloride | 215-704-5 | 1344-67-8 |
| N,N''-bis(2-ethylhexyl)-3,12-diimino-2,4,11,13-tetraazatetradecanediamidine dihydrochloride | 216-994-6 | 1715-30-6 |
| Monolinuron | 217-129-5 | 1746-81-2 |
| 2,4-dichlorobenzyl alcohol | 217-210-5 | 1777-82-8 |
| Ethacridine lactate | 217-408-1 | 1837-57-6 |
| 4,4'-(2-ethyl-2-nitropropane-1,3-diyl)bismorpholine | 217-450-0 | 1854-23-5 |
| Chlorothalonil | 217-588-1 | 1897-45-6 |
| Dodecylammonium acetate | 217-956-1 | 2016-56-0 |
| Fluometuron | 218-500-4 | 2164-17-2 |
| Allyl propyl disulphide | 218-550-7 | 2179-59-1 |
| 4-(2-nitrobutyl)morpholine | 218-748-3 | 2224-44-4 |
| N-(3-aminopropyl)-N-dodecylpropane-1,3-diamine | 219-145-8 | 2372-82-9 |
| Didecyldimethylammonium bromide | 219-234-1 | 2390-68-3 |
| Tolnaftate | 219-266-6 | 2398-96-1 |
| Bis[[4-[4-(dimethylamino)benzhydrylidene]cyclohexa-2,5-dien-1-ylidene]dimethylammonium] oxalate, dioxalate | 219-441-7 | 2437-29-8 |
| Dodine | 219-459-5 | 2439-10-3 |
| 2-bromo-1-(4-hydroxyphenyl)ethan-1-one | 219-655-0 | 2491-38-5 |
| 2,2'-dithiobis[N-methylbenzamide] | 219-768-5 | 2527-58-4 |
| 2,2'-[methylenebis(oxy)]bisethanol | 219-891-4 | 2565-36-8 |
| Phenthoate | 219-997-0 | 2597-03-7 |
| 1,2-benzisothiazol-3(2H)-one | 220-120-9 | 2634-33-5 |
| 2,2'-[(1-methylpropane-1,3-diyl)bis(oxy)]bis[4-methyl-1,3,2-dioxaborinane] | 220-198-4 | 2665-13-6 |
| 2-methyl-2H-isothiazol-3-one | 220-239-6 | 2682-20-4 |
| Sulphuryl difluoride | 220-281-5 | 2699-79-8 |
| 2-Amino-3-chloro-1,4-naphthoquinone | 220-529-2 | 2797-51-5 |
| 2-chloro-N-(hydroxymethyl)acetamide | 220-598-9 | 2832-19-1 |
| Troclosene sodium | 220-767-7 | 2893-78-9 |
| Sodium dichloroisocyanurate dihydrate | 220-767-7 | 51580-86-0 |
| Chlorpyrifos | 220-864-4 | 2921-88-2 |
| Mecetronium ethyl sulphate | 221-106-5 | 3006-10-8 |

| Name (EINECS and/or others) | EC number | CAS number |
|---|-----------|------------|
| Dodecylethyltrimethylammonium ethyl sulphate | 221-108-6 | 3006-13-1 |
| Bis(trichloromethyl) sulphone | 221-310-4 | 3064-70-8 |
| Sodium 2-(2-dodecyloxyethoxy)ethyl sulphate | 221-416-0 | 3088-31-1 |
| 4-isopropyl-m-cresol | 221-761-7 | 3228-02-2 |
| Copper dinitrate | 221-838-5 | 3251-23-8 |
| Triclosan | 222-182-2 | 3380-34-5 |
| Temephos | 222-191-1 | 3383-96-8 |
| Thuj-4(10)-ene | 222-212-4 | 3387-41-5 |
| Oct-1-ene-3-ol | 222-226-0 | 3391-86-4 |
| Sodium 5-chloro-2-[4-chloro-2-[[[(3,4-dichlorophenyl)amino]carbonyl]amino]phenoxy]benzenesulphonate | 222-654-8 | 3567-25-7 |
| (ethylenedioxy)dimethanol | 222-720-6 | 3586-55-8 |
| Chlorophacinone | 223-003-0 | 3691-35-8 |
| Dipyrrithione | 223-024-5 | 3696-28-4 |
| Chlorhexidine dihydrochloride | 223-026-6 | 3697-42-5 |
| Denatonium benzoate | 223-095-2 | 3734-33-6 |
| Sodium 2,4,6-trichlorophenolate | 223-246-2 | 3784-03-0 |
| Pyridine-2-thiol 1-oxide, sodium salt | 223-296-5 | 3811-73-2 |
| Hexahydro-1,3,5-tris(3-methoxypropyl)-1,3,5-triazine | 223-563-6 | 3960-05-2 |
| 4-oxo-4-[(tributylstannyl)oxy]but-2-enoic acid / Tributyltin maleate | 223-701-5 | 4027-18-3 |
| Methenamine 3-chloroallylochloride | 223-805-0 | 4080-31-3 |
| N-ethylheptadecafluorooctanesulphonamide | 223-980-3 | 4151-50-2 |
| Isobutyl 4-hydroxybenzoate / Isobutyl parabene | 224-208-8 | 4247-02-3 |
| Tributylstannyl salicylate / Tributyltin salicylate | 224-397-7 | 4342-30-7 |
| Tributylstannyl benzoate / Tributyltin benzoate | 224-399-8 | 4342-36-3 |
| Sodium 1-(3,4-dihydro-6-methyl-2,4-dioxo-2H-pyran-3-ylidene)ethanolate | 224-580-1 | 4418-26-2 |
| Diethylammonium salicylate | 224-586-4 | 4419-92-5 |
| Dimethyl dicarbonate | 224-859-8 | 4525-33-1 |
| Farnesol | 225-004-1 | 4602-84-0 |
| 2,2',2''-(hexahydro-1,3,5-triazine-1,3,5-triyl)triethanol | 225-208-0 | 4719-04-4 |
| Octylphosphonic acid | 225-218-5 | 4724-48-5 |
| Sodium 4-(methoxycarbonyl)phenolate | 225-714-1 | 5026-62-0 |
| Sulphamidic acid | 226-218-8 | 5329-14-6 |
| Citral | 226-394-6 | 5392-40-5 |
| Tetrahydro-1,3,4,6-tetrakis(hydroxymethyl)imidazo[4,5-d]imidazole-2,5(1H,3H)-dione | 226-408-0 | 5395-50-6 |
| 1-benzyl-3,5,7-triaza-1-azoniatricyclo[3.3.1.1.3,7]decane chloride | 226-445-2 | 5400-93-1 |

| Name (EINECS and/or others) | EC number | CAS number |
|--|-----------|------------|
| Dimethyldioctylammonium chloride | 226-901-0 | 5538-94-3 |
| N-dodecylpropane-1,3-diamine | 226-902-6 | 5538-95-4 |
| Chlorpyrifos-methyl | 227-011-5 | 5598-13-0 |
| N,N'-methylenbismorpholine | 227-062-3 | 5625-90-1 |
| Coumatetralyl | 227-424-0 | 5836-29-3 |
| Terbutylazine | 227-637-9 | 5915-41-3 |
| (R)-p-mentha-1,8-diene | 227-813-5 | 5989-27-5 |
| 4-methoxybenzene-1,3-diamine sulphate | 228-290-6 | 6219-67-6 |
| Methylene dithiocyanate | 228-652-3 | 6317-18-6 |
| 1,3-bis(hydroxymethyl)-5,5-dimethylimidazolidine-2,4-dione | 229-222-8 | 6440-58-0 |
| Dodacin | 229-930-7 | 6843-97-6 |
| Malic acid | 230-022-8 | 6915-15-7 |
| (2-bromo-2-nitrovinyl)benzene | 230-515-8 | 7166-19-0 |
| Didecyldimethylammonium chloride | 230-525-2 | 7173-51-5 |
| (Z)-N-9-octadecenylpropane-1,3-diamine | 230-528-9 | 7173-62-8 |
| Benzylododecyldimethylammonium bromide | 230-698-4 | 7281-04-1 |
| Prometryn | 230-711-3 | 7287-19-6 |
| Silver | 231-131-3 | 7440-22-4 |
| Boron | 231-151-2 | 7440-42-8 |
| Copper | 231-159-6 | 7440-50-8 |
| Zinc | 231-175-3 | 7440-66-6 |
| Sulphur dioxide | 231-195-2 | 7446-09-5 |
| Dithallium sulphate | 231-201-3 | 7446-18-6 |
| Calcium dihexa-2,4-dienoate | 231-321-6 | 7492-55-9 |
| Quinine monohydrochloride dihydrate | 231-437-7 | 6119-47-7 |
| Iodine | 231-442-4 | 7553-56-2 |
| Iodine in the form of iodophor | Mixture | 39392-86-4 |
| Iodine complex in solution with non-ionic detergents | Mixture | |
| Polyvinylpyrrolidone iodine | Polymer | 25655-41-8 |
| Alkylaryl polyether alcohol-iodine complex | Polymer | |
| Iodine complex with ethylene-propylene block co-Polymer (pluronic) | Polymer | |
| Iodine complex with poly alkylenglycol | Polymer | |
| Iodinated Resin / Polyiodide Anion Resin | Polymer | |
| Trisodium orthophosphate (TSP) | 231-509-8 | 7601-54-9 |
| Silicon dioxide — amorphous | 231-545-4 | 7631-86-9 |
| Sodium hydrogensulphite | 231-548-0 | 7631-90-5 |

| Name (EINECS and/or others) | EC number | CAS number |
|---|-----------|------------|
| Sodium nitrite | 231-555-9 | 7632-00-0 |
| Sodium peroxometaborate / Sodium perborate hydrate | 231-556-4 | 7632 04 4 |
| Hydrogen chloride / Hydrochloric acid | 231-595-7 | 7647-01-0 |
| Sodium chloride | 231-598-3 | 7647-14-5 |
| Sodium bromide | 231-599-9 | 7647-15-6 |
| Orthophosphoric acid | 231-633-2 | 7664-38-2 |
| Hydrogen fluoride | 231-634-8 | 7664-39-3 |
| Ammonia, anhydrous | 231-635-3 | 7664-41-7 |
| Sulphuric acid | 231-639-5 | 7664-93-9 |
| Potassium iodide | 231-659-4 | 7681-11-0 |
| Sodium hydrogensulphate | 231-665-7 | 7681-38-1 |
| Sodium fluoride | 231-667-8 | 7681-49-4 |
| Sodium hypochlorite | 231-668-3 | 7681-52-9 |
| Disodium disulphite | 231-673-0 | 7681-57-4 |
| Tetramethrin | 231-711-6 | 7696-12-0 |
| Sulphur | 231-722-6 | 7704-34-9 |
| Iron sulphate | 231-753-5 | 7720-78-7 |
| Iron vitriol / Ferrous sulphate heptahydrate / Iron sulphate heptahydrate | 231-753-5 | 7782-63-0 |
| Potassium permanganate | 231-760-3 | 7722-64-7 |
| Hydrogen peroxide | 231-765-0 | 7722-84-1 |
| Bromine | 231-778-1 | 7726-95-6 |
| Dipotassium peroxodisulphate | 231-781-8 | 7727-21-1 |
| Nitrogen | 231-783-9 | 7727-37-9 |
| Zinc sulphate heptahydrate | 231-793-3 | 7446-20-0 |
| 7a-ethylidihydro-1H,3H,5H-oxazolo[3,4-c]oxazole | 231-810-4 | 7747-35-5 |
| Sodium sulphite | 231-821-4 | 7757-83-7 |
| Sodium chlorite | 231-836-6 | 7758-19-2 |
| Copper chloride | 231-842-9 | 7758-89-6 |
| Copper sulphate | 231-847-6 | 7758-98-7 |
| Copper sulphate pentahydrate | 231-847-6 | 7758-99-8 |
| Silver nitrate | 231-853-9 | 7761-88-8 |
| Sodium thiosulphate pentahydrate | 231-867-5 | 10102-17-7 |
| Sodium chlorate | 231-887-4 | 7775-09-9 |
| Disodium peroxodisulphate / Sodium persulphate | 231-892-1 | 7775-27-1 |
| Potassium dichromate | 231-906-6 | 7778-50-9 |
| Calcium hypochlorite | 231-908-7 | 7778-54-3 |

| Name (EINECS and/or others) | EC number | CAS number |
|--|-----------|------------|
| Hexahydro-1,3,5-triethyl-1,3,5-triazine | 231-924-4 | 7779-27-3 |
| Chlorine | 231-959-5 | 7782-50-5 |
| Ammonium sulphate | 231-984-1 | 7783-20-2 |
| Silver chloride | 232-033-3 | 7783-90-6 |
| Aluminium ammonium bis(sulphate) | 232-055-3 | 7784-25-0 |
| Manganese sulphate | 232-089-9 | 7785-87-7 |
| Manganese sulphate tetrahydrate | 232-089-9 | 10101-68-5 |
| Iodine monochloride | 232-236-7 | 7790-99-0 |
| Terpineol | 232-268-1 | 8000-41-7 |
| Soyabean oil | 232-274-4 | 8001-22-7 |
| Linseed oil | 232-278-6 | 8001-26-1 |
| Corn oil | 232-281-2 | 8001-30-7 |
| Coconut oil | 232-282-8 | 8001-31-8 |
| Creosote | 232-287-5 | 8001-58-9 |
| Castor oil | 232-293-8 | 8001-79-4 |
| Bone oil / Animal oil | 232-294-3 | 8001-85-2 |
| Rape oil | 232-299-0 | 8002-13-9 |
| Pyrethrins and Pyrethroids | 232-319-8 | 8003-34-7 |
| Turpentine oil | 232-350-7 | 8006-64-2 |
| Garlic ext. | 232-371-1 | 8008-99-9 |
| Tar, pine / Pine wood tar | 232-374-8 | 8011-48-1 |
| Beeswax | 232-383-7 | 8012-89-3 |
| Paraffin oils | 232-384-2 | 8012-95-1 |
| Oils, avocado | 232-428-0 | 8024-32-6 |
| Orange, sweet, ext. | 232-433-8 | 8028-48-6 |
| White mineral oil (petroleum) | 232-455-8 | 8042-47-5 |
| Saponins | 232-462-6 | 8047-15-2 |
| Tall-oil rosin | 232-484-6 | 8052-10-6 |
| Asphalt / Bitumen | 232-490-9 | 8052-42-4 |
| Copals | 232-527-9 | 9000-14-0 |
| Lignin | 232-682-2 | 9005-53-2 |
| Aluminium sulphate | 233-135-0 | 10043-01-3 |
| Boric acid | 233-139-2 | 10043-35-3 |
| Aluminium potassium bis(sulphate) / Alum | 233-141-3 | 10043-67-1 |
| Chlorine dioxide | 233-162-8 | 10049-04-4 |
| Potassium sulphite | 233-321-1 | 10117-38-1 |

| Name (EINECS and/or others) | EC number | CAS number |
|---|-----------|------------|
| Sodium hydrogen 2,2'methylenebis[4-chlorophenolate] | 233-457-1 | 10187-52-7 |
| 2,2-dibromo-2-cyanoacetamide | 233-539-7 | 10222-01-2 |
| Disilver(1+) sulphate | 233-653-7 | 10294-26-5 |
| Sodium metaphosphate | 233-782-9 | 10361-03-2 |
| Oxine-copper | 233-841-9 | 10380-28-6 |
| Resmethrin | 233-940-7 | 10453-86-8 |
| N,N'-ethylenebis[N-acetylacetamide] | 234-123-8 | 10543-57-4 |
| Sodium dichromate | 234-190-3 | 10588-01-9 |
| Carbendazim | 234-232-0 | 10605-21-7 |
| Tridecasodium hypochloritetetrakis(phosphate) | 234-307-8 | 11084-85-8 |
| Natural boric acid | 234-343-4 | 11113-50-1 |
| Sodium perborate tetrahydrate | 234-390-0 | 10486-00-7 |
| Perboric acid, sodium salt | 234-390-0 | 11138-47-9 |
| Naphthenic acids, zinc salts | 234-409-2 | 12001-85-3 |
| Disodium octaborate | 234-541-0 | 12008-41-2 |
| Disodium octaborate tetrahydrate | 234-541-0 | 12280-03-4 |
| [2H4]ammonium chloride | 234-607-9 | 12015-14-4 |
| Dialuminium chloride pentahydroxide | 234-933-1 | 12042-91-0 |
| Trimagnesium diphosphide | 235-023-7 | 12057-74-8 |
| Sodium toluenesulphonate | 235-088-1 | 12068-03-0 |
| Copper(II) carbonate-copper(II) hydroxide (1:1) | 235-113-6 | 12069-69-1 |
| Zineb | 235-180-1 | 12122-67-7 |
| Ammonium bromide | 235-183-8 | 12124-97-9 |
| Tetraboron disodium heptaoxide, hydrate | 235-541-3 | 12267-73-1 |
| Maneb | 235-654-8 | 12427-38-2 |
| Hexaboron dizinc undecaoxide / Zinc borate | 235-804-2 | 12767-90-7 |
| N-(hydroxymethyl)formamide | 235-938-1 | 13052-19-2 |
| 2,3,5,6-tetrachloro-4-(methylsulphonyl)pyridine | 236-035-5 | 13108-52-6 |
| Nifurpirinol | 236-503-9 | 13411-16-0 |
| Pyrithione zinc | 236-671-3 | 13463-41-7 |
| Titanium dioxide | 236-675-5 | 13463-67-7 |
| Dodecylguanidine monohydrochloride | 237-030-0 | 13590-97-1 |
| Barium diboron tetraoxide | 237-222-4 | 13701-59-2 |
| Potassium 2-biphenylate | 237-243-9 | 13707-65-8 |
| Lithium hypochlorite | 237-558-1 | 13840-33-0 |
| Orthoboric acid, sodium salt | 237-560-2 | 13840-56-7 |

| Name (EINECS and/or others) | EC number | CAS number |
|--|-----------|------------|
| Bromine chloride | 237-601-4 | 13863-41-7 |
| Zinc bis(diethyldithiocarbamate) | 238-270-9 | 14324-55-1 |
| (benzyloxy)methanol | 238-588-8 | 14548-60-8 |
| 2,2'-oxybis[4,4,6-trimethyl-1,3,2-dioxaborinane] | 238-749-2 | 14697-50-8 |
| Phoxim | 238-887-3 | 14816-18-3 |
| Bis(1-hydroxy-1H-pyridine-2-thionato-O,S)copper | 238-984-0 | 14915-37-8 |
| Bis(8-hydroxyquinolyl) sulphate, monopotassium salt | 239-133-6 | 15077-57-3 |
| Dibromopropionamide | 239-153-5 | 15102-42-8 |
| Sodium perborate monohydrate | 239-172-9 | 10332-33-9 |
| 2,2'-methylenebis(6-bromo-4-chlorophenol) | 239-446-8 | 15435-29-7 |
| Chlorotoluron | 239-592-2 | 15545-48-9 |
| Disodium carbonate, compound with hydrogen peroxide (2:3) | 239-707-6 | 15630-89-4 |
| Sodium p-chloro-m-cresolate | 239-825-8 | 15733-22-9 |
| Chloralose | 240-016-7 | 15879-93-3 |
| 1-bromo-3-chloro-5,5-dimethylimidazolidine-2,4-dione | 240-230-0 | 16079-88-2 |
| (R)-2-(4-chloro-2-methylphenoxy)propionic acid | 240-539-0 | 16484-77-8 |
| Dipotassium disulphite | 240-795-3 | 16731-55-8 |
| Methomyl | 240-815-0 | 16752-77-5 |
| Disodium hexafluorosilicate | 240-934-8 | 16893-85-9 |
| Hexafluorosilicic acid | 241-034-8 | 16961-83-4 |
| Benomyl | 241-775-7 | 17804-35-2 |
| D-gluconic acid, compound with N,N'-bis(4-chlorophenyl)-3,12-diimino-2,4,11,13-tetraazatetradecanediamidine (2:1) | 242-354-0 | 18472-51-0 |
| O,O-diethyl O-5-phenylisoxazol-3-ylphosphorothioate | 242-624-8 | 18854-01-8 |
| Benzoxonium chloride | 243-008-1 | 19379-90-9 |
| Methyl hydroxymethoxyacetate | 243-271-2 | 19757-97-2 |
| p-[(diiodomethyl)sulphonyl]toluene | 243-468-3 | 20018-09-1 |
| Copper dihydroxide | 243-815-9 | 20427-59-2 |
| Disilver oxide | 243-957-1 | 20667-12-3 |
| 2-butene-1,4-diyl bis(bromoacetate) | 243-962-9 | 20679-58-7 |
| Aluminium phosphide | 244-088-0 | 20859-73-8 |
| (benzothiazol-2-ylthio)methyl thiocyanate | 244-445-0 | 21564-17-0 |
| Tetrachlorvinphos | 244-865-4 | 22248-79-9 |
| Bendiocarb | 245-216-8 | 22781-23-3 |
| 2-methyl-4-oxo-3-(prop-2-ynyl)cyclopent-2-en-1-yl 2,2-dimethyl-3-(2-methyl-prop-1-enyl)cyclopropanecarboxylate / Prallethrin | 245-387-9 | 23031-36-9 |
| Potassium (E,E)-hexa-2,4-dienoate | 246-376-1 | 24634-61-5 |

| Name (EINECS and/or others) | EC number | CAS number |
|--|-----------|------------|
| 2-tert-Butyl-4-methoxyphenol | 246-563-8 | 25013-16-5 |
| Bis(hydroxymethyl)urea | 246-679-9 | 25155-29-7 |
| .alpha.,.alpha.',.alpha."-trimethyl-1,3,5-triazine-1,3,5(2H,4H,6H)-triethanol | 246-764-0 | 25254-50-6 |
| 2,2'-(octadec-9-enylimino)bisethanol | 246-807-3 | 25307-17-9 |
| 3-(but-2-enyl)-2-methyl-4-oxocyclopent-2-enyl 2,2-dimethyl-3-(2-methylprop-1-enyl)cyclopropanecarboxylate / Cinerin I | 246-948-0 | 25402-06-6 |
| 3-phenoxybenzyl 2-dimethyl-3-(methylpropenyl)cyclopropanecarboxylate / Phenothrin | 247-404-5 | 26002-80-2 |
| 5-chloro-2-methyl-2H-isothiazol-3-one | 247-500-7 | 26172-55-4 |
| 2-octyl-2H-isothiazol-3-one | 247-761-7 | 26530-20-1 |
| Dodecylbenzenesulphonic acid | 248-289-4 | 27176-87-0 |
| Lauric acid, monoester with glycerol | 248-337-4 | 27215-38-9 |
| Zinc neodecanoate | 248-370-4 | 27253-29-8 |
| Dodecyl(ethylbenzyl)dimethylammonium chloride | 248-486-5 | 27479-28-3 |
| Cis-tricos-9-ene | 248-505-7 | 27519-02-4 |
| Dimethyloctadecyl[3-(trimethoxysilyl)propyl]ammonium chloride | 248-595-8 | 27668-52-6 |
| N'-tert-butyl-N-cyclopropyl-6-(methylthio)-1,3,5-triazine-2,4-diamine | 248-872-3 | 28159-98-0 |
| (S)-3-allyl-2-methyl-4-oxocyclopent-2-enyl(1R,3R)-2,2-dimethyl-3-(2-methylprop-1-enyl)-cyclopropanecarboxylate (only 1R trans, 1S isomer) / S-Bioallethrin | 249-013-5 | 28434-00-6 |
| Bioresmethrin | 249-01-40 | 28434-01-7 |
| 3-[3-(4'-bromo[1,1'-biphenyl]-4-yl)-3-hydroxy-1-phenylpropyl]-4-hydroxy-2-benzopyrone / Bromadiolone | 249-205-9 | 28772-56-7 |
| Pirimiphos-methyl | 249-528-5 | 29232-93-7 |
| Lithium heptadecafluorooctanesulphonate | 249-644-6 | 29457-72-5 |
| 5-bromo-5-nitro-1,3-dioxane | 250-001-7 | 30007-47-7 |
| Trans-isopropyl-3-[[[(ethylamino)methoxyphosphinothioyl]oxy]crotonate | 250-517-2 | 31218-83-4 |
| (Z,E)-tetradeca-9,12-dienyl acetate | 250-753-6 | 31654-77-0 |
| Decyldimethyloctylammonium chloride | 251-035-5 | 32426-11-2 |
| Bromochloro-5,5-dimethylimidazolidine-2,4-dione | 251-171-5 | 32718-18-6 |
| Amitraz | 251-375-4 | 33089-61-1 |
| 3-(4-isopropylphenyl)-1,1-dimethylurea / Isoproturon | 251-835-4 | 34123-59-6 |
| 2-(hydroxymethylamino)ethanol | 251-974-0 | 34375-28-5 |
| N-[3-(dodecylamino)propyl]glycine | 251-993-4 | 34395-72-7 |
| 2,6-diacetyl-7,9-dihydroxy-8,9b-dimethyldibenzofuran-1,3(2H,9bH)-dione, monosodium salt | 252-204-6 | 34769-44-3 |
| Sodium 4-ethoxycarbonylphenoxide | 252-487-6 | 35285-68-8 |
| Sodium 4-propoxycarbonylphenoxide | 252-488-1 | 35285-69-9 |

| Name (EINECS and/or others) | EC number | CAS number |
|--|--------------------------|------------|
| N-[[[4-chlorophenyl]amino]carbonyl]-2,6-difluorobenzamide | 252-529-3 | 35367-38-5 |
| 1-[2-(allyloxy)-2-(2,4-dichlorophenyl)ethyl]-1H-imidazole / Imazalil | 252-615-0 | 35554-44-0 |
| (±)-1-(.beta.-allyloxy-2,4-dichlorophenylethyl)imidazole / Technical grade imazalil | Plant protection product | 73790-28-0 |
| S-[[[6-chloro-2-oxooxazolo[4,5-b]pyridin-3(2H)-yl]methyl] O,O-dimethyl thiophosphate / Azamethiphos | 252-626-0 | 35575-96-3 |
| 2-bromo-2-(bromomethyl)pentanedinitrile | 252-681-0 | 35691-65-7 |
| Benzyltrimethylammonium chloride | 253-363-4 | 37139-99-4 |
| 2-phosphonobutane-1,2,4-tricarboxylic acid | 253-733-5 | 37971-36-1 |
| 4-methoxy-m-phenylenediammonium sulphate | 254-323-9 | 39156-41-7 |
| N,N'-methylenebis[N'-(3-(hydroxymethyl)-2,5-dioxoimidazolidin-4-yl)urea] | 254-372-6 | 39236-46-9 |
| Dinocap | 254-408-0 | 39300-45-3 |
| .alpha.-cyano-3-phenoxybenzyl 2,2-dimethyl-3-(2-methylprop-1-enyl)cyclopropanecarboxylate | 254-484-5 | 39515-40-7 |
| Isopropyl (2E,4E)-11-methoxy-3,7,11-trimethyldodeca-2,4-dienoate / Methoprene | 254-993-2 | 40596-69-8 |
| Dimethyltetradecyl[3-(trimethoxysilyl)propyl]ammonium chloride | 255-451-8 | 41591-87-1 |
| Mixture of cis- and trans-p-menthane-3,8 diol / Citriodiol | 255-953-7 | 42822-86-6 |
| 4,4-dimethylloxazolidine | 257-048-2 | 51200-87-4 |
| (1,3,4,5,6,7-hexahydro-1,3-dioxo-2H-isoindol-2-yl)methyl (1R-cis)-2,2-dimethyl-3-(2-methylprop-1-enyl)cyclopropanecarboxylate | 257-144-4 | 51348-90-4 |
| Cyano (3-phenoxybenzyl)-2-(4-chlorophenyl)-3-methylbutyrate / Fenvalerate | 257-326-3 | 51630-58-1 |
| ethyl N-acetyl-N-butyl-.beta.-alaninate | 257-835-0 | 52304-36-6 |
| .alpha.-cyano-3-phenoxybenzyl 3-(2,2-dichlorovinyl)-2,2-dimethylcyclopropanecarboxylate / Cypermethrin | 257-842-9 | 52315-07-8 |
| m-phenoxybenzyl 3-(2,2-dichlorovinyl)-2,2-dimethylcyclopropanecarboxylate / Permethrin | 258-067-9 | 52645-53-1 |
| .alpha.-cyano-3-phenoxybenzyl [1R-[1.alpha.(S*),3.alpha.]]-3-(2,2-dibromovinyl)-2,2-dimethylcyclopropanecarboxylate / Deltamethrin | 258-256-6 | 52918-63-5 |
| bis(2-ethylhexanoato-O)-.mu.-oxodizinc | 259-049-3 | 54262-78-1 |
| 1-ethynyl-2-methylpent-2-enyl 2,2-dimethyl-3-(2-methylprop-1-enyl)cyclopropanecarboxylate / Empenthrin | 259-154-4 | 54406-48-3 |
| 3-iodo-2-propynyl butylcarbamate | 259-627-5 | 55406-53-6 |
| Tetrakis(hydroxymethyl)phosphonium sulphate(2:1) | 259-709-0 | 55566-30-8 |
| 3-(3-biphenyl-4-yl-1,2,3,4-tetrahydro-1-naphthyl)-4-hydroxycoumarin / Difenacoum | 259-978-4 | 56073-07-5 |
| 4-hydroxy-3-(3-(4'-bromo-4-biphenyl)-1,2,3,4-tetrahydro-1-naphthyl)coumarin / Brodifacoum | 259-980-5 | 56073-10-0 |
| [2-(2-butoxyethoxy)ethoxy]methanol | 260-097-2 | 56289-76-0 |
| 2-ethoxyethyl bromoacetate | 260-240-9 | 56521-73-4 |
| N-octyl-N'-[2-(octylamino)ethyl]ethylenediamine | 260-725-5 | 57413-95-3 |

| Name (EINECS and/or others) | EC number | CAS number |
|--|-----------|------------|
| 1,2-benzisothiazol-3(2H)-one, sodium salt | 261-184-8 | 58249-25-5 |
| Azaconazole | 262-102-3 | 60207-31-0 |
| 1-[[2-(2,4-dichlorophenyl)-4-propyl-1,3-dioxolan-2-yl]methyl]-1H-1,2,4-triazole / Propiconazole | 262-104-4 | 60207-90-1 |
| N,N-bis(2-hydroxyethyl)undec-10-enamide | 262-114-9 | 60239-68-1 |
| 2-chloro-3-(phenylsulphonyl)acrylonitrile | 262-395-8 | 60736-58-5 |
| [1,1'-Biphenyl]-2-ol, chlorinated | 262-974-5 | 61788-42-9 |
| Amines, coco alkyl | 262-977-1 | 61788-46-3 |
| Quaternary ammonium compounds, (hydrogenated tallow alkyl)trimethyl, chlorides | 263-005-9 | 61788-78-1 |
| Quaternary ammonium compounds, coco alkyltrimethyl, chlorides | 263-038-9 | 61789-18-2 |
| Quaternary ammonium compounds, benzylcoco alkylbis(hydroxyethyl), chlorides | 263-078-7 | 61789-68-2 |
| Quaternary ammonium compounds, benzylcoco alkyl dimethyl, chlorides | 263-080-8 | 61789-71-7 |
| Quaternary ammonium compounds, dicocoalkyl dimethyl, chlorides | 263-087-6 | 61789-77-3 |
| Quaternary ammonium compounds, bis(hydrogenated tallow alkyl)dimethyl, chlorides | 263-090-2 | 61789-80-8 |
| Quaternary ammonium compounds, trimethylsoya alkyl, chlorides | 263-134-0 | 61790-41-8 |
| Ethanol, 2,2'-iminobis-, N-coco alkyl derivs. | 263-163-9 | 61791-31-9 |
| 1H-Imidazole-1-ethanol, 4,5-dihydro-, 2-nortall-oil alkyl derivs. | 263-171-2 | 61791-39-7 |
| Imidazolium compounds, 1-benzyl-4,5-dihydro-1-(hydroxyethyl)-2-norcoco alkyl, chlorides | 263-185-9 | 61791-52-4 |
| Amines, N-tallow alkyl dipropylenetri- | 263-191-1 | 61791-57-9 |
| Amines, N-coco alkyl trimethylenedi- | 263-195-3 | 61791-63-7 |
| Amines, N-coco alkyl trimethylenedi-, acetates | 263-196-9 | 61791-64-8 |
| Quaternary ammonium compounds, benzyl-C8-18-alkyl dimethyl, chlorides | 264-151-6 | 63449-41-2 |
| 4,5-dichloro-2-octyl-2H-isothiazol-3-one | 264-843-8 | 64359-81-5 |
| 2-chloro-N-[[[4-(trifluoromethoxy)phenyl]amino]carbonyl]benzamide | 264-980-3 | 64628-44-0 |
| Distillates (petroleum), solvent-refined light naphthenic | 265-098-1 | 64741-97-5 |
| Distillates (petroleum), hydrotreated light | 265-149-8 | 64742-47-8 |
| N-(3,4-dichlorophenyl)-1,2,3,4-tetrahydro-6-hydroxy-1,3-dimethyl-2,4-dioxo-pyrimidine-5-carboxamide | 265-732-7 | 65400-98-8 |
| .alpha.-cyano-3-phenoxybenzyl [1R-[1.alpha.(S*),3.alpha.]]-3-(2,2-dichlorovinyl)-2,2-dimethylcyclopropanecarboxylate | 265-898-0 | 65731-84-2 |
| Tar acids, coal, crude | 266-019-3 | 65996-85-2 |
| Glass powder | 266-046-0 | 65997-17-3 |
| 3,3'-methylenebis[5-methyloxazolidine] / Oxazolidin | 266-235-8 | 66204-44-2 |
| N-cyclopropyl-1,3,5-triazine-2,4,6-triamine | 266-257-8 | 66215-27-8 |
| Betaines, C12-C14-alkyl dimethyl | 266-368-1 | 66455-29-6 |

| Name (EINECS and/or others) | EC number | CAS number |
|--|-----------|------------|
| .alpha.-cyano-3-phenoxybenzyl 2,2-dimethyl-3-(1,2,2,2-tetrabromoethyl)cyclopropanecarboxylate / Tralomethrin | 266-493-1 | 66841-25-6 |
| 2-chloro-N-(2,6-dimethylphenyl)-N-(1H-pyrazol-1-ylmethyl)acetamide | 266-583-0 | 67129-08-2 |
| Cis-4-[3-(p-tert-butylphenyl)-2-methylpropyl]-2,6-dimethylmorpholine | 266-719-9 | 67564-91-4 |
| N-propyl-N-[2-(2,4,6-trichlorophenoxy)ethyl]-1H-imidazole-1-carboxamide | 266-994-5 | 67747-09-5 |
| Fatty acids, C16-18 and C18-unsatd., Me esters | 267-015-4 | 67762-38-3 |
| .alpha.-cyano-3-phenoxybenzyl 3-(2-chloro-3,3,3-trifluoroprop-1-enyl)-2,2-dimethyl cyclopropanecarboxylate / Cyhalothrin | 268-450-2 | 68085-85-8 |
| Dodecylethyldimethylammonium bromide / Laudacit | 269-249-2 | 68207-00-1 |
| .alpha.-cyano-4-fluoro-3-phenoxybenzyl 3-(2,2-dichlorovinyl)-2,2-dimethylcyclopropanecarboxylate / Cyfluthrin | 269-855-7 | 68359-37-5 |
| Quaternary ammonium compounds, benzyl-C12-18-alkyldimethyl, chlorides | 269-919-4 | 68391-01-5 |
| Quaternary ammonium compounds, di-C6-12-alkyldimethyl, chlorides | 269-925-7 | 68391-06-0 |
| Benzenesulfonic acid, C10-13-alkyl derivs., sodium salts | 270-115-0 | 68411-30-3 |
| Quaternary ammonium compounds, benzyl-C8-16-alkyldimethyl, chlorides | 270-324-7 | 68424-84-0 |
| Quaternary ammonium compounds, benzyl-C12-16-alkyldimethyl, chlorides | 270-325-2 | 68424-85-1 |
| Betaines, coco alkyldimethyl | 270-329-4 | 68424-94-2 |
| Quaternary ammonium compounds, di-C8-10-alkyldimethyl, chlorides | 270-331-5 | 68424-95-3 |
| Fatty acids, coco, reaction products with diethanolamine | 270-430-3 | 68440-04-0 |
| 1-Propanaminium, 3-amino-N,N,N-trimethyl-, N-C12-18 acyl derivs., Me sulfates | 271-063-1 | 68514-93-2 |
| Amides, coco, N,N-bis(2-hydroxyethyl) | 271-657-0 | 68603-42-9 |
| Quaternary ammonium compounds, (oxydi-2,1-ethanediy)bis[coco alkyldimethyl, dichlorides | 271-761-6 | 68607-28-3 |
| 9-Octadecenoic acid (Z)-, sulfonated, potassium salts | 271-843-1 | 68609-93-8 |
| Urea, reaction products with formaldehyde | 271-898-1 | 68611-64-3 |
| Imidazolium compounds, 1-[2-(carboxymethoxy)ethyl]-1-(carboxymethyl)-4,5-dihydro-2-norcoco alkyl, hydroxides, sodium salts | 272-043-5 | 68650-39-5 |
| bis(tetraamminecopper) carbonatedihydroxide | 272-415-7 | 68833-88-5 |
| 1-hydroxy-4-methyl-6-(2,4,4-trimethylpentyl)pyridin-2(1H)-one, compound with 2-aminoethanol (1:1) | 272-574-2 | 68890-66-4 |
| Amines, N-tallowalkyl trimethylenedi-, diacetates | 272-786-5 | 68911-78-4 |
| Quassia, ext. | 272-809-9 | 68915-32-2 |
| Fatty acids, C8-10 | 273-086-2 | 68937-75-7 |
| Sulfuric acid, mono-C12-18-alkyl esters, sodium salts | 273-257-1 | 68955-19-1 |
| Quaternary ammonium compounds, C12-18-alkyl[(ethylphenyl)methyl]dimethyl, chlorides | 273-318-2 | 68956-79-6 |
| Didecylmethyl[3-(trimethoxysilyl)propyl]ammonium chloride | 273-403-4 | 68959-20-6 |
| Quaternary ammonium compounds, benzyl-C10-16-alkyldimethyl, chlorides | 273-544-1 | 68989-00-4 |

| Name (EINECS and/or others) | EC number | CAS number |
|---|-----------|------------|
| Quaternary ammonium compounds, benzyl-C12-18-alkyldimethyl, salts with 1,2-benzisothiazol-3(2H)-one 1,1-dioxide (1:1) | 273-545-7 | 68989-01-5 |
| Sodium N-(hydroxymethyl)glycinate | 274-357-8 | 70161-44-3 |
| Amines, C10-16-alkyldimethyl, N-oxides | 274-687-2 | 70592-80-2 |
| Pentapotassium bis(peroxymonosulphate) bis(sulphate) | 274-778-7 | 70693-62-8 |
| N,N'-(decane-1,10-diyl-di-1(4H)-pyridyl-4-ylidene)bis(octylammonium) dichloride | 274-861-8 | 70775-75-6 |
| 1,3-didecyl-2-methyl-1H-imidazolium chloride | 274-948-0 | 70862-65-6 |
| ethyl [2-(4-phenoxyphenoxy)ethyl]carbamate / Fenoxycarb | 276-696-7 | 72490-01-8 |
| Quaternary ammonium compounds, di-C8-18-alkyldimethyl, chlorides | 277-453-8 | 73398-64-8 |
| 1-[(hydroxymethyl)amino]propan-2-ol | 278-534-0 | 76733-35-2 |
| 1-[1,3-bis(hydroxymethyl)-2,5-dioximidazolidin-4-yl]-1,3-bis(hydroxymethyl)-urea / Diazolidinylurea | 278-928-2 | 78491-02-8 |
| Dihydrogen bis(monoperoxyphthalato(2-)-O1,OO1)magnesate(2-) | 279-013-0 | 78948-87-5 |
| Magnesium monoperoxyphthalate hexahydrate | 279-013-0 | 84665-66-7 |
| Tributyltetradecylphosphonium chloride | 279-808-2 | 81741-28-8 |
| (2-Butoxyethoxy)methanol | 281-648-3 | 84000-92-0 |
| Zinc, isodecanoate isononanoate complexes, basic | 282-786-7 | 84418-73-5 |
| Juniper, Juniperus communis, ext. | 283-268-3 | 84603-69-0 |
| Laurus nobilis, ext. | 283-272-5 | 84603-73-6 |
| Rosemary, ext. | 283-291-9 | 84604-14-8 |
| Eucalyptus globulus, ext. | 283-406-2 | 84625-32-1 |
| Cinnamomum zeylanicum, ext. | 283-479-0 | 84649-98-9 |
| Margosa ext. | 283-644-7 | 84696-25-3 |
| Lavender, Lavandula angustifolia angustifolia, ext. | 283-994-0 | 84776-65-8 |
| Thyme, Thymus serpyllum, ext. | 284-023-3 | 84776-98-7 |
| Formaldehyde, reaction products with diethylene glycol | 284-062-6 | 84777-35-5 |
| Formamide, reaction products with formaldehyde | 284-064-7 | 84777-37-7 |
| Glycine, N-(3-aminopropyl)-, N'-C10-16-alkyl derivs. | 284-065-2 | 84777-38-8 |
| Lemon, ext. | 284-515-8 | 84929-31-7 |
| Thyme, Thymus vulgaris, ext. | 284-535-7 | 84929-51-1 |
| Clove, ext. | 284-638-7 | 84961-50-2 |
| Tar acids, polyalkylphenol fraction | 284-893-4 | 84989-05-9 |
| Melaleuca alternifolia, ext. / Australian Tea Tree Oil | 285-377-1 | 85085-48-9 |
| 2,4,8,10-tetra(tert-butyl)-6-hydroxy-12H-dibenzo[d,g][1,3,2]dioxaphosphocin 6-oxide, sodium salt | 286-344-4 | 85209-91-2 |
| Formaldehyde, reaction products with propylene glycol | 286-695-3 | 85338-22-3 |

| Name (EINECS and/or others) | EC number | CAS number |
|---|-----------|------------|
| Stannane, tributyl-, mono(naphthenoyloxy) derivs. | 287-083-9 | 85409-17-2 |
| Quaternary ammonium compounds, benzyl-C12-14-alkyldimethyl, chlorides | 287-089-1 | 85409-22-9 |
| Quaternary ammonium compounds, C12-14-alkyl[(ethylphenyl)methyl]dimethyl, chlorides | 287-090-7 | 85409-23-0 |
| [R-(Z)]-3-[(12-hydroxy-1-oxo-9-octadecenyl)amino]propyltrimethylammonium methyl sulphate | 287-462-9 | 85508-38-9 |
| Benzenesulfonic acid, 4-C10-13-sec-alkyl derivs. | 287-494-3 | 85536-14-7 |
| Guanidine, N,N''-1,3-propanediylbis-, N-coco alkyl derivs., diacetates | 288-198-7 | 85681-60-3 |
| Sulfonic acids, C13-17-sec-alkane, sodium salts | 288-330-3 | 85711-69-9 |
| .alpha.-cyano-4-fluoro-3-phenoxybenzyl [1.alpha.(S*),3.alpha.]-(-±)-3-(2,2-dichlorovinyl)-2,2-dimethylcyclopropanecarboxylate | 289-244-9 | 86560-93-2 |
| Chrysanthemum cinerariaefolium, ext. | 289-699-3 | 89997-63-7 |
| Cymbopogon nardus, ext. | 289-753-6 | 89998-15-2 |
| Lavender, <i>Lavandula angustifolia</i> , ext. | 289-995-2 | 90063-37-9 |
| Litsea cubeba, ext. | 290-018-7 | 90063-59-5 |
| Mentha arvensis, ext. | 290-058-5 | 90063-97-1 |
| Pelargonium graveolens, ext. | 290-140-0 | 90082-51-2 |
| Benzenesulfonic acid, mono-C10-14-alkyl derivs., compds. with Me 1H-benzimidazol-2-ylcarbamate | 290-651-9 | 90194-41-5 |
| Copper, EDTA-complexes | 290-989-7 | 90294-99-8 |
| Formaldehyde, reaction products with propanolamine | 291-325-9 | 90387-52-3 |
| Urea, N,N'-bis(hydroxymethyl)-, reaction products with 2-(2-butoxyethoxy)-ethanol, ethylene glycol and formaldehyde | 292-348-7 | 90604-54-9 |
| Quaternary ammonium compounds, benzyl-C8-18-alkyldimethyl, bromides | 293-522-5 | 91080-29-4 |
| Fir, <i>Abies sibirica</i> , ext. | 294-351-9 | 91697-89-1 |
| Juniper, <i>Juniperus mexicana</i> , ext. | 294-461-7 | 91722-61-1 |
| Lavender, <i>Lavandula hybrida</i> , ext. / Lavandin oil | 294-470-6 | 91722-69-9 |
| Amines, N-(3-aminopropyl)-N'-coco alkyltrimethylenedi-, monoacrylated | 294-702-6 | 91745-32-3 |
| Cymbopogon winterianus, ext. | 294-954-7 | 91771-61-8 |
| Lemongrass (<i>Cymbopogon flexuosus</i>) | 295-161-9 | 91844-92-7 |
| White mineral oil (petroleum), light | 295-550-3 | 92062-35-6 |
| N-[3-(dodecylamino)propyl]glycine hydrochloride | 298-216-5 | 93778-80-4 |
| Bis(2,6-diacetyl-7,9-dihydroxy-8,9b-dimethyl-1,3(2H,9bH)-dibenzofurandionato-O2,O3)copper | 304-149-6 | 94246-73-8 |
| Citrus, ext. | 304-454-3 | 94266-47-4 |
| Pine ext. | 304-455-9 | 94266-48-5 |
| Trimethyl-3-[(1-oxo-10-undecenyl)amino]propylammonium methyl sulphate | 304-990-8 | 94313-91-4 |
| Peppermint, American, ext. | 308-770-2 | 98306-02-6 |

| Name (EINECS and/or others) | EC number | CAS number |
|--|-----------|-------------|
| Quaternary ammonium compounds, [2-[[2-[(2-carboxyethyl)(2-hydroxyethyl)amino]ethyl]amino]-2-oxoethyl]coco alkyl dimethyl, hydroxides, inner salts | 309-206-8 | 100085-64-1 |
| Corn cob, powdered | 310-127-6 | 999999-99-4 |
| Natural lemon juice (filtered) | 310-127-6 | 999999-99-4 |
| Hedera helix | 310-127-6 | 999999-99-4 |
| Onion Oil | 310-127-6 | 999999-99-4 |
| Thuja occidentalis | 310-127-6 | 999999-99-4 |
| Salvia officinalis | 310-127-6 | 999999-99-4 |
| Hyssopus officinalis | 310-127-6 | 999999-99-4 |
| Chrysanthemum vulgare | 310-127-6 | 999999-99-4 |
| Artemisia absinthium | 310-127-6 | 999999-99-4 |
| Achillea millefolium | 310-127-6 | 999999-99-4 |
| Origanum vulgare | 310-127-6 | 999999-99-4 |
| Majorana hortensis | 310-127-6 | 999999-99-4 |
| Origanum majorano | 310-127-6 | 999999-99-4 |
| Rosmarinus officinalis | 310-127-6 | 999999-99-4 |
| Satureja hortensis | 310-127-6 | 999999-99-4 |
| Urtica dioica | 310-127-6 | 999999-99-4 |
| Aesculus hippocastanum | 310-127-6 | 999999-99-4 |
| Symphytum officinale | 310-127-6 | 999999-99-4 |
| Equisetum arvense | 310-127-6 | 999999-99-4 |
| Sambucus nigra | 310-127-6 | 999999-99-4 |
| 1-(3,5-dichloro-4-(1,1,2,2-tetrafluoroethoxy)phenyl)-3-(2,6-difluorobenzoyl)-urea / Hexaflumuron | 401-400-1 | 86479-06-3 |
| 1,3-dichloro-5-ethyl-5-methylimidazolidine-2,4-dione | 401-570-7 | 89415-87-2 |
| 1-(4-chlorophenyl)-4,4-dimethyl-3-(1,2,4-triazol-1-ylmethyl)pentan-3-ol / Tebuconazole | 403-640-2 | 107534-96-3 |
| Reaction products of: glutamic acid and N-(C12-14-alkyl)propylenediamine | 403-950-8 | 164907-72-6 |
| Mixture of: (C8-18)alkylbis(2-hydroxyethyl)ammonium bis(2-ethylhexyl)phosphate;(C8-18)alkylbis(2-hydroxyethyl)ammonium 2-ethylhexylhydrogenphosphate | 404-690-8 | 68132-19-4 |
| (4-ethoxyphenyl)(3-(4-fluoro-3-phenoxyphenyl)propyl)dimethylsilane | 405-020-7 | 105024-66-6 |
| 2,3,5,6-tetrafluorobenzyl trans-2-(2,2-dichlorovinyl)-3,3-dimethylcyclopropanecarboxylate / Transfluthrin | 405-060-5 | 118712-89-3 |
| 5,5-dimethyl-perhydro-pyrimidin-2-one .alpha.-(4-trifluoromethylstyryl)-.alpha.-(4-trifluoromethyl)cinnamylidenehydrazone / Hydramethylnon | 405-090-9 | 67485-29-4 |
| 3-phenoxybenzyl-2-(4-ethoxyphenyl)-2-methylpropylether / Etofenprox | 407-980-2 | 80844-07-1 |
| 6-(phthalimido)peroxyhexanoic acid | 410-850-8 | 128275-31-0 |

| Name (EINECS and/or others) | EC number | CAS number |
|--|-------------------|-------------|
| Lithium 3-oxo-1,2(2H)-benzisothiazol-2-ide | 411-690-1 | 111337-53-2 |
| Methyl neodecanamide | 414-460-9 | 105726-67-8 |
| Mixture of: alpha-cyano-3-phenoxybenzyl (Z)-(1R,3R)-[(S)-3-(2-chloro-3,3,3-trifluoro-prop-1-enyl)]-2,2-dimethylcyclopropanecarboxylate;alpha-cyano-3-phenoxybenzyl (Z)-(1S,3S)-[(R)-3-(2-chloro-3,3,3-trifluoro-prop-1-enyl)]-2,2-dimethylcyclopropanecarboxylate / Lambda cyhalothrin | 415-130-7 | 91465-08-6 |
| 1-(4-(2-cloro-a,a,a-p-trifluorotolyoxy)-2-fluorophenyl)-3-(2,6-difluorobenzo-lyl)urea / Flufenoxuron | 417-680-3 | 101463-69-8 |
| 5-chloro-2-(4-chlorphenoxy)phenol | 418-890-8 | 3380-30-1 |
| 2-butyl-benzo[d]isothiazol-3-one | 420-590-7 | 04299-07-4 |
| Tetrachlorodecaoxide complex | 420-970-2 | 92047-76-2 |
| Mixture of: cis-4-hydroxy-3-(1,2,3,4-tetrahydro-3-(4-(4-trifluoromethylbenzyl-oxo)phenyl)-1-naphthyl)coumarin; trans-4-hydroxy-3-(1,2,3,4-tetrahydro-3-(4-(4-trifluoromethylbenzyl-oxo)phenyl)-1-naphthyl)coumarin / Flocoumafen | 421-960-0 | 90035-08-8 |
| sec-butyl 2-(2-hydroxyethyl)piperidine-1-carboxylate / Icaridine | 423-210-8 | 119515-38-7 |
| N-cyclohexyl-S,S-dioxobenzo[b]tiophene-2-carboxamide | 423-990-1 | 149118-66-1 |
| Fipronil | 424-610-5 | 120068-37-3 |
| cis-1-(3-chloroallyl)-3,5,7-triaza-1-azoniaadamantane chloride | 426-020-3 | 51229-78-8 |
| 1-(6-chloropyridin-3-ylmethyl)-N-nitroimidazolidin-2-ylidenamine / Imidacloprid | 428-040-8 | 138261-41-3 |
| Thiamethoxam | 428-650-4 | 153719-23-4 |
| [2,4-Dioxo-(2-propyn-1-yl)imidazolidin-3-yl]methyl(1R)-cis-chrysanthemate;[2,4-Dioxo-(2-propyn-1-yl)imidazolidin-3-yl]methyl(1R)-trans-chrysanthemate / Imiprothrin | 428-790-6 | 72963-72-5 |
| 2-(1-methyl-2-(4-phenoxy-phenoxy)-ethoxy)-pyridine / Pyriproxyfen | 429-800-1 | 95737-68-1 |
| 3-benzo(b)thien-2-yl-5,6-dihydro-1,4,2-oxathiazine,4-oxide | 431-030-6 | 163269-30-5 |
| Reaction products of diisopropanolamine with formaldehyde(1:4) | 432-440-8 | 220444-73-5 |
| Chloromethyl n-octyl disulfide | 432-680-3 | 180128-56-7 |
| Reaction product of dimethyl adipate, dimethyl glutarate, dimethyl succinate with hydrogen peroxide / Perestane | 432-790-1 | |
| Bis(3-aminopropyl)octylamine | 433-340-7 | 86423-37-2 |
| (E)-1-(2-Chloro-1,3-thiazol-5-ylmethyl)-3-methyl-2-nitroguanidine | 433-460-1 | 210880-92-5 |
| (E)-2-Octadecenal | Not yet allocated | 51534-37-3 |
| (E,Z)-2,13-Octadecadienal | Not yet allocated | 99577-57-8 |
| Silver-zinc-aluminium-boronphosphate glass / Glass oxide, silver- and zinc-containing | Not yet allocated | 398477-47-9 |
| Silver sodium hydrogen zirconium phosphate | Not yet allocated | |
| Paraformaldehyde | | 30525-89-4 |
| Peroxyoctanoic acid | | 33734-57-5 |
| Bromomyristyl isoquinoline | | 51808-87-8 |
| 9-Aminoacridine hydrochloride monohydrate | | 52417-22-8 |

| Name (EINECS and/or others) | EC number | CAS number |
|---|--------------------------|-------------|
| Chlorinated trisodium phosphate | | 56802-99-4 |
| Cyclohexylhydroxydiazene 1-oxide, potassium salt | | 66603-10-9 |
| (1S,2R,5S)-2-Isopropenyl-5-methylcyclohexanol | | 104870-56-6 |
| Silica, amorphous, crystalline-free | | 112945-52-5 |
| Denatonium Capsaicinate | | 192327-95-0 |
| Tris(N-cyclohexyldiazaniumdioxy)aluminium | | 312600-88-7 |
| Bis[1-cyclohexyl-1,2-di(hydroxy-.kappa.O)diazaniumato(2-)]-copper | | 312600-89-8 |
| Reaction product of essential oils and ozone in-situ (Open Air Factor (OAF)) | | |
| Silver zeolite A | | |
| Silver sodium borosilicate | | |
| 5-Chloro-2-(4-chlorophenoxy)phenol | | |
| Benzyl-lauryl-dimethyl-myristylammonium chloride / Lauryl-myristyl dimethyl benzyl ammonium chloride | | |
| ((1,2-Ethanediybis(carbamodithioato))(2-))manganese mixture with ((1,2-ethandiybis(carbamodithioate))(2-))zinc / Mancozeb | Plant protection product | 8018-01-7 |
| Chlorosulfamic acid | Plant protection product | 17172-27-9 |
| Ethyl (2E,4E)-3,7,11-trimethyldodeca-2,4-dienoate / Hydroprene | Plant protection product | 41096-46-2 |
| Silicium dioxide / Kieselguhr | Plant protection product | 61790-53-2 |
| .alpha.,.alpha.,.alpha.-Trifluoro-N-methyl-4,6-dinitro-N-(2,4,6-tribromophenyl)-o-toluidine / Bromethalin | Plant protection product | 63333-35-7 |
| S-Methoprene / Isopropyl (s-(E,E))-11-methoxy-3,7,11-trimethyldodeca-2,4-dienoate | Plant protection product | 65733-16-6 |
| S-Hydroprene / Ethyl (S-(E,E))-3,7,11-trimethyldodeca-2,4-dienoate | Plant protection product | 65733-18-8 |
| Esfenvalerate / (S)-.alpha.-Cyano-3-phenoxybenzyl (S)-2-(4-chlorophenyl)-3-methylbutyrate | Plant protection product | 66230-04-4 |
| [1.alpha.(S*),3.alpha.]-(.alpha.)-cyano-(3-phenoxyphenyl)methyl 3-(2,2-dichloroethenyl)-2,2-dichlorovinyl)-2,2-dimethylcyclopropanecarboxylate / alpha-Cypermethrin | Plant protection product | 67375-30-8 |
| Abamectin (Mixture of Avermectin B _{1a} ; > 80 %, EINECS 265-610-3; and Avermectin B _{1b} ; < 20 % EINECS 265-611-9) | Plant Protection Product | 71751-41-2 |
| Cyclopropanecarboxylic acid, 3-[(1Z)-2-chloro-3,3,3-trifluoro-1-propenyl]-2,2-dimethyl-, (2-methyl[1,1'-biphenyl]-3-ylmethyl ester, (1R,3R)-rel- / Bifenthrin / Biphenate | Plant protection product | 82657-04-3 |
| N-(2-((2,6-Dimethylphenyl)amino)-2-oxoethyl)-N,N-diethyl benzenemethanaminiumsaccharide / Denatonium Saccharide | Plant protection product | 90823-38-4 |

| Name (EINECS and/or others) | EC number | CAS number |
|--|--------------------------|-------------|
| .alpha.-(4-Chlorophenyl)-.alpha.-(1-cyclopropylethyl)-1H-1,2,4-triazole-1-ethanol / Cyproconazole | Plant protection product | 94361-06-5 |
| 3-(3-(4'-Bromo-(1,1'-biphenyl)-4-yl)-1,2,3,4-tetrahydro-1-naphthyl)-4-hydroxybenzothioopyran-2-one / 3-((RS,3RS;1RS,3SR)-3-(4'-bromobiphenyl-4-yl)-1,2,3,4-tetrahydro-1-naphthyl)-4-hydroxy-1-benzothioin-2-one / Difethialone | Plant protection product | 104653-34-1 |
| Guazatine triacetate | Plant protection product | 115044-19-4 |
| 4-Bromo-2-(4-chlorophenyl)-1-(ethoxymethyl)-5-(trifluoromethyl)-1H-pyrrole-3-carbonitrile / Chlorfenapyr | Plant protection product | 122453-73-0 |
| Aluminium sodium silicate-silver complex / Silver zeolite | Plant protection product | 130328-18-6 |
| Aluminium sodium silicate-silver copper complex / Silver Copper Zeolite | Plant protection product | 130328-19-7 |
| Aluminium sodium silicate-silver zinc complex / Silver-Zinc-Zeolite | Plant protection Product | 130328-20-0 |
| N-Isononyl-N,N-dimethyl-N-decylammonium chloride | Plant protection product | 138698-36-9 |
| N-((6-Chloro-3-pyridinyl)methyl)-N'-cyano-N-methylethanimidamide / Acetamiprid | Plant protection product | 160430-64-8 |
| 3-phenoxybenzyl (1R)-cis,trans-2,2-dimethyl-3-(2-methylprop-1-enyl)cyclopropanecarboxylate / d-Phenothrin | Plant protection product | 188023-86-1 |
| Mixture of 5-Hydroxymethoxymethyl-1-aza-3,7-dioxabicyclo(3.3.0)octane (CAS 59720-42-2, 16.0 %) and 5-Hydroxy-1-aza-3,7-dioxabicyclo(3.3.0)octane (EINECS 229-457-6, 28.8 %), and 5-Hydroxypoly[methyleneoxy]methyl-1-aza-3,7-dioxabicyclo(3.3.0)octane (CAS 56709-13-8; 5.2 %) in water (50 %) | Plant protection product | |
| [1.alpha.(S*),3.alpha.]-(.alpha.)-Cyano-(3-phenoxyphenyl)methyl 3-(2,2-dichloroethenyl)-2,2-dichlorovinyl)-2,2-dimethylcyclopropanecarboxylate | Plant protection product | |
| S-Cyphenothrin | Plant protection product | |
| (RS)-3-Allyl-2-methyl-4-oxocyclopent-2-enyl-(1R,3R)-2,2-dimethyl-3-(2-methylprop-1-enyl)-cyclopropanecarboxylate (mixture of 2 isomers: 1R trans: 1RS only 1:1) / Bioallethrin / d-trans-Allethrin | Plant protection product | |
| (RS)-3-Allyl-2-methyl-4-oxocyclopent-2-enyl-(1R,3R;1R,3S)-2,2-dimethyl-3-(2-methylprop-1-enyl)-cyclopropanecarboxylate (mixture of 4 isomers 1R trans, 1R: 1R trans, 1S: 1R cis, 1R: 1R cis, 1S 4:4:1:1) / d-Allethrin | Plant protection product | |
| (RS)-3-Allyl-2-methyl-4-oxocyclopent-2-enyl (1R,3R)-2,2-dimethyl-3-(2-methylprop-1-enyl)-cyclopropanecarboxylate (mixture of 2 isomers 1R trans: 1R/S only 1:3) / Esbiothrin | Plant protection product | |
| Spinosad: fermentation product of soil micro-organism containing Spinosyn A and Spinosyn D | Plant protection product | |
| Butoxy polypropylene glycol | Polymer | 9003-13-8 |

| Name (EINECS and/or others) | EC number | CAS number |
|--|-----------------|----------------------------|
| Polydimethylsiloxane | Polymer | 9016-00-6 |
| Polymer of N-Methylmethanamine (EINECS 204-697-4 with (chloromethyl)-oxirane (EINECS 203-439-8) / Polymeric quaternary ammonium chloride | Polymer | 25988-97-0 |
| Polymer of N,N,N,N-tetramethyl-ethane-1,2-diamine and (chloromethyl)-oxirane | Polymer | 25988-98-1 |
| Homopolymer of 2-tert-butylaminoethyl methacrylate (EINECS 223-228-4) | Polymer | 26716-20-1 |
| Polymer of formaldehyde and acrolein | Polymer | 26781-23-7 |
| Monohydro chloride of polymer of N,N''-1,6-hexanediy[bis[N'-cyanoguanidine] (EINECS 240-032-4) and hexamethylenediamine (EINECS 240-679-6) / Polyhexamethylene biguanide (monomer: 1,5-bis(trimethylen)-guanylguanidinium monohydrochloride) | Polymer | 27083-27-8 / 32289-58-0 |
| Polymer of N,N,N',N'-tetramethyl-1,6-hexanediamine and 1,6-dichlorohexane | Polymer | 27789-57-7 |
| Poly(hexamethylendimethylammonium chloride) / Poly[(dimethylimino)-1,6-hexanediy]-chloride] | Polymer | 28728-61-2 |
| N,N,N',N'-Tetramethylethylenediaminebis(2-chloroethyl)ether copolymer | Polymer | 31075-24-8 |
| Poly(hexamethylendiamine guanidinium chloride) | Polymer | 57028-96-3 |
| Poly(hexamethylenebiguanide) | Polymer | 91403-50-8 |
| Poly(oxy-1,2-ethanediy), .alpha.-[2-(didecylmethylammonio)ethyl]-.omega.-hydroxy-, propanoate (salt) | Polymer | 94667-33-1 |
| N,N-Didecyl(-N-methyl-poly(oxyethyl)ammoniumpropionate / 1-Decanaminium, N-decyl-N-(2-hydroxyethyl)-N-methyl-, propanoate (salt) | Polymer | 107879-22-1 |
| Copolymer of 2-propenal and propane-1,2-diol | Polymer | 191546-07-3 |
| N-Didecyl-N-dipolyethoxyammonium borate / Didecylpolyoxethylammonium borate | Polymer | 214710-34-6 |
| Oligo(2-(2-ethoxy)ethoxyethylguanidinium chloride) | Polymer | 374572-91-5 |
| Tributyltin coPolymer (TBT-coPolymer) | Polymer | |
| Fat alcohol polyglycol ether | Polymer | |
| Poly(vinyl chloride-co-isobutyl vinyl ether-co-N-vinyl, N'-dimethyl octyl bromide propyl diamine) | Polymer | |
| Polyglycolpolyamine resin | Polymer | |
| Sodium lignosulfonate | Natural Polymer | 8061-51-6 |
| Neem / Neem-Vital | Natural oil | 5945-86-8 |
| Pinus pumilio oil | Natural oil | 8000-26-8 |
| Cedarwood oil | Natural oil | 8000-27-9 |
| Lavender oil | Natural oil | 8000-28-0 |
| Citronella oil | Natural oil | 8000-29-1 |
| Essential oil of eugenia caryophyllus | Natural oil | 8000-34-8 |
| Geranium oil | Natural oil | 8000-46-2 |
| Eucalyptus Oil | Natural oil | 8000-48-4 |

| Name (EINECS and/or others) | EC number | CAS number |
|---|-------------|------------|
| Orange oil | Natural oil | 8000-57-9 |
| Pine oil | Natural oil | 8002-09-3 |
| Black pepper oil | Natural oil | 8006-82-4 |
| Peppermint oil | Natural oil | 8006-90-4 |
| Lemongrass oil | Natural oil | 8007-02-1 |
| Penny Royal Oil | Natural oil | 8007-44-1 |
| Thyme oil | Natural oil | 8007-46-3 |
| Coriander oil | Natural oil | 8008-52-4 |
| Spearmint oil | Natural oil | 8008-75-5 |
| Valeriana officinalis oil | Natural oil | 8008-88-6 |
| Cajuput Oil | Natural oil | 8008-98-8 |
| Juniperberry oil | Natural oil | 8012-91-7 |
| Cypress Oil | Natural oil | 8013-86-3 |
| Patchouli oil | Natural oil | 8014-09-3 |
| Cumin Oil | Natural oil | 8014-13-9 |
| Palmarosa oil | Natural oil | 8014-19-5 |
| Rue oil | Natural oil | 8014-29-7 |
| Basilicum Ocimum basilium oil | Natural oil | 8015-73-4 |
| Bois de rose oil / Rosewood oil | Natural oil | 8015-77-8 |
| Celery oil | Natural oil | 8015-90-5 |
| Chamomile oil | Natural oil | 8015-92-7 |
| Clove leaf oil (Eugenia caryophyllus) | Natural oil | 8015-97-2 |
| Melaleuca oil | Natural oil | 68647-73-4 |
| Litsea cubeba oil | Natural oil | 68855-99-2 |
| Cornmint oil | Natural oil | 68917-18-0 |
| Cedar Oil (Cedarwood oil Texas, Juniperus mexicana oil, 22 %) | Natural oil | 68990-83-0 |
| Citrus extract of seeds of tabebuia avellanedae | Natural oil | |
| Essential oil of cymbopogon winterianus | Natural oil | |
| Allium sativum and Allium cepa | Natural oil | |
| Essential oil of cinnamomum zeylanicum | Natural oil | |

| Name (EINECS and/or others) | EC number | CAS number |
|---|-----------------|-------------|
| Clove oil (main components: Eugenol (83,8 %), Caryophyllene (12,4 %), Eugenol acetate (0,4 %)) | Natural oil | |
| Fir needle perfume oil: (Ethereal oil, main components: Turpentine oil (30-37,5 %), Terpeneol (15-20 %), Isobornyl acetate (15-20 %), Pinene beta (12,5-15 %), Pinene alpha (7-10 %), Coumarin (1-3 %), Terpeneol-fraction (1-3 %)) | Natural oil | |
| Perfume oil Spring Fresh: ethereal oil: main components: Citral-diethylacetal (Citral) (1-3 %), Citronellol (1-3 %), Ylanat (1-3 %), Hivertal (1-3 %), Allylcapronate (1-3 %) | Natural oil | |
| Rosas oil | Natural oil | |
| Natural Pyrethrins | Natural extract | |
| Peat extract | Natural extract | |
| Alkyl-benzyl-dimethylammonium chloride / Benzalkonium chloride | Mixture | 8001-54-5 |
| Cetrimide | Mixture | 8044-71-1 |
| Mixture of 3,6-diamino-10-methylacridinium chloride (EINECS 201-668-8;) and 3,6-acridinediamine / Acriflavine | Mixture | 8048-52-0 |
| Mixture of ((3,6-diamino-10-methylacridinium chloride (EINECS 201-668-8) and 3,6-acridinediamine) hydrochloride) / Acriflavine HCl | Mixture | 8063-24-9 |
| Benzalkonium saccharinate / Benzalkonium o-sulfobenzimidate | Mixture | 39387-42-3 |
| Mixture of 5-chloro-2-methyl-2H-isothiazol-3-one (EINECS 247-500-7) and 2-methyl-2H-isothiazol-3-one (EINECS 220-239-6) | Mixture | 55965-84-9 |
| Siloxanes and Silicones, di-Me, reaction products with silica / Treated Fumed Silica | Mixture | 67762-90-7 |
| Reaction mixture of fatty acids mixed esters (C6-18, derived from coconut oil) with acetic acid and 2,2'-methylenebis(4-chlorophenol) | Mixture | 106523-52-8 |
| Amines, n-C10-16-alkyltrimethylenedi-, reaction products with chloroacetic acid | Mixture | 139734-65-9 |
| Quaternary ammonium iodides | Mixture | 308074-50-2 |
| Reaction products of 5,5-dimethylhydantoin and formaldehyde | Mixture | |
| Reaction products of 2-(2-butoxyethoxy)ethanol and formaldehyde | Mixture | |
| Reaction products of ethylene glycol and formaldehyde | Mixture | |
| Reaction products of urea, ethylene glycol and formaldehyde | Mixture | |
| Reaction products of chloroacetamide, 2(2-butoxyethoxy)ethanol and formaldehyde | | |
| Mixture of 1-phenoxypropan-2-ol (EINECS 212-222-7) and 2-phenoxypropanol (EINECS 224-027-4) | Mixture | |

| Name (EINECS and/or others) | EC number | CAS number |
|---|-------------------------------------|-------------|
| Active Chlorine: manufactured by the reaction of hypochlorous acid and sodium hypochlorite produced in situ | Mixture | |
| Potassium salts of fatty acids (C15-21) | Mixture | |
| Acypetacs copper | Mixture | |
| Acypetacs zinc | Mixture | |
| Webbing clothes moths pheromone: components: E,Z-Octadecadi-2,13-enal (75 %) and E-Octadec-2-enal (25 %) | Mixture | |
| Mixture of chromium trioxide (EINECS 215-607-8; 34,2 %), diarsenic pentoxide (EINECS 215-116-9; 24,1 %), copper(II)oxide (EINECS 215-269-1; 13,7 %), water (EINECS 231-791-2; 28 %) | Mixture | |
| Mixture of chlormethylisothiazolinon, ethandiylobisoxymethanol, methylisothiazolinon | Mixture | |
| Mixture of bromine (EINECS 231-778-1) and hypobromous acid (CAS-No.: 13517-11-8) manufactured in situ | Mixture | |
| Products of natural fermentation of plants in water, sulphur-containing | Mixture | |
| Quaternary ammonium compounds (benzylalkyldimethyl (alkyl from C8-C22, saturated and unsaturated, tallow alkyl, coco alkyl, and soya alkyl) chlorides, bromides, or hydroxides) / BKC | Mixture of EINECS listed substances | |
| Quaternary ammonium compounds (dialkyldimethyl (alkyl from C6-C18, saturated and unsaturated, and tallow alkyl, coco alkyl, and soya alkyl) chlorides, bromides, or methylsulphates) / DDAC | Mixture of EINECS listed substances | |
| Quaternary ammonium compounds (alkyltrimethyl (alkyl from C8-C18, saturated and unsaturated, and tallow alkyl, coco alkyl, and soya alkyl) chlorides, bromides, or methylsulphates) / TMAC | Mixture of EINECS listed substances | |
| Bacillus thuringiensis | Micro-organism | 68038-71-1 |
| Bacillus sphaericus | Micro-organism | 143477-72-7 |
| Bacillus thuringiensis +D381is subsp. Israelensis | Micro-organism | |
| Bacillus thuringiensis Var. Kurstaky | Micro-organism | |
| Bacillus thuringiensis subsp. Israelensis Serotype H14 | Micro-organism | |
| Bacillus thuringiensis var. israelensis | Micro-organism | |
| Bacillus subtilis | Micro-organism | |

| Name (EINECS and/or others) | EC number | CAS number | PT01 | PT02 | PT03 | PT04 | PT05 | PT06 | PT07 | PT08 | PT09 | PT10 | PT11 | PT12 | PT13 | PT14 | PT15 | PT16 | PT17 | PT18 | PT19 | PT20 | PT21 | PT22 | PT23 |
|-------------------------------------|-----------|------------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|
| Linalool | 201-134-4 | 78-70-6 | | | | | | | | | | | | | | | | | | | 19 | | | | |
| 2-Chloroacetamide | 201-174-2 | 79-07-2 | | 3 | | | | 6 | 7 | | 9 | 10 | 11 | | 13 | | | | | | | | | | |
| Bromoacetic acid | 201-175-8 | 79-08-3 | | | 4 | | | | | | | | | | | | | | | | | | | | |
| Glycolic acid | 201-180-5 | 79-14-1 | | 2 | 3 | 4 | | | | | | | 12 | | | | | | | | | | | | |
| Peracetic acid | 201-186-8 | 79-21-0 | 1 | 2 | 3 | 4 | 5 | 6 | | | | 11 | 12 | | | | | | | | | | | | |
| L-(+)-lactic acid | 201-196-2 | 79-33-4 | 1 | 2 | 3 | 4 | | 6 | 8 | | | | | 13 | | | | | | | | 20 | | | |
| Warfarin | 201-377-6 | 81-81-2 | | | | | | | | | | | | | 14 | | | | | | | | | | |
| Diphacinone | 201-434-5 | 82-66-6 | | | | | | | | | | | | | 14 | | | | | | | | | | |
| Anthraquinone | 201-549-0 | 84-65-1 | | | | | | | | | | | | | | | | | | | 19 | | | | |
| Symclocosene | 201-782-8 | 87-90-1 | | 2 | 3 | 4 | 5 | 6 | 7 | | 9 | | 11 | 12 | | | | | | | | | | | |
| Chloroxylenol | 201-793-8 | 88-04-0 | 1 | 2 | 3 | 4 | 5 | 6 | | | | | | | | | | | | | | | | | |
| Biphenyl-2-ol | 201-993-5 | 90-43-7 | 1 | 2 | 3 | 4 | | 6 | 7 | | 9 | 10 | | | 13 | | | | | | | | | | |
| Naphthalene | 202-049-5 | 91-20-3 | | | | | | | | | | | | | | | | | | | 19 | | | | |
| Dichlorophen | 202-567-1 | 97-23-4 | | 2 | 3 | 4 | | 6 | 7 | | 9 | 10 | 11 | 12 | 13 | | | | | | | | | | |
| Triclocarban | 202-924-1 | 101-20-2 | 1 | 2 | | 4 | | | | | | | | | | | | | | | | | | | |
| Geraniol | 203-377-1 | 106-24-1 | | | | | | | | | | | | | | | | | | 18 | 19 | | | | |
| 1,4-Dichlorobenzene | 203-400-5 | 106-46-7 | | | | | | | | | | | | | | | | | | 18 | 19 | | | | |
| Glyoxal | 203-474-9 | 107-22-2 | | 2 | 3 | 4 | | 6 | | | | | | 12 | | | | | | | | | | | |
| m-Cresol | 203-577-9 | 108-39-4 | | 2 | 3 | | | | | | | | | | | | | | | | | | | | |
| Hexa-2,4-dienoic acid / Sorbic acid | 203-768-7 | 110-44-1 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 | | | | | | | | | | | | | |
| Glutaral | 203-856-5 | 111-30-8 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | | 9 | 10 | 11 | 12 | 13 | | | | | | | | | 22 | |
| Nonanoic acid | 203-931-2 | 112-05-0 | | 2 | | | | | | | | 10 | | | | | | | | | | | | | |
| Undecan-2-one / Methyl-nonyl-ketone | 203-937-5 | 112-12-9 | | | | | | | | | | | | | | | | | | | 19 | | | | |

| Name (EINECS and/or others) | EC number | CAS number | PT01 | PT02 | PT03 | PT04 | PT05 | PT06 | PT07 | PT08 | PT09 | PT10 | PT11 | PT12 | PT13 | PT14 | PT15 | PT16 | PT17 | PT18 | PT19 | PT20 | PT21 | PT22 | PT23 |
|--|-----------|------------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|
| Thiram | 205-286-2 | 137-26-8 | | 2 | | | | 6 | 7 | | 9 | 10 | 11 | 12 | | | | | | | | | | | |
| Ziram | 205-288-3 | 137-30-4 | | 2 | | | | 6 | 7 | | 9 | 10 | 11 | 12 | | | | | | | 19 | | 21 | | |
| Potassium methyldithiocarbamate | 205-292-5 | 137-41-7 | | 2 | | | | | | | 9 | | 11 | 12 | | | | | | | | | | | |
| Metam-sodium | 205-293-0 | 137-42-8 | | 2 | 4 | | | 6 | | | 9 | | 11 | 12 | 13 | | | | | | | 20 | | | |
| Disodium cyanodithiocarbamate | 205-346-8 | 138-93-2 | | 2 | | | | | | | 9 | | 11 | 12 | | | | | | | | | | | |
| 1,3-Bis(hydroxymethyl)urea | 205-444-0 | 140-95-4 | | 2 | | | | 6 | | | 9 | | 11 | 12 | 13 | | | | | | | | | | |
| Nabam | 205-547-0 | 142-59-6 | | 2 | 4 | | | 6 | | | 9 | 10 | 11 | 12 | 13 | | | | | | | | | | |
| Sodium hydrogencarbonate | 205-633-8 | 144-55-8 | 1 | 3 | | | | | | | | | | | | | | 16 | | 18 | 19 | | | | |
| Thiabendazole | 205-725-8 | 148-79-8 | | 2 | | | | 6 | 7 | 8 | 9 | 10 | 11 | 12 | 13 | | | | | | | 20 | 21 | | |
| Benzothiazole-2-thiol | 205-736-8 | 149-30-4 | | 2 | | | | | 7 | 8 | 9 | | 11 | 12 | 13 | | | | | | | | | | |
| Naled | 206-098-3 | 300-76-5 | | | | | | | | | | | | | | | | | | 18 | | | | | |
| Diuron | 206-354-4 | 330-54-1 | | | | | | 6 | 7 | | | 10 | | | | | | | | | | | 21 | | |
| Diazinon | 206-373-8 | 333-41-5 | | | | | | | | | | | | | | | | | | 18 | | | | | |
| Decanoic acid | 206-376-4 | 334-48-5 | | | | | | | | | | | | | | | | | | 18 | 19 | | | | |
| Cyanamide | 206-992-3 | 420-04-2 | | | 3 | | | | | | | | | | | | | | | 18 | | | | | |
| 2-Hydroxy-4-isopropyl-2,4,6-cycloheptatrien-1-one | 207-880-7 | 499-44-5 | | | | | | | | | | 10 | | | | | | | | | | | | | |
| Sodium benzoate | 208-534-8 | 532-32-1 | 1 | 2 | | | | 6 | | | | | 11 | | | | | | | | | 20 | | | |
| Dazomet | 208-576-7 | 533-74-4 | | | | | | 6 | 7 | 8 | 9 | 10 | 11 | 12 | | | | | | | | | | | |
| (RS)-3-Allyl-2-methyl-4-oxocyclopent-2-enyl-1RS,3RS;1RS,3SR)-2,2-dimethyl-3-(2-methylprop-1-enyl)-cyclopropanecarboxylate (all isomers; ratio 1:1:1:1:1:1) / Allethrin | 209-542-4 | 584-79-2 | | | | | | | | | | | | | | | | | | 18 | | | | | |

| Name (EINECS and/or others) | EC number | CAS number | PT01 | PT02 | PT03 | PT04 | PT05 | PT06 | PT07 | PT08 | PT09 | PT10 | PT11 | PT12 | PT13 | PT14 | PT15 | PT16 | PT17 | PT18 | PT19 | PT20 | PT21 | PT22 | PT23 |
|---|-----------|------------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|
| 2-Butanone, peroxide | 215-661-2 | 1338-23-4 | 1 | 2 | 3 | | | 6 | | | 9 | | | | | | | | | | | | | 22 | |
| Monolinuron | 217-129-5 | 1746-81-2 | | 2 | | | | | | | | | | | | | | | | | | | | | |
| 2,4-Dichlorobenzyl alcohol | 217-210-5 | 1777-82-8 | | 2 | | | | 6 | 7 | | 9 | 10 | | 12 | 13 | | | | | | | | | | |
| Chlorothalonil | 217-588-1 | 1897-45-6 | | | | | | 6 | 7 | 8 | 9 | 10 | | | | | | | | | | 21 | | | |
| Fluometuron | 218-500-4 | 2164-17-2 | | | | | | 6 | 7 | | 9 | 10 | 11 | 12 | 13 | | | | | | | 21 | | | |
| 4-(2-Nitrobutyl)morpholine | 218-748-3 | 2224-44-4 | | | | | | 6 | | | | | | | 13 | | | | | | | | | | |
| N-(3-aminopropyl)-N-dodecylpropane-1,3-diamine | 219-145-8 | 2372-82-9 | 1 | 2 | 3 | 4 | | 6 | | 8 | 9 | 10 | 11 | 12 | 13 | | | | | | | | | | |
| Tolnaftate | 219-266-6 | 2398-96-1 | | | | | | | | | 9 | | | | | | | | | | | | | | |
| 2-Bromo-1-(4-hydroxyphenyl)ethan-1-one | 219-655-0 | 2491-38-5 | | 2 | | | | 6 | | | 9 | | 11 | 12 | | | | | | | | | | | |
| 2,2'-Dithiobis[N-methylbenzamide] | 219-768-5 | 2527-58-4 | | | | | | 6 | 7 | | 9 | | | 12 | 13 | | | | | | | | | | |
| 1,2-Benzisothiazol-3(2H)-one | 220-120-9 | 2634-33-5 | | 2 | | | | 6 | 7 | | 9 | 10 | 11 | 12 | 13 | | | | | | | | | 22 | |
| 2-methyl-2H-isothiazol-3-one | 220-239-6 | 2682-20-4 | | 2 | | 4 | | 6 | 7 | | 9 | 10 | 11 | 12 | 13 | | | | | | | | | 22 | |
| Sulphuryl difluoride | 220-281-5 | 2699-79-8 | | | | | | | | 8 | | | | | | | | | | 18 | | | | | |
| Troscosene sodium | 220-767-7 | 2893-78-9 | 1 | 2 | 3 | 4 | 5 | 6 | | | 9 | | 11 | 12 | | | | | | | | | | | |
| Sodium dichloroisocyanurate dihydrate | 220-767-7 | 51580-86-0 | 1 | 2 | 3 | 4 | 5 | 6 | | | 9 | | 11 | 12 | | | | | | | | | | | |
| Chlorpyrifos | 220-864-4 | 2921-88-2 | | | | | | | | | | | | | | | | | | 18 | | | | | |
| Mecetronium ethyl sulphate | 221-106-5 | 3006-10-8 | 1 | 2 | | | | | | | | | | | | | | | | | | | | | |
| Bis(trichloromethyl) sulphone | 221-310-4 | 3064-70-8 | | | | | | 6 | | | 9 | 10 | 11 | 12 | | | | | | | | | | 22 | |
| Triclosan | 222-182-2 | 3380-34-5 | 1 | 2 | 3 | | | | 7 | | 9 | | | | | | | | | | | | | | |
| Oct-1-ene-3-ol | 222-226-0 | 3391-86-4 | | | | | | | | | | | | | | | | | | | 19 | | | | |
| Sodium 5-chloro-2-[4-chloro-2-[[[(3,4-dichlorophenyl)amino]carbonyl]amino]phenoxy]benzenesulphonate | 222-654-8 | 3567-25-7 | | | | | | | | | | | | | | | | | | 18 | | | | | |

| Name (EINECS and/or others) | EC number | CAS number | PT01 | PT02 | PT03 | PT04 | PT05 | PT06 | PT07 | PT08 | PT09 | PT10 | PT11 | PT12 | PT13 | PT14 | PT15 | PT16 | PT17 | PT18 | PT19 | PT20 | PT21 | PT22 | PT23 |
|---|-----------|------------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|
| (Ethyleneedioxy)dimethanol | 222-720-6 | 3586-55-8 | | 2 | 3 | 4 | | 6 | | | 9 | | 11 | 12 | 13 | | | | | | | | | | |
| Chlorophacinone | 223-003-0 | 3691-35-8 | | | | | | | | | | | | | | 14 | | | | | | | | | |
| Dipyrrithione | 223-024-5 | 3696-28-4 | | | | | | | | | 9 | | | | | | | | | | | | | | |
| Sodium 2,4,6-trichlorophenolate | 223-246-2 | 3784-03-0 | | 2 | 3 | | | 6 | | | 9 | | | | | | | | | | | | | | |
| Pyridine-2-thiol 1-oxide, sodium salt | 223-296-5 | 3811-73-2 | | 2 | 3 | 4 | | 6 | 7 | | 9 | 10 | 11 | 12 | 13 | | | | | | | | | | |
| Methenamine 3-chloroallylochloride | 223-805-0 | 4080-31-3 | | | | | | 6 | | | 9 | | | 12 | 13 | | | | | | | | | | |
| 2,2',2''-(Hexahydro-1,3,5-triazine-1,3,5-triyl)triethanol | 225-208-0 | 4719-04-4 | | 2 | 3 | 4 | | 6 | | | 9 | | 11 | 12 | 13 | | | | | | | | | | |
| Tetrahydro-1,3,4,6-tetrakis(hydroxymethyl)imidazo[4,5-d]imidazole-2,5-(1H,3H)-dione | 226-408-0 | 5395-50-6 | | 2 | 3 | 4 | | 6 | | | 9 | 10 | 11 | 12 | 13 | | | | | | | | | | |
| Chlorpyrifos-methyl | 227-011-5 | 5598-13-0 | | | | | | | | | | | | | | | | | | 18 | | | | | |
| N,N'-methylenebismorpholine | 227-062-3 | 5625-90-1 | | | | | | 6 | | | 9 | | 11 | | 13 | | | | | | | | | | |
| Coumatetralyl | 227-424-0 | 5836-29-3 | | | | | | | | | | | | | | 14 | | | | | | | | | |
| Terbutylazine | 227-637-9 | 5915-41-3 | | 2 | | | | | | | | | 11 | 12 | | | | | | | | | | | |
| (R)-p-mentha-1,8-diene | 227-813-5 | 5989-27-5 | | | | | | | | | | | | 12 | | | | | | 18 | 19 | | | | |
| Methylene dithiocyanate | 228-652-3 | 6317-18-6 | | 2 | | | | 6 | 7 | | 9 | 10 | 11 | 12 | 13 | | | | | | | | | 22 | |
| 1,3-Bis(hydroxymethyl)-5,5-dimethylimidazolidine-2,4-dione | 229-222-8 | 6440-58-0 | | 2 | | | | 6 | | | | | 11 | 12 | 13 | | | | | | | | | | |
| (2-bromo-2-nitrovinyl)benzene | 230-515-8 | 7166-19-0 | | | | | | 6 | | | | | 11 | 12 | 13 | | | | | | | | | | |
| Didecyl(dimethylammonium chloride | 230-525-2 | 7173-51-5 | 1 | 2 | 3 | 4 | | 6 | 7 | 8 | 9 | 10 | 11 | 12 | 13 | | 16 | | | 18 | | | | | |
| Prometryn | 230-711-3 | 7287-19-6 | | | | | | 6 | 7 | | 9 | 10 | 11 | 12 | 13 | | | | | | | | 21 | | |
| Silver | 231-131-3 | 7440-22-4 | | 2 | | 4 | 5 | | | | 9 | | 11 | | | | | | | | | | | | |
| Copper | 231-159-6 | 7440-50-8 | | 2 | | 4 | 5 | | | | | | 11 | | | | | | | | | | 21 | | |
| Sulphur dioxide | 231-195-2 | 7446-09-5 | 1 | 2 | | 4 | 5 | 6 | | | 9 | | 11 | 12 | 13 | | | | | | | 20 | 21 | 22 | |

| Name (EINECS and/or others) | EC number | CAS number | PT01 | PT02 | PT03 | PT04 | PT05 | PT06 | PT07 | PT08 | PT09 | PT10 | PT11 | PT12 | PT13 | PT14 | PT15 | PT16 | PT17 | PT18 | PT19 | PT20 | PT21 | PT22 | PT23 |
|---|-----------|------------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|
| Pyrrithione zinc | 236-671-3 | 13463-41-7 | | | | | | 6 | 7 | | 9 | 10 | | | 13 | | | | | | | | 21 | | |
| Dodecylguanidine monohydrochloride | 237-030-0 | 13590-97-1 | 1 | 2 | | | | 6 | 7 | 8 | 9 | 10 | 11 | 12 | | | | 16 | | | | | 21 | 22 | |
| Potassium 2-biphenylate | 237-243-9 | 13707-65-8 | | | | | | 6 | | | 9 | 10 | | | 13 | | | | | | | | | | |
| Bromine chloride | 237-601-4 | 13863-41-7 | | 2 | | | | | | | | | 11 | 12 | | | | | | | | | | | |
| (benzyloxy)methanol | 238-588-8 | 14548-60-8 | | 2 | | | | 6 | | | 9 | 10 | 11 | | 13 | | | | | | | | | | |
| Phoxim | 238-887-3 | 14816-18-3 | | | | | | | | | | | | | | | | | | 18 | | | | | |
| Bis(1-hydroxy-1H-pyridine-2-thionato-O,S)copper | 238-984-0 | 14915-37-8 | | | | | | | | | 9 | | | | | | | | | | | | 21 | | |
| Chlorotoluron | 239-592-2 | 15545-48-9 | | | | | | 6 | 7 | | 9 | 10 | 11 | 12 | 13 | | | | | | | | 21 | | |
| Sodium p-chloro-m-cresolate | 239-825-8 | 15733-22-9 | 1 | 2 | 3 | 4 | | 6 | | | 9 | 10 | | | 13 | | | | | | | | | | |
| Chloralose | 240-016-7 | 15879-93-3 | | | | | | | | | | | | | | 14 | 15 | | | | | | | | 23 |
| Dipotassium disulphite | 240-795-3 | 16731-55-8 | 1 | 2 | | 4 | 5 | 6 | | | 9 | | 11 | 12 | 13 | | | | | | | 20 | 21 | 22 | |
| Methomyl | 240-815-0 | 16752-77-5 | | | | | | | | | | | | | | | | | | 18 | | | | | |
| Hexafluorosilicic acid | 241-034-8 | 16961-83-4 | | | | | | | | 8 | | | | | | | | | | | | | | | |
| D-gluconic acid, compound with N,N'-bis(4-chlorophenyl)-3,12-diimino-2,4,11,13-tetraazatetradecanediamidine (2:1) | 242-354-0 | 18472-51-0 | 1 | 2 | 3 | 4 | | 6 | | | | | | | | | | | | | | | | | |
| Benzoxonium chloride | 243-008-1 | 19379-90-9 | 1 | | | | | | | | 9 | | | | | | | | | | | | | | |
| p-[(Diodomethyl)sulphonyl]toluene | 243-468-3 | 20018-09-1 | | | | | | 6 | 7 | | 9 | 10 | | 12 | 13 | | | | | | | | | | |
| Copper dihydroxide | 243-815-9 | 20427-59-2 | | | | | | | | 8 | | | | | | | | | | | | | | | |
| Disilver oxide | 243-957-1 | 20667-12-3 | | | | | | | | | | | 11 | | | | | | | | | | | | |
| Aluminium phosphide | 244-088-0 | 20859-73-8 | | | | | | | | 8 | | | | | | 14 | | | | | | 20 | | | 23 |

| Name (EINECS and/or others) | EC number | CAS number | PT01 | PT02 | PT03 | PT04 | PT05 | PT06 | PT07 | PT08 | PT09 | PT10 | PT11 | PT12 | PT13 | PT14 | PT15 | PT16 | PT17 | PT18 | PT19 | PT20 | PT21 | PT22 | PT23 |
|--|-----------|------------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|
| (benzothiazol-2-ylthio)methyl thiocyanate | 244-445-0 | 21564-17-0 | 2 | | | 4 | | 6 | 7 | | 9 | 10 | 11 | 12 | 13 | | | | | | | | 21 | | |
| Bendiocarb | 245-216-8 | 22781-23-3 | | | | | | | | | | | | | | | | | | 18 | | | | | |
| 2-Methyl-4-oxo-3-(prop-2-ynyl)-cyclopent-2-en-1-yl 2,2-dimethyl-3-(2-methylprop-1-enyl)cyclopropanecarboxylate / Prallethrin | 245-387-9 | 23031-36-9 | | | | | | | | | | | 11 | | 13 | | | | | 18 | | | | | |
| Potassium (E,E)-hexa-2,4-dienoate | 246-376-1 | 24634-61-5 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 | | | | | | | | | | | | | |
| .alpha.,.alpha.',.alpha."-trimethyl-1,3,5-triazine-1,3,5(2H,4H,6H)-trithanol | 246-764-0 | 25254-50-6 | 2 | | | | | 6 | | | 9 | | | | | | | | | | | | | | |
| 2-Octyl-2H-isothiazol-3-one | 247-761-7 | 26530-20-1 | | | | 4 | | 6 | 7 | 8 | 9 | 10 | 11 | 12 | 13 | | | | | | | | | | |
| cis-Tricos-9-ene | 248-505-7 | 27519-02-4 | | | | | | | | | | | | | | | | | | 18 | 19 | | | | |
| Dimethyloctadecyl[3-(trime-thoxysilyl)propyl]ammonium chloride | 248-595-8 | 27668-52-6 | 2 | | | | | | 7 | | 9 | 10 | | | | | | | | | | | 21 | | |
| N'-tert-butyl-N-cyclopropyl-6-(methylthio)-1,3,5-triazine-2,4-diamine | 248-872-3 | 28159-98-0 | | | | | | | 7 | | 9 | 10 | | | | | | | | | | | 21 | | |
| (S)-3-Allyl-2-methyl-4-oxocyclopent-2-en-1-yl-[1R-[1.alpha.(S*),3.beta.]-2,2-dimethyl-3-(2-methylprop-1-enyl)cyclopropanecarboxylate (only 1R trans, 1S isomer) / S-Bioallethrin | 249-013-5 | 28434-00-6 | | | | | | | | | | | | | | | | | | 18 | | | | | |
| Bioresmethrin | 249-014-0 | 28434-01-7 | | | | | | | | | | | | | | | | | | 18 | | | | | |
| 3-[3-(4'-bromo[1,1'-biphenyl]-4-yl)-3-hydroxy-1-phenylpropyl]-4-hydroxy-2-benzopyrone / Bromadiolone | 249-205-9 | 28772-56-7 | | | | | | | | | | | | | | 14 | | | | | | | | | |
| Pirimiphos-methyl | 249-528-5 | 29232-93-7 | | | | | | | | | | | | | | | | | | 18 | | | | | |
| trans-Isopropyl-3-[[[ethylamino)-methoxyphosphinothioyl]oxy]-crotonate | 250-517-2 | 31218-83-4 | | | | | | | | | | | | | | | | | | 18 | | | | | |

| Name (EINECS and/or others) | EC number | CAS number | PT01 | PT02 | PT03 | PT04 | PT05 | PT06 | PT07 | PT08 | PT09 | PT10 | PT11 | PT12 | PT13 | PT14 | PT15 | PT16 | PT17 | PT18 | PT19 | PT20 | PT21 | PT22 | PT23 |
|---|--------------------------|-------------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|
| Peroxyoctanoic acid | | 33734-57-5 | | 2 | 3 | 4 | | | | | | | 11 | 12 | | | | | | | | | | | |
| Cyclohexylhydroxydiazene 1-oxide, potassium salt | | 66603-10-9 | | | | 6 | | 6 | 7 | 8 | 9 | 10 | 11 | 12 | 13 | | | | | | | | | | |
| Silica, amorphous, crystalline-free | | 112945-52-5 | | | | | | | | | | | | | | | | | | 18 | | | | | |
| Bis[1-cyclohexyl-1,2-dihydroxyl-kappa.O)diazoniumato(2-copper | | 312600-89-8 | | 2 | | | | 6 | 7 | 8 | 9 | 10 | 11 | 12 | | | | | | | | 21 | | | |
| Silver zeolite A | | | | 2 | | 4 | 5 | | 7 | | 9 | | | | | | | | | | | | | | |
| Silicium dioxide / Kieselguhr | Plant Protection Product | 61790-53-2 | | | | | | | | | | | | | | | | | | 18 | | | | | |
| .alpha.,.alpha.,.alpha.-Trifluoro-N-methyl-4,6-dinitro-N-(2,4,6-tribromophenyl)-o-toluidine / Bromethalin | Plant Protection Product | 63333-35-7 | | | | | | | | | | | | | | 14 | | | | | | | | | |
| S-Methoprene / Isopropyl (S-(E,E))-11-methoxy-3,7,11-trimethyldodeca-2,4-dienoate | Plant protection product | 65733-16-6 | | | | | | | | | | | | | | | | | | 18 | | | | | |
| S-Hydroprene / Ethyl (S-(E,E))-3,7,11-trimethyldodeca-2,4-dienoate | Plant protection product | 65733-18-8 | | | | | | | | | | | | | | | | | | 18 | | | | | |
| Esfenvalerate / (S)-.alpha.-Cyano-3-phenoxybenzyl (S)-2-(4-chlorophenyl)-3-methylbutyrate | Plant protection product | 66230-04-4 | | | 3 | | | | | 8 | | | | | | | | | | 18 | | | | | |
| [1.alpha.(S*),3.alpha.]-(.alpha.)-Cyano-(3-phenoxyphenyl)methyl 3-(2,2-dichloroethenyl)-2,2-dichlorovinyl)-2,2-dimethylcyclopropanecarboxylate / alpha-cypermethrin | Plant protection product | 67375-30-8 | | | | | | 6 | | 8 | 9 | | | | | | | | | 18 | | | | | |

| Name (EINECS and/or others) | EC number | CAS number | PT01 | PT02 | PT03 | PT04 | PT05 | PT06 | PT07 | PT08 | PT09 | PT10 | PT11 | PT12 | PT13 | PT14 | PT15 | PT16 | PT17 | PT18 | PT19 | PT20 | PT21 | PT22 | PT23 |
|--|--------------------------|------------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|
| Mixture of 5-Hydroxymethoxymethyl-1-aza-3,7-dioxabicyclo(3.3.0)octane (16.0 %), 5-Hydroxymethyl-1-aza-3,7-dioxabicyclo(3.3.0)octane (EINECS 229-547-6; 28.8 %) and 5-Hydroxypoly(methyleneoxy)methyl-1-aza-3,7-dioxabicyclo(3.3.0)octane (5.2 %) in water (50 %) | Plant protection product | | | | | | 6 | | | | | | | | 13 | | | | | | | | | | |
| S-Cyphenothrin | Plant protection product | | | | | | | | | | | | | | | | | | | 18 | | | | | |
| (RS)-3-Allyl-2-methyl-4-oxocyclopent-2-enyl-(1R,3R)-2,2-dimethyl-3-(2-methylprop-1-enyl)-cyclopropanecarboxylate (mixture of 2 isomers: 1R trans: 1RS; 1:1) / d-trans-Allethrin | Plant protection product | | | | | | | | | | | | | | | | | | | 18 | | | | | |
| (RS)-3-Allyl-2-methyl-4-oxocyclopent-2-enyl-(1R,3R;1R,3S)-2,2-dimethyl-3-(2-methylprop-1-enyl)-cyclopropanecarboxylate (mixture of 4 isomers: 1R trans, 1R; 1R trans, 1S; 1R cis, 1R; 1R cis, 1S; 4:4:1:1) / d-Allethrin | Plant protection product | | | | | | | | | | | | | | | | | | | 18 | | | | | |
| (RS)-3-Allyl-2-methyl-4-oxocyclopent-2-enyl (1R,3R)-2,2-dimethyl-3-(2-methylprop-1-enyl)-cyclopropanecarboxylate (mixture of 2 isomers: 1R trans: 1R/S; 1:3) / Esbiothrin | Plant protection product | | | | | | | | | | | | | | | | | | | 18 | | | | | |
| Spinosad: fermentation product of soil bacteria containing Spinosyn A and Spinosyn D | Plant protection product | | | 3 | | | | | | | | | | | | | | | | 18 | | | | | |

| Name (EINECS and/or others) | EC number | CAS number | PT01 | PT02 | PT03 | PT04 | PT05 | PT06 | PT07 | PT08 | PT09 | PT10 | PT11 | PT12 | PT13 | PT14 | PT15 | PT16 | PT17 | PT18 | PT19 | PT20 | PT21 | PT22 | PT23 |
|--|-------------------------------------|-------------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|
| Quaternary ammonium compounds (alkyltrimethyl (alkyl from C8-C18 saturated and unsaturated, and tallow alkyl, coco alkyl and soya alkyl) chlorides, bromides, or methylsulphates) / TMAC | Mixture of EINECS listed substances | | | | | | | | | 8 | | | | | | | | | | | | | | | |
| <i>Bacillus sphaericus</i> | Micro-organisms | 143477-72-7 | 2 | | | | | | | | | | | | | | | | | 18 | | | | | |
| <i>Bacillus thuringiensis</i> subsp. <i>Israelensis</i> Serotype H14 | Micro-organisms | | 2 | | | 5 | | | | | | | | | | | | | | 18 | | | | | |
| <i>Bacillus subtilis</i> | Micro-organisms | | | | 3 | | | | | | | | | | | | | | | | | | | | |

(1) Contact details of participants are specified at <http://ecb.jrc.it/biocides>.

ANNEX III

EXISTING ACTIVE SUBSTANCES THAT HAVE BEEN IDENTIFIED BUT IN RESPECT OF WHICH NO NOTIFICATION HAS BEEN ACCEPTED OR NO MEMBER STATE HAS INDICATED AN INTEREST

| Name (EINECS and/or others) | EC number | CAS number |
|--|-----------|------------|
| Ergocalciferol / Vitamin D2 | 200-014-9 | 50-14-6 |
| Lactic acid | 200-018-0 | 50-21-5 |
| Clofenotane / DDT | 200-024-3 | 50-29-3 |
| Ascorbic acid | 200-066-2 | 50-81-7 |
| 2,4-dinitrophenol | 200-087-7 | 51-28-5 |
| 2-imidazol-4-ylethylamine | 200-100-6 | 51-45-6 |
| Trichlorfon | 200-149-3 | 52-68-6 |
| Sodium salicylate | 200-198-0 | 54-21-7 |
| Fenthion | 200-231-9 | 55-38-9 |
| Glycerol trinitrate | 200-240-8 | 55-63-0 |
| Tributyltin acetate | 200-269-6 | 56-36-0 |
| Coumaphos | 200-285-3 | 56-72-4 |
| Glycerol | 200-289-5 | 56-81-5 |
| Chlorhexidine diacetate | 200-302-4 | 56-95-1 |
| Allyl isothiocyanate | 200-309-2 | 57-06-7 |
| Cetrimonium bromide / Hexadecyltrimethylammonium bromide | 200-311-3 | 57-09-0 |
| Urea | 200-315-5 | 57-13-6 |
| Strychnine | 200-319-7 | 57-24-9 |
| Propane-1,2-diol | 200-338-0 | 57-55-6 |
| Caffeine | 200-362-1 | 58-08-2 |
| Sulfaquinoxaline | 200-423-2 | 59-40-5 |
| 2-phenylethanol | 200-456-2 | 60-12-8 |
| Methylthioninium chloride | 200-515-2 | 61-73-4 |
| Thiourea | 200-543-5 | 62-56-6 |
| Carbaryl | 200-555-0 | 63-25-2 |
| Acetic acid | 200-580-7 | 64-19-7 |
| Chloroform / Trichloromethane | 200-663-8 | 67-66-3 |
| Colecalciferol | 200-673-2 | 67-97-0 |
| Hexachlorophene | 200-733-8 | 70-30-4 |
| Butan-1-ol | 200-751-6 | 71-36-3 |
| Methoxychlor | 200-779-9 | 72-43-5 |
| Bromomethane / Methyl bromide | 200-813-2 | 74-83-9 |

| Name (EINECS and/or others) | EC number | CAS number |
|---|-----------|------------|
| Hydrogen cyanide | 200-821-6 | 74-90-8 |
| Metaldehyde | 200-836-8 | 9002-91-9 |
| Carbon disulfide | 200-843-6 | 75-15-0 |
| Iodoform / Triiodomethane | 200-874-5 | 75-47-8 |
| Tert-butyl hydroperoxide | 200-915-7 | 75-91-2 |
| Trichloronitromethane | 200-930-9 | 76-06-2 |
| Bornan-2-one / Campher | 200-945-0 | 76-22-2 |
| (3aS,6aR,7aS,8S,11aS,11bS,11cS)-1,3a,4,5,6a,7,7a,8,11,11a,11b,11c-dodecahydro-2,10-dimethoxy-3,8,11a,11c-tetramethyldibenzo[de,g]chromene-1,5,11-trione / Quassin | 200-985-9 | 76-78-8 |
| 3.beta.-hydroxyurs-12-en-28-oic acid / Ursolic acid | 201-034-0 | 77-52-1 |
| 1,3,4,5-tetrahydroxycyclohexanecarboxylic acid | 201-072-8 | 77-95-2 |
| 2-methylpropan-1-ol | 201-148-0 | 78-83-1 |
| Propionic acid | 201-176-3 | 79-09-4 |
| Chloroacetic acid | 201-178-4 | 79-11-8 |
| p-(1,1-dimethylpropyl)phenol | 201-280-9 | 80-46-6 |
| Pin-2(3)-ene | 201-291-9 | 80-56-8 |
| Sennoside A | 201-339-9 | 81-27-6 |
| Coumachlor | 201-378-1 | 81-82-3 |
| Ethyl quinine carbonate | 201-500-3 | 83-75-0 |
| (2R,6aS,12aS)-1,2,6,6a,12,12a-hexahydro-2-isopropenyl-8,9-dimethoxychromeno[3,4-b]furo[2,3-h]chromen-6-one / Rotenone | 201-501-9 | 83-79-4 |
| Dibutyl phthalate | 201-557-4 | 84-74-2 |
| Salicylanilide | 201-727-8 | 87-17-2 |
| (+)-tartaric acid | 201-766-0 | 87-69-4 |
| Pentachlorophenol | 201-778-6 | 87-86-5 |
| 2,4,6-trichlorophenol | 201-795-9 | 88-06-2 |
| Menthol | 201-939-0 | 89-78-1 |
| Isopulegol | 201-940-6 | 89-79-2 |
| Thymol | 201-944-8 | 89-83-8 |
| Guaiacol / 2-methoxyphenol | 201-964-7 | 90-05-1 |
| Propyl 4-hydroxybenzoate | 202-307-7 | 94-13-3 |
| Butyl 4-hydroxybenzoate | 202-318-7 | 94-26-8 |
| Dibenzoyl peroxide | 202-327-6 | 94-36-0 |
| 2-ethylhexane-1,3-diol | 202-377-9 | 94-96-2 |
| Benzotriazole | 202-394-1 | 95-14-7 |
| 3-chloropropane-1,2-diol | 202-492-4 | 96-24-2 |

| Name (EINECS and/or others) | EC number | CAS number |
|--|-----------|------------|
| Eugenol | 202-589-1 | 97-53-0 |
| Allantoin | 202-592-8 | 97-59-6 |
| Methyl 4-hydroxybenzoate | 202-785-7 | 99-76-3 |
| Benzyl alcohol | 202-859-9 | 100-51-6 |
| 2,2'-[(1,1,3-trimethylpropane-1,3-diyl)bis(oxy)]bis[4,4,6-trimethyl-1,3,2-dioxaborinane] | 202-899-7 | 100-89-0 |
| Methenamine / Hexamethylenetetramine | 202-905-8 | 100-97-0 |
| Chlorpropham | 202-925-7 | 101-21-3 |
| 1,1',1'',1'''-ethylenedinitrilotetrapropan-2-ol | 203-041-4 | 102-60-3 |
| 2,2',2''-nitritotriethanol | 203-049-8 | 102-71-6 |
| Chlorphenesin | 203-192-6 | 104-29-0 |
| Anethole | 203-205-5 | 104-46-1 |
| Cinnamaldehyde / 3-phenyl-propen-2-al | 203-213-9 | 104-55-2 |
| 2-ethylhexan-1-ol / Isooctanol | 203-234-3 | 104-76-7 |
| Citronellol | 203-375-0 | 106-22-9 |
| Citronellal | 203-376-6 | 106-23-0 |
| Ethylendiamine | 203-468-6 | 107-15-3 |
| Chloro-acetaldehyde | 203-472-8 | 107-20-0 |
| Ethane-1,2-diol | 203-473-3 | 107-21-1 |
| Methyl formate | 203-481-7 | 107-31-3 |
| Butane-1,3-diol | 203-529-7 | 107-88-0 |
| Vinyl acetate | 203-545-4 | 108-05-4 |
| Acetic anhydride | 203-564-8 | 108-24-7 |
| Resorcinol | 203-585-2 | 108-46-3 |
| Cyanuric acid | 203-618-0 | 108-80-5 |
| Phenol | 203-632-7 | 108-95-2 |
| Ethyl formate | 203-721-0 | 109-94-4 |
| Succinic acid | 203-740-4 | 110-15-6 |
| Pyridine | 203-809-9 | 110-86-1 |
| Morpholine | 203-815-1 | 110-91-8 |
| 2-Butoxyethanol | 203-905-0 | 111-76-2 |
| Cetrimonium chloride / Hexadecyl-trimethylammoniumchloride | 203-928-6 | 112-02-7 |
| 2,2'-(ethylenedioxy)diethanol / Triethylene-glycol | 203-953-2 | 112-27-6 |
| Undec-10-enoic acid | 203-965-8 | 112-38-9 |
| Oleic acid | 204-007-1 | 112-80-1 |
| (Z)-docos-13-enoic acid | 204-011-3 | 112-86-7 |
| Endosulfan | 204-079-4 | 115-29-7 |

| Name (EINECS and/or others) | EC number | CAS number |
|--|-----------|------------|
| 1,7,7-trimethylbicyclo[2.2.1]hept-2-yl thiocyanatoacetate | 204-081-5 | 115-31-1 |
| Dicofol | 204-082-0 | 115-32-2 |
| Linalyl acetate | 204-116-4 | 115-95-7 |
| 3,3',4',5,7-pentahydroxyflavone | 204-187-1 | 117-39-5 |
| Methyl salicylate | 204-317-7 | 119-36-8 |
| Ethyl 4-hydroxybenzoate | 204-399-4 | 120-47-8 |
| Piperonal | 204-409-7 | 120-57-0 |
| Indole | 204-420-7 | 120-72-9 |
| 3-(but-2-enyl)-2-methyl-4-oxocyclopent-2-enyl-2,2-dimethyl-3-(3-methoxy-2-methyl-3-oxoprop-1-enyl)cyclopropanecarboxylate / Cinerin II | 204-454-2 | 121-20-0 |
| 2-methyl-4-oxo-3-(penta-2,4-dienyl)cyclopent-2-enyl [1R-[1.alpha.[S*(Z)],3.-beta.]]-chrysanthemate / Pyrethrin I | 204-455-8 | 121-21-1 |
| 2-methyl-4-oxo-3-(penta-2,4-dienyl)cyclopent-2-enyl [1R-[1.alpha.[S*(Z)](3.-beta.)-3-(3-methoxy-2-methyl-3-oxoprop-1-enyl)-2,2-dimethylcyclopropane-carboxylate / Pyrethrin II | 204-462-6 | 121-29-9 |
| 5-nitrothiazol-2-ylamine | 204-490-9 | 121-66-4 |
| Cetalkonium chloride | 204-526-3 | 122-18-9 |
| Benzyl dimethyl(octadecyl) ammonium chloride | 204-527-9 | 122-19-0 |
| Simazine | 204-535-2 | 122-34-9 |
| Propham | 204-542-0 | 122-42-9 |
| 4-Phenylbutanone | 204-555-1 | 122-57-6 |
| 2-Ethylhexanal | 204-596-5 | 123-05-7 |
| Pyridazine-3,6-diol / Maleic hydrazide | 204-619-9 | 123-33-1 |
| Adipic acid | 204-673-3 | 124-04-9 |
| Dodecylamine / Laurylamine | 204-690-6 | 124-22-1 |
| Exo-1,7,7-trimethylbicyclo[2.2.1]heptan-2-ol | 204-712-4 | 124-76-5 |
| Sodium acetate | 204-823-8 | 127-09-3 |
| Sodium N-chlorobenzenesulphonamide | 204-847-9 | 127-52-6 |
| Bis(2,3,3,3-tetrachloropropyl) ether | 204-870-4 | 127-90-2 |
| N-bromosuccinimide | 204-877-2 | 128-08-5 |
| N-chlorosuccinimide | 204-878-8 | 128-09-6 |
| 2,6-di-tert-butyl-p-cresol | 204-881-4 | 128-37-0 |
| Dimethyl phthalate | 205-011-6 | 131-11-3 |
| 2,4-Dichloro-3,5-xyleneol | 205-109-9 | 133-53-9 |
| Bis(8-hydroxyquinolinium) sulphate | 205-137-1 | 134-31-6 |
| Dipropyl pyridine-2,5-dicarboxylate | 205-245-9 | 136-45-8 |
| Zinc bis(2-ethylhexanoate) | 205-251-1 | 136-53-8 |
| 6-methylbenzotriazole | 205-265-8 | 136-85-6 |

| Name (EINECS and/or others) | EC number | CAS number |
|--|-----------|------------|
| Sodium propionate | 205-290-4 | 137-40-6 |
| Dipentene | 205-341-0 | 138-86-3 |
| Benzododecinium chloride | 205-351-5 | 139-07-1 |
| Miristalkonium chloride | 205-352-0 | 139-08-2 |
| Nitrilo triacetic acid | 205-355-7 | 139-13-9 |
| p-tolyl acetate | 205-413-1 | 140-39-6 |
| Sodium formate | 205-488-0 | 141-53-7 |
| 2,3-dihydroxypropyl laurate | 205-526-6 | 142-18-7 |
| Hexanoic acid | 205-550-7 | 142-62-1 |
| Lauric acid | 205-582-1 | 143-07-7 |
| Potassium oleate | 205-590-5 | 143-18-0 |
| Oxalic acid | 205-634-3 | 144-62-7 |
| Quinolin-8-ol | 205-711-1 | 148-24-3 |
| Monuron | 205-766-1 | 150-68-5 |
| Rutoside | 205-814-1 | 153-18-4 |
| Glyoxylic acid | 206-058-5 | 298-12-4 |
| Fenclorphos | 206-082-6 | 299-84-3 |
| 5-chlorosalicylic acid | 206-283-9 | 321-14-2 |
| Potassium thiocyanate | 206-370-1 | 333-20-0 |
| Metronidazole | 207-136-1 | 443-48-1 |
| Cineole | 207-431-5 | 470-82-6 |
| 7,8-dihydroxycoumarin | 207-632-8 | 486-35-1 |
| Sodium carbonate | 207-838-8 | 497-19-8 |
| Carvacrol | 207-889-6 | 499-75-2 |
| 6.beta.-acetoxy-3beta.(beta.-D-glucopyranosyloxy)-8,14-dihydroxybufa-4,20,22-trienolide / Scilliroside | 208-077-4 | 507-60-8 |
| Barium carbonate | 208-167-3 | 513-77-9 |
| 3-acetyl-6-methyl-2H-pyran-2,4(3H)-dione | 208-293-9 | 520-45-6 |
| Osalmid | 208-385-9 | 526-18-1 |
| 2,6-Dimethoxy-p-benzoquinone | 208-484-7 | 530-55-2 |
| Acridine-3,6-diamine dihydrochloride | 208-515-4 | 531-73-7 |
| Trisodium hydrogencarbonate / Sodium sesquicarbonate | 208-580-9 | 533-96-0 |
| Silver carbonate | 208-590-3 | 534-16-7 |
| Crimidine | 208-622-6 | 535-89-7 |
| Calcium diformate | 208-863-7 | 544-17-2 |

| Name (EINECS and/or others) | EC number | CAS number |
|--|-----------|------------|
| Myristic acid | 208-875-2 | 544-63-8 |
| 1-isopropyl-4-methylbicyclo[3.1.0]hexan-3-one | 208-912-2 | 546-80-5 |
| 1,3,4,6,8,13-hexahydroxy-10,11-dimethylphenanthro[1,10,9,8-opqra]perylene-7,14-dione / Hypericum perforatum | 208-941-0 | 548-04-9 |
| [4-[4,4'-bis(dimethylamino)benzhydrylidene]cyclohexa-2,5-dien-1-ylidene]dimethylammonium chloride | 208-953-6 | 548-62-9 |
| Zinc dibenzoate | 209-047-3 | 553-72-0 |
| Methyl isothiocyanate | 209-132-5 | 556-61-6 |
| 4,4'-(4-iminocyclohexa-2,5-dienylidenemethylene)dianiline hydrochloride | 209-321-2 | 569-61-9 |
| [4-[alpha-[4-(dimethylamino)phenyl]benzylidene]cyclohexa-2,5-dien-1-ylidene]dimethylammonium chloride / Malachite green chloride | 209-322-8 | 569-64-2 |
| Potassium benzoate | 209-481-3 | 582-25-2 |
| Sodium 3-(p-anilinophenylazo)benzenesulphonate / Metanil yellow | 209-608-2 | 587-98-4 |
| DL-lactic acid | 209-954-4 | 598-82-3 |
| BHC or HCH / Hexachlorocyclohexane | 210-168-9 | 608-73-1 |
| DL-malic acid | 210-514-9 | 617-48-1 |
| N-(hydroxymethyl)acetamide | 210-897-2 | 625-51-4 |
| Succinaldehyde | 211-333-8 | 638-37-9 |
| 2-fluoroacetamide | 211-363-1 | 640-19-7 |
| 2-hydroxyethanesulphonic acid, compound with 4,4'-[hexane-1,6-diylbis(oxy)]bis[benzenecarboxamidine] (2:1) | 211-533-5 | 659-40-5 |
| Tetrahydro-2,5-dimethoxyfuran | 211-797-1 | 696-59-3 |
| N-[(dichlorofluoromethyl)thio]phthalimide | 211-952-3 | 719-96-0 |
| Proflavine hydrochloride | 213-459-9 | 952-23-8 |
| N'1-quinoxalin-2-ylsulphanilamide, sodium salt | 213-526-2 | 967-80-6 |
| Norbormide | 213-589-6 | 991-42-4 |
| (hydroxymethyl)urea | 213-674-8 | 1000-82-4 |
| Dodecyltrimethylammonium bromide | 214-290-3 | 1119-94-4 |
| Xylenol | 215-089-3 | 1300-71-6 |
| Bentonite | 215-108-5 | 1302-78-9 |
| Potassium hydroxide | 215-181-3 | 1310-58-3 |
| Sodium hydroxide | 215-185-5 | 1310-73-2 |
| Silicic acid, potassium salt / Potassium silicate | 215-199-1 | 1312-76-1 |
| Trimanganese tetraoxide | 215-264-5 | 1317-35-7 |
| Cresol | 215-293-2 | 1319-77-3 |
| Aluminum chloride, basic | 215-477-2 | 1327-41-9 |
| Dicopper chloride trihydroxide | 215-572-9 | 1332-65-6 |
| Sodium hydrogendifluoride | 215-608-3 | 1333-83-1 |

| Name (EINECS and/or others) | EC number | CAS number |
|---|-----------|------------|
| Naphthenic acids | 215-662-8 | 1338-24-5 |
| Ammonium hydrogendifluoride | 215-676-7 | 1341-49-7 |
| Silicic acid, sodium salt | 215-687-4 | 1344-09-8 |
| Copper(II) chloride | 215-704-5 | 1344-67-8 |
| N,N'-bis(2-ethylhexyl)-3,12-diimino-2,4,11,13-tetraazatetradecanediamidine dihydrochloride | 216-994-6 | 1715-30-6 |
| Ethacridine lactate | 217-408-1 | 1837-57-6 |
| 4,4'-(2-ethyl-2-nitropropane-1,3-diyl)bismorpholine | 217-450-0 | 1854-23-5 |
| Dodecylammonium acetate | 217-956-1 | 2016-56-0 |
| Allyl propyl disulphide | 218-550-7 | 2179-59-1 |
| Didecyldimethylammonium bromide | 219-234-1 | 2390-68-3 |
| Bis[4-[4-(dimethylamino)benzhydrylidene]cyclohexa-2,5-dien-1-ylidene]dimethylammonium] oxalate, dioxalate | 219-441-7 | 2437-29-8 |
| Dodine | 219-459-5 | 2439-10-3 |
| 2,2'-[methylenebis(oxy)]bisethanol | 219-891-4 | 2565-36-8 |
| Phenthoate | 219-997-0 | 2597-03-7 |
| 2,2'-[(1-methylpropane-1,3-diyl)bis(oxy)]bis[4-methyl-1,3,2-dioxaborinane] | 220-198-4 | 2665-13-6 |
| 2-Amino-3-chloro-1,4-naphthoquinone | 220-529-2 | 2797-51-5 |
| 2-chloro-N-(hydroxymethyl)acetamide | 220-598-9 | 2832-19-1 |
| Dodecylethyltrimethylammonium ethyl sulphate | 221-108-6 | 3006-13-1 |
| Sodium 2-(2-dodecyloxyethoxy)ethyl sulphate | 221-416-0 | 3088-31-1 |
| 4-isopropyl-m-cresol | 221-761-7 | 3228-02-2 |
| Copper dinitrate | 221-838-5 | 3251-23-8 |
| Temphos | 222-191-1 | 3383-96-8 |
| Thuj-4(10)-ene | 222-212-4 | 3387-41-5 |
| Chlorhexidine dihydrochloride | 223-026-6 | 3697-42-5 |
| Denatonium benzoate | 223-095-2 | 3734-33-6 |
| Hexahydro-1,3,5-tris(3-methoxypropyl)-1,3,5-triazine | 223-563-6 | 3960-05-2 |
| 4-oxo-4-[(tributylstannyl)oxy]but-2-enoic acid / Tributyltin maleate | 223-701-5 | 4027-18-3 |
| N-ethylheptadecafluorooctanesulphonamide | 223-980-3 | 4151-50-2 |
| Isobutyl 4-hydroxybenzoate / Isobutyl parabene | 224-208-8 | 4247-02-3 |
| Tributylstannyl salicylate / Tributyltin salicylate | 224-397-7 | 4342-30-7 |
| Tributylstannyl benzoate / Tributyltin benzoate | 224-399-8 | 4342-36-3 |
| Sodium 1-(3,4-dihydro-6-methyl-2,4-dioxo-2H-pyran-3-ylidene)ethanolate | 224-580-1 | 4418-26-2 |
| Diethylammonium salicylate | 224-586-4 | 4419-92-5 |
| Dimethyl dicarbonate | 224-859-8 | 4525-33-1 |
| Farnesol | 225-004-1 | 4602-84-0 |

| Name (EINECS and/or others) | EC number | CAS number |
|---|-----------|------------|
| Octylphosphonic acid | 225-218-5 | 4724-48-5 |
| Sodium 4-(methoxycarbonyl)phenolate | 225-714-1 | 5026-62-0 |
| Sulphamidic acid | 226-218-8 | 5329-14-6 |
| Citral | 226-394-6 | 5392-40-5 |
| 1-benzyl-3,5,7-triaza-1-azoniatricyclo[3.3.1.1.3,7]decane chloride | 226-445-2 | 5400-93-1 |
| Dimethyldioctylammonium chloride | 226-901-0 | 5538-94-3 |
| N-dodecylpropane-1,3-diamine | 226-902-6 | 5538-95-4 |
| 4-methoxybenzene-1,3-diamine sulphate | 228-290-6 | 6219-67-6 |
| Dodacin | 229-930-7 | 6843-97-6 |
| Malic acid | 230-022-8 | 6915-15-7 |
| (Z)-N-9-octadecenylpropane-1,3-diamine | 230-528-9 | 7173-62-8 |
| Benzyl-dodecyl-dimethylammonium bromide | 230-698-4 | 7281-04-1 |
| Boron | 231-151-2 | 7440-42-8 |
| Zinc | 231-175-3 | 7440-66-6 |
| Dithallium sulphate | 231-201-3 | 7446-18-6 |
| Quinine monohydrochloride dihydrate | 231-437-7 | 6119-47-7 |
| Trisodium orthophosphate (TSP) | 231-509-8 | 7601-54-9 |
| Sodium nitrite | 231-555-9 | 7632-00-0 |
| Sodium peroxometaborate / Sodium perborate hydrate | 231-556-4 | 7632 04 4 |
| Hydrogen fluoride | 231-634-8 | 7664-39-3 |
| Ammonia, anhydrous | 231-635-3 | 7664-41-7 |
| Sulphuric acid | 231-639-5 | 7664-93-9 |
| Potassium iodide | 231-659-4 | 7681-11-0 |
| Sodium hydrogensulphate | 231-665-7 | 7681-38-1 |
| Sodium fluoride | 231-667-8 | 7681-49-4 |
| Sulphur | 231-722-6 | 7704-34-9 |
| Iron sulphate | 231-753-5 | 7720-78-7 |
| Iron vitriol / Ferrous sulphate heptahydrate / Iron sulphate heptahydrate | 231-753-5 | 7782-63-0 |
| Bromine | 231-778-1 | 7726-95-6 |
| Dipotassium peroxodisulphate | 231-781-8 | 7727-21-1 |
| Zinc sulphate heptahydrate | 231-793-3 | 7446-20-0 |
| Copper chloride | 231-842-9 | 7758-89-6 |
| Sodium thiosulphate pentahydrate | 231-867-5 | 10102-17-7 |
| Potassium dichromate | 231-906-6 | 7778-50-9 |
| Hexahydro-1,3,5-triethyl-1,3,5-triazine | 231-924-4 | 7779-27-3 |
| Ammonium sulphate | 231-984-1 | 7783-20-2 |

| Name (EINECS and/or others) | EC number | CAS number |
|---|-----------|------------|
| Aluminium ammonium bis(sulphate) | 232-055-3 | 7784-25-0 |
| Manganese sulphate | 232-089-9 | 7785-87-7 |
| Manganese sulphate tetrahydrate | 232-089-9 | 10101-68-5 |
| Iodine monochloride | 232-236-7 | 7790-99-0 |
| Terpineol | 232-268-1 | 8000-41-7 |
| Soybean oil | 232-274-4 | 8001-22-7 |
| Linseed oil | 232-278-6 | 8001-26-1 |
| Corn oil | 232-281-2 | 8001-30-7 |
| Coconut oil | 232-282-8 | 8001-31-8 |
| Castor oil | 232-293-8 | 8001-79-4 |
| Turpentine oil | 232-350-7 | 8006-64-2 |
| Tar, pine / Pine wood tar | 232-374-8 | 8011-48-1 |
| Beeswax | 232-383-7 | 8012-89-3 |
| Paraffin oils | 232-384-2 | 8012-95-1 |
| Oils, avocado | 232-428-0 | 8024-32-6 |
| Orange, sweet, ext. | 232-433-8 | 8028-48-6 |
| White mineral oil (petroleum) | 232-455-8 | 8042-47-5 |
| Saponins | 232-462-6 | 8047-15-2 |
| Tall-oil rosin | 232-484-6 | 8052-10-6 |
| Asphalt / Bitumen | 232-490-9 | 8052-42-4 |
| Copals | 232-527-9 | 9000-14-0 |
| Aluminium sulphate | 233-135-0 | 10043-01-3 |
| Aluminium potassium bis(sulphate) / Alum | 233-141-3 | 10043-67-1 |
| Disilver(1+) sulphate | 233-653-7 | 10294-26-5 |
| Sodium metaphosphate | 233-782-9 | 10361-03-2 |
| Resmethrin | 233-940-7 | 10453-86-8 |
| N,N'-ethylenebis[N-acetylacetamide] | 234-123-8 | 10543-57-4 |
| Tridecasodium hypochloritetetrakis(phosphate) | 234-307-8 | 11084-85-8 |
| Natural boric acid | 234-343-4 | 11113-50-1 |
| Sodium perborate tetrahydrate | 234-390-0 | 10486-00-7 |
| Perboric acid, sodium salt | 234-390-0 | 11138-47-9 |
| Naphthenic acids, zinc salts | 234-409-2 | 12001-85-3 |
| [2H4]ammonium chloride | 234-607-9 | 12015-14-4 |
| Dialuminium chloride pentahydroxide | 234-933-1 | 12042-91-0 |
| Sodium toluenesulphonate | 235-088-1 | 12068-03-0 |
| Tetraboron disodium heptaoxide, hydrate | 235-541-3 | 12267-73-1 |

| Name (EINECS and/or others) | EC number | CAS number |
|---|-----------|------------|
| Maneb | 235-654-8 | 12427-38-2 |
| N-(hydroxymethyl)formamide | 235-938-1 | 13052-19-2 |
| 2,3,5,6-tetrachloro-4-(methylsulphonyl)pyridine | 236-035-5 | 13108-52-6 |
| Nifurpirinol | 236-503-9 | 13411-16-0 |
| Titanium dioxide | 236-675-5 | 13463-67-7 |
| Barium diboron tetraoxide | 237-222-4 | 13701-59-2 |
| Lithium hypochlorite | 237-558-1 | 13840-33-0 |
| Orthoboric acid, sodium salt | 237-560-2 | 13840-56-7 |
| Zinc bis(diethylthiocarbamate) | 238-270-9 | 14324-55-1 |
| 2,2'-oxybis[4,4,6-trimethyl-1,3,2-dioxaborinane] | 238-749-2 | 14697-50-8 |
| Bis(8-hydroxyquinolyl) sulphate, monopotassium salt | 239-133-6 | 15077-57-3 |
| Dibromopropionamide | 239-153-5 | 15102-42-8 |
| Sodium perborate monohydrate | 239-172-9 | 10332-33-9 |
| 2,2'-methylenebis(6-bromo-4-chlorophenol) | 239-446-8 | 15435-29-7 |
| Disodium carbonate, compound with hydrogen peroxide (2:3) | 239-707-6 | 15630-89-4 |
| 1-bromo-3-chloro-5,5-dimethylimidazolidine-2,4-dione | 240-230-0 | 16079-88-2 |
| (R)-2-(4-chloro-2-methylphenoxy)propionic acid | 240-539-0 | 16484-77-8 |
| Disodium hexafluorosilicate | 240-934-8 | 16893-85-9 |
| Benomyl | 241-775-7 | 17804-35-2 |
| O,O-diethyl O-5-phenylisoxazol-3-ylphosphorothioate | 242-624-8 | 18854-01-8 |
| Methyl hydroxymethoxyacetate | 243-271-2 | 19757-97-2 |
| 2-butene-1,4-diyl bis(bromoacetate) | 243-962-9 | 20679-58-7 |
| Tetrachlorvinphos | 244-865-4 | 22248-79-9 |
| 2-tert-Butyl-4-methoxyphenol | 246-563-8 | 25013-16-5 |
| Bis(hydroxymethyl)urea | 246-679-9 | 25155-29-7 |
| 2,2'-(octadec-9-enylimino)bisethanol | 246-807-3 | 25307-17-9 |
| 3-(but-2-enyl)-2-methyl-4-oxocyclopent-2-enyl 2,2-dimethyl-3-(2-methylprop-1-enyl)cyclopropanecarboxylate / Cinerin I | 246-948-0 | 25402-06-6 |
| 3-phenoxybenzyl 2-dimethyl-3-(methylpropenyl)cyclopropanecarboxylate / Phenothrin | 247-404-5 | 26002-80-2 |
| 5-chloro-2-methyl-2H-isothiazol-3-one | 247-500-7 | 26172-55-4 |
| Dodecylbenzenesulphonic acid | 248-289-4 | 27176-87-0 |
| Lauric acid, monoester with glycerol | 248-337-4 | 27215-38-9 |
| Zinc neodecanoate | 248-370-4 | 27253-29-8 |
| Dodecyl(ethylbenzyl)dimethylammonium chloride | 248-486-5 | 27479-28-3 |
| Lithium heptadecafluorooctanesulphonate | 249-644-6 | 29457-72-5 |

| Name (EINECS and/or others) | EC number | CAS number |
|---|-----------|------------|
| 5-bromo-5-nitro-1,3-dioxane | 250-001-7 | 30007-47-7 |
| Decyldimethyloctylammonium chloride | 251-035-5 | 32426-11-2 |
| 2-(hydroxymethylamino)ethanol | 251-974-0 | 34375-28-5 |
| N-[3-(dodecylamino)propyl]glycine | 251-993-4 | 34395-72-7 |
| 2,6-diacetyl-7,9-dihydroxy-8,9b-dimethyldibenzofuran-1,3(2H,9bH)-dione, monosodium salt | 252-204-6 | 34769-44-3 |
| Sodium 4-ethoxycarbonylphenoxide | 252-487-6 | 35285-68-8 |
| Sodium 4-propoxycarbonylphenoxide | 252-488-1 | 35285-69-9 |
| Benzyltrimethylammonium chloride | 253-363-4 | 37139-99-4 |
| 2-phosphonobutane-1,2,4-tricarboxylic acid | 253-733-5 | 37971-36-1 |
| 4-methoxy-m-phenylenediammonium sulphate | 254-323-9 | 39156-41-7 |
| N,N'-methylenebis[N'-[3-(hydroxymethyl)-2,5-dioximidazolidin-4-yl]urea] | 254-372-6 | 39236-46-9 |
| Dinocap | 254-408-0 | 39300-45-3 |
| Isopropyl (2E,4E)-11-methoxy-3,7,11-trimethyldodeca-2,4-dienoate / Methoprene | 254-993-2 | 40596-69-8 |
| (1,3,4,5,6,7-hexahydro-1,3-dioxo-2H-isoindol-2-yl)methyl (1R-cis)-2,2-dimethyl-3-(2-methylprop-1-enyl)cyclopropanecarboxylate | 257-144-4 | 51348-90-4 |
| Cyano (3-phenoxybenzyl)-2-(4-chlorophenyl)-3-methylbutyrate / Fenvalerate | 257-326-3 | 51630-58-1 |
| bis(2-ethylhexanoato-O)-.mu.-oxidizinc | 259-049-3 | 54262-78-1 |
| [2-(2-butoxyethoxy)ethoxy]methanol | 260-097-2 | 56289-76-0 |
| 2-ethoxyethyl bromoacetate | 260-240-9 | 56521-73-4 |
| N-octyl-N'-[2-(octylamino)ethyl]ethylenediamine | 260-725-5 | 57413-95-3 |
| 1,2-benzisothiazol-3(2H)-one, sodium salt | 261-184-8 | 58249-25-5 |
| Azaconazole | 262-102-3 | 60207-31-0 |
| N,N-bis(2-hydroxyethyl)undec-10-enamide | 262-114-9 | 60239-68-1 |
| 2-chloro-3-(phenylsulphonyl)acrylonitrile | 262-395-8 | 60736-58-5 |
| [1,1'-Biphenyl]-2-ol, chlorinated | 262-974-5 | 61788-42-9 |
| Amines, coco alkyl | 262-977-1 | 61788-46-3 |
| Quaternary ammonium compounds, (hydrogenated tallow alkyl)trimethyl, chlorides | 263-005-9 | 61788-78-1 |
| Quaternary ammonium compounds, coco alkyltrimethyl, chlorides | 263-038-9 | 61789-18-2 |
| Quaternary ammonium compounds, benzylcoco alkylbis(hydroxyethyl), chlorides | 263-078-7 | 61789-68-2 |
| Quaternary ammonium compounds, benzylcoco alkyltrimethyl, chlorides | 263-080-8 | 61789-71-7 |
| Quaternary ammonium compounds, dicocoalkyl dimethyl, chlorides | 263-087-6 | 61789-77-3 |
| Quaternary ammonium compounds, bis(hydrogenated tallow alkyl)dimethyl, chlorides | 263-090-2 | 61789-80-8 |
| Quaternary ammonium compounds, trimethylsoya alkyl, chlorides | 263-134-0 | 61790-41-8 |
| Ethanol, 2,2'-iminobis-, N-coco alkyl derivs. | 263-163-9 | 61791-31-9 |

| Name (EINECS and/or others) | EC number | CAS number |
|--|-----------|------------|
| 1H-Imidazole-1-ethanol, 4,5-dihydro-, 2-nortall-oil alkyl derivs. | 263-171-2 | 61791-39-7 |
| Imidazolium compounds, 1-benzyl-4,5-dihydro-1-(hydroxyethyl)-2-norcoco alkyl, chlorides | 263-185-9 | 61791-52-4 |
| Amines, N-tallow alkyldipropylenetri- | 263-191-1 | 61791-57-9 |
| Amines, N-coco alkyltrimethylenedi- | 263-195-3 | 61791-63-7 |
| Amines, N-coco alkyltrimethylenedi-, acetates | 263-196-9 | 61791-64-8 |
| Quaternary ammonium compounds, benzyl-C8-18-alkyldimethyl, chlorides | 264-151-6 | 63449-41-2 |
| Distillates (petroleum), solvent-refined light naphthenic | 265-098-1 | 64741-97-5 |
| Distillates (petroleum), hydrotreated light | 265-149-8 | 64742-47-8 |
| N-(3,4-dichlorophenyl)-1,2,3,4-tetrahydro-6-hydroxy-1,3-dimethyl-2,4-dioxo-pyrimidine-5-carboxamide | 265-732-7 | 65400-98-8 |
| .alpha.-cyano-3-phenoxybenzyl [1R-[1.alpha.(S*),3.alpha.]]-3-(2,2-dichlorovinyl)-2,2-dimethylcyclopropanecarboxylate | 265-898-0 | 65731-84-2 |
| Tar acids, coal, crude | 266-019-3 | 65996-85-2 |
| Glass powder | 266-046-0 | 65997-17-3 |
| Betaines, C12-C14-alkyl dimethyl | 266-368-1 | 66455-29-6 |
| .alpha.-cyano-3-phenoxybenzyl 2,2-dimethyl-3-(1,2,2,2-tetrabromoethyl)cyclopropanecarboxylate / Tralomethrin | 266-493-1 | 66841-25-6 |
| 2-chloro-N-(2,6-dimethylphenyl)-N-(1H-pyrazol-1-ylmethyl)acetamide | 266-583-0 | 67129-08-2 |
| N-propyl-N-[2-(2,4,6-trichlorophenoxy)ethyl]-1H-imidazole-1-carboxamide | 266-994-5 | 67747-09-5 |
| Fatty acids, C16-18 and C18-unsatd., Me esters | 267-015-4 | 67762-38-3 |
| .alpha.-cyano-3-phenoxybenzyl 3-(2-chloro-3,3,3-trifluoroprop-1-enyl)-2,2-dimethyl cyclopropanecarboxylate / Cyhalothrin | 268-450-2 | 68085-85-8 |
| Dodecylethyldimethylammonium bromide / Laudacit | 269-249-2 | 68207-00-1 |
| Quaternary ammonium compounds, di-C6-12-alkyldimethyl, chlorides | 269-925-7 | 68391-06-0 |
| Benzenesulfonic acid, C10-13-alkyl derivs., sodium salts | 270-115-0 | 68411-30-3 |
| Quaternary ammonium compounds, benzyl-C8-16-alkyldimethyl, chlorides | 270-324-7 | 68424-84-0 |
| Betaines, coco alkyldimethyl | 270-329-4 | 68424-94-2 |
| 1-Propanaminium, 3-amino-N,N,N-trimethyl-, N-C12-18 acyl derivs., Me sulfates | 271-063-1 | 68514-93-2 |
| Amides, coco, N,N-bis(2-hydroxyethyl) | 271-657-0 | 68603-42-9 |
| Quaternary ammonium compounds, (oxydi-2,1-ethanediy)bis[coco alkyldimethyl, dichlorides | 271-761-6 | 68607-28-3 |
| 9-Octadecenoic acid (Z)-, sulfonated, potassium salts | 271-843-1 | 68609-93-8 |
| Urea, reaction products with formaldehyde | 271-898-1 | 68611-64-3 |
| Imidazolium compounds, 1-[2-(carboxymethoxy)ethyl]-1-(carboxymethyl)-4,5-dihydro-2-norcoco alkyl, hydroxides, sodium salts | 272-043-5 | 68650-39-5 |
| bis(tetraamminecopper) carbonatedihydroxide | 272-415-7 | 68833-88-5 |
| 1-hydroxy-4-methyl-6-(2,4,4-trimethylpentyl)pyridin-2(1H)-one, compound with 2-aminoethanol (1:1) | 272-574-2 | 68890-66-4 |

| Name (EINECS and/or others) | EC number | CAS number |
|--|-----------|------------|
| Amines, N-tallowalkyl trimethylenedi-, diacetates | 272-786-5 | 68911-78-4 |
| Quassia, ext. | 272-809-9 | 68915-32-2 |
| Fatty acids, C8-10 | 273-086-2 | 68937-75-7 |
| Sulfuric acid, mono-C12-18-alkyl esters, sodium salts | 273-257-1 | 68955-19-1 |
| Quaternary ammonium compounds, C12-18-alkyl[(ethylphenyl)methyl]dimethyl, chlorides | 273-318-2 | 68956-79-6 |
| Didecylmethyl[3-(trimethoxysilyl)propyl]ammonium chloride | 273-403-4 | 68959-20-6 |
| Quaternary ammonium compounds, benzyl-C10-16-alkyldimethyl, chlorides | 273-544-1 | 68989-00-4 |
| Quaternary ammonium compounds, di-C8-18-alkyldimethyl, chlorides | 277-453-8 | 73398-64-8 |
| 1-[(hydroxymethyl)amino]propan-2-ol | 278-534-0 | 76733-35-2 |
| Dihydrogen bis[monoperoxyphthalato(2-)-O1,OO1]magnesate(2-) | 279-013-0 | 78948-87-5 |
| (2-Butoxyethoxy)methanol | 281-648-3 | 84000-92-0 |
| Zinc, isodecanoate isononanoate complexes, basic | 282-786-7 | 84418-73-5 |
| Juniper, Juniperus communis, ext. | 283-268-3 | 84603-69-0 |
| Laurus nobilis, ext. | 283-272-5 | 84603-73-6 |
| Rosemary, ext. | 283-291-9 | 84604-14-8 |
| Eucalyptus globulus, ext. | 283-406-2 | 84625-32-1 |
| Cinnamomum zeylanicum, ext. | 283-479-0 | 84649-98-9 |
| Lavender, Lavandula angustifolia angustifolia, ext. | 283-994-0 | 84776-65-8 |
| Thyme, Thymus serpyllum, ext. | 284-023-3 | 84776-98-7 |
| Formaldehyde, reaction products with diethylene glycol | 284-062-6 | 84777-35-5 |
| Formamide, reaction products with formaldehyde | 284-064-7 | 84777-37-7 |
| Glycine, N-(3-aminopropyl)-, N'-C10-16-alkyl derivs. | 284-065-2 | 84777-38-8 |
| Lemon, ext. | 284-515-8 | 84929-31-7 |
| Thyme, Thymus vulgaris, ext. | 284-535-7 | 84929-51-1 |
| Clove, ext. | 284-638-7 | 84961-50-2 |
| Formaldehyde, reaction products with propylene glycol | 286-695-3 | 85338-22-3 |
| [R-(Z)]-3-[(12-hydroxy-1-oxo-9-octadecenyl)amino]propyltrimethylammonium methyl sulphate | 287-462-9 | 85508-38-9 |
| Benzenesulfonic acid, 4-C10-13-sec-alkyl derives. | 287-494-3 | 85536-14-7 |
| Guanidine, N,N'''-1,3-propanediylbis-, N-coco alkyl derivs., diacetates | 288-198-7 | 85681-60-3 |
| Sulfonic acids, C13-17-sec-alkane, sodium salts | 288-330-3 | 85711-69-9 |
| Cymbopogon nardus, ext. | 289-753-6 | 89998-15-2 |
| Lavender, Lavandula angustifolia, ext. | 289-995-2 | 90063-37-9 |
| Litsea cubeba, ext. | 290-018-7 | 90063-59-5 |
| Mentha arvensis, ext. | 290-058-5 | 90063-97-1 |

| Name (EINECS and/or others) | EC number | CAS number |
|--|-----------|-------------|
| Pelargonium graveolens, ext. | 290-140-0 | 90082-51-2 |
| Benzenesulfonic acid, mono-C10-14-alkyl derivs., compds. with Me 1H-benzimidazol-2-ylcarbamate | 290-651-9 | 90194-41-5 |
| Copper, EDTA-complexes | 290-989-7 | 90294-99-8 |
| Formaldehyde, reaction products with propanolamine | 291-325-9 | 90387-52-3 |
| Quaternary ammonium compounds, benzyl-C8-18-alkyldimethyl, bromides | 293-522-5 | 91080-29-4 |
| Fir, Abies sibirica, ext. | 294-351-9 | 91697-89-1 |
| Amines, N-(3-aminopropyl)-N'-coco alkyltrimethylenedi-, monoacrylated | 294-702-6 | 91745-32-3 |
| Cymbopogon winterianus, ext. | 294-954-7 | 91771-61-8 |
| Lemongrass (Cymbopogon flexuosus) | 295-161-9 | 91844-92-7 |
| White mineral oil (petroleum), light | 295-550-3 | 92062-35-6 |
| N-[3-(dodecylamino)propyl]glycine hydrochloride | 298-216-5 | 93778-80-4 |
| Bis(2,6-diacetyl-7,9-dihydroxy-8,9b-dimethyl-1,3(2H,9bH)-dibenzofurandionato-O2,O3)copper | 304-149-6 | 94246-73-8 |
| Citrus, ext. | 304-454-3 | 94266-47-4 |
| Trimethyl-3-[(1-oxo-10-undecenyl)amino]propylammonium methyl sulphate | 304-990-8 | 94313-91-4 |
| Peppermint, American, ext. | 308-770-2 | 98306-02-6 |
| Natural lemon juice (filtered) | 310-127-6 | 999999-99-4 |
| Hedera helix | 310-127-6 | 999999-99-4 |
| Onion Oil | 310-127-6 | 999999-99-4 |
| Thuja occidentalis | 310-127-6 | 999999-99-4 |
| Salvia officinalis | 310-127-6 | 999999-99-4 |
| Hyssopus officinalis | 310-127-6 | 999999-99-4 |
| Chrysanthemum vulgare | 310-127-6 | 999999-99-4 |
| Artemisia absinthium | 310-127-6 | 999999-99-4 |
| Achillea millefolium | 310-127-6 | 999999-99-4 |
| Origanum vulgare | 310-127-6 | 999999-99-4 |
| Majorana hortensis | 310-127-6 | 999999-99-4 |
| Origanum majorano | 310-127-6 | 999999-99-4 |
| Rosmarinus officinalis | 310-127-6 | 999999-99-4 |
| Satureja hortensis | 310-127-6 | 999999-99-4 |
| Urtica dioica | 310-127-6 | 999999-99-4 |
| Aesculus hippocastanum | 310-127-6 | 999999-99-4 |
| Symphytum officinale | 310-127-6 | 999999-99-4 |
| Equisetum arvense | 310-127-6 | 999999-99-4 |
| Sambucus nigra | 310-127-6 | 999999-99-4 |
| (4-ethoxyphenyl)(3-(4-fluoro-3-phenoxyphenyl)propyl)dimethylsilane | 405-020-7 | 105024-66-6 |

| Name (EINECS and/or others) | EC number | CAS number |
|--|--------------------------|-------------|
| lithium 3-oxo-1,2(2H)-benzothiazol-2-ide | 411-690-1 | 111337-53-2 |
| Tetrachlorodecaoxide complex | 420-970-2 | 92047-76-2 |
| N-cyclohexyl-S,S-dioxobenzo[b]tiophene-2-carboxamide | 423-990-1 | 149118-66-1 |
| Paraformaldehyde | | 30525-89-4 |
| Bromomyristyl isoquinoline | | 51808-87-8 |
| 9-Aminoacridine hydrochloride monohydrate | | 52417-22-8 |
| Chlorinated trisodium phosphate | | 56802-99-4 |
| (1S,2R,5S)-2-Isopropenyl-5-methylcyclohexanol | | 104870-56-6 |
| Denatonium Capsaicinate | | 192327-95-0 |
| Tris(N-cyclohexyldiazoniumdioxy)aluminium | | 312600-88-7 |
| Reaction product of essential oils and ozone in-situ (Open Air Factor (OAF)) | | |
| Silver sodium borosilicate | | |
| 5-Chloro-2-(4-chlorophenoxy)phenol | | |
| Benzyl-lauryl-dimethyl-myristylammonium chloride / Lauryl-myristyl dimethyl benzyl ammonium chloride | | |
| ((1,2-Ethanediybis(carbamodithioato))(2-))manganese mixture with ((1,2-ethandiybis(carbamodithioate))(2-))zinc / Mancozeb | Plant protection product | 8018-01-7 |
| Chlorosulfamic acid | Plant protection product | 17172-27-9 |
| Ethyl (2E,4E)-3,7,11-trimethyldodeca-2,4-dienoate / Hydroprene | Plant protection product | 41096-46-2 |
| N-(2-((2,6-Dimethyl)phenyl)amino)-2-oxoethyl)-N,N-diethyl benzenemethanaminiumsaccharide / Denatonium Saccharide | Plant protection product | 90823-38-4 |
| .alpha.-(4-Chlorophenyl)-.alpha.-(1-cyclopropylethyl)-1H-1,2,4-triazole-1-ethanol / Cyproconazole | Plant protection product | 94361-06-5 |
| Aluminium sodium silicate-silver copper complex / Silver Copper Zeolite | Plant protection product | 130328-19-7 |
| N-Isononyl-N,N-dimethyl-N-decylammonium chloride | Plant protection product | 138698-36-9 |
| N-((6-Chloro-3-pyridinyl)methyl)-N'-cyano-N-methylethanimidamide / Acetamiprid | Plant protection product | 160430-64-8 |
| [1.alpha.(S*),3.alpha.]-(.alpha.)-Cyano-(3-phenoxyphenyl)methyl 3-(2,2-dichloroethenyl)-2,2-dichlorovinyl)-2,2-dimethylcyclopropanecarboxylate | Plant protection product | |
| Butoxy polypropylene glycol | Polymer | 9003-13-8 |
| Polydimethylsiloxane | Polymer | 9016-00-6 |
| Polymer of N,N,N,N-tetramethyl-ethane-1,2-diamine and (chloromethyl)oxirane | Polymer | 25988-98-1 |
| Polymer of N,N,N',N'-tetramethyl-1,6-hexanediamine and 1,6-dichlorohexane | Polymer | 27789-57-7 |
| Poly(hexamethylendimethylammonium chloride) / Poly[(dimethylimino)-1,6-hexanediy-chloride] | Polymer | 28728-61-2 |

| Name (EINECS and/or others) | EC number | CAS number |
|--|-------------|-------------|
| N,N-Didecyl(-N-methyl-poly(oxyethyl)ammoniumpropionate / 1-Decanaminium, N-decyl-N-(2-hydroxyethyl)-N-methyl-, propanoate (salt) | Polymer | 107879-22-1 |
| Tributyltin coPolymer (TBT-coPolymer) | Polymer | |
| Fat alcohol polyglycol ether | Polymer | |
| Poly(vinyl chloride-co-isobutyl vinyl ether-co-N-vinyl, N'-dimethyl octyl bromide propyl diamine) | Polymer | |
| Polyglycolpolyamine resin | Polymer | |
| Alkylaryl polyether alcohol-iodine complex | Polymer | |
| Iodine complex with ethylene-propylene block co-Polymer (pluronic) | Polymer | |
| Iodine complex with poly alkylenglycol | Polymer | |
| Iodinated Resin / Polyiodide Anion Resin | Polymer | |
| Neem / Neem-Vital | Natural oil | 5945-86-8 |
| Pinus pumilio oil | Natural oil | 8000-26-8 |
| Cedarwood oil | Natural oil | 8000-27-9 |
| Lavender oil | Natural oil | 8000-28-0 |
| Citronella oil | Natural oil | 8000-29-1 |
| Essential oil of eugenia caryophyllus | Natural oil | 8000-34-8 |
| Geranium oil | Natural oil | 8000-46-2 |
| Eucalyptus Oil | Natural oil | 8000-48-4 |
| Orange oil | Natural oil | 8000-57-9 |
| Pine oil | Natural oil | 8002-09-3 |
| Black pepper oil | Natural oil | 8006-82-4 |
| Peppermint oil | Natural oil | 8006-90-4 |
| Lemongrass oil | Natural oil | 8007-02-1 |
| Penny Royal Oil | Natural oil | 8007-44-1 |
| Thyme oil | Natural oil | 8007-46-3 |
| Coriander oil | Natural oil | 8008-52-4 |
| Spearmint oil | Natural oil | 8008-75-5 |
| Valeriana officinalis oil | Natural oil | 8008-88-6 |
| Cajuput Oil | Natural oil | 8008-98-8 |
| Juniperberry oil | Natural oil | 8012-91-7 |
| Cypress Oil | Natural oil | 8013-86-3 |
| Patchouli oil | Natural oil | 8014-09-3 |
| Cumin Oil | Natural oil | 8014-13-9 |
| Palmarosa oil | Natural oil | 8014-19-5 |
| Rue oil | Natural oil | 8014-29-7 |
| Basilicum Ocimum basilium oil | Natural oil | 8015-73-4 |

| Name (EINECS and/or others) | EC number | CAS number |
|---|-----------------|-------------|
| Bois de rose oil / Rosewood oil | Natural oil | 8015-77-8 |
| Celery oil | Natural oil | 8015-90-5 |
| Chamomile oil | Natural oil | 8015-92-7 |
| Clove leaf oil (<i>Eugenia caryophyllus</i>) | Natural oil | 8015-97-2 |
| Melaleuca oil | Natural oil | 68647-73-4 |
| Litsea cubeba oil | Natural oil | 68855-99-2 |
| Cornmint oil | Natural oil | 68917-18-0 |
| Cedar Oil (Cedarwood oil Texas, <i>Juniperus mexicana</i> oil, 22 %) | Natural oil | 68990-83-0 |
| Citrus extract of seeds of <i>tabebuia avellanedae</i> | Natural oil | |
| Essential oil of <i>cymbopogon winterianus</i> | Natural oil | |
| <i>Allium sativum</i> and <i>Allium cepa</i> | Natural oil | |
| Essential oil of <i>cinnamomum zeylanicum</i> | Natural oil | |
| Clove oil (main components: Eugenol (83,8 %), Caryophyllene (12,4 %), Eugenol acetate (0,4 %)) | Natural oil | |
| Fir needle perfume oil: (Ethereal oil, main components: Turpentine oil (30-37,5 %), Terpeneol (15-20 %), Isobornyl acetate (15-20 %), Pinene beta (12,5-15 %), Pinene alpha (7-10 %), Coumarin (1-3 %), Terpeneol-fraction (1-3 %)) | Natural oil | |
| Perfume oil Spring Fresh: ethereal oil: main components: Citral-diethylacetal (Citralthal) (1-3 %), Citronellol (1-3 %), Ylanat (1-3 %), Hivertal (1-3 %), Allylcapronate (1-3 %) | Natural oil | |
| Rosas oil | Natural oil | |
| Natural Pyrethrins | Natural extract | |
| Peat extract | Natural extract | |
| Alkyl-benzyl-dimethylammonium chloride / Benzalkonium chloride | Mixture | 8001-54-5 |
| Cetrimide | Mixture | 8044-71-1 |
| Mixture of 3,6-diamino-10-methylacridinium chloride (EINECS 201-668-8;) and 3,6-acridinediamine / Acriflavine | Mixture | 8048-52-0 |
| Mixture of ((3,6-diamino-10-methylacridinium chloride (EINECS 201-668-8) and 3,6-acridinediamine) hydrochloride) / Acriflavine HCl | Mixture | 8063-24-9 |
| Benzalkonium saccharinate / Benzalkonium o-sulfobenzimidate | Mixture | 39387-42-3 |
| Iodine in the form of iodophor | Mixture | 39392-86-4 |
| Iodine complex in solution with non-ionic detergents | Mixture | |
| Siloxanes and Silicones, di-Me, reaction products with silica / Treated Fumed Silica | Mixture | 67762-90-7 |
| Reaction mixture of fatty acids mixed esters (C6-18, derived from coconut oil) with acetic acid and 2,2'-methylenebis(4-chlorophenol) | Mixture | 106523-52-8 |

| Name (EINECS and/or others) | EC number | CAS number |
|--|----------------|------------|
| Reaction products of 5,5-dimethylhydantoin and formaldehyde | Mixture | |
| Reaction products of 2-(2-butoxyethoxy)ethanol and formaldehyde | Mixture | |
| Reaction products of ethylene glycol and formaldehyde | Mixture | |
| Reaction products of urea, ethylene glycol and formaldehyde | Mixture | |
| Reaction products of chloroacetamide, 2(2-butoxyethoxy)ethanol and formaldehyde | Mixture | |
| Acypetacs copper | Mixture | |
| Acypetacs zinc | Mixture | |
| Webbing clothes moths pheromone: components: E,Z-Octadecadi-2,13-enal (75 %) and E-Octadec-2-enal (25 %) | Mixture | |
| Mixture of chromium trioxide (EINECS 215-607-8;; 34,2 %), diarsenic pentoxide (EINECS 215-116-9; 24,1 %), copper(II)oxide (EINECS 215-269-1; 13,7 %), water (EINECS 231-791-2; 28 %) | Mixture | |
| Mixture of chlormethylisothiazolinon, ethandiylibisoxymethanol, methylisothiazolinon | Mixture | |
| Mixture of bromine (EINECS 231-778-1) and hypobromous acid (CAS-No. 13517-11-8) manufactured in situ | Mixture | |
| Products of natural fermentation of plants in water, sulphur-containing | Mixture | |
| Bacillus thuringiensis | Micro-organism | 68038-71-1 |
| Bacillus thuringiensis +D381is subsp. Israelensis | Micro-organism | |
| Bacillus thuringiensis Var. Kurstaky | Micro-organism | |
| Bacillus thuringiensis var. israelensis | Micro-organism | |

ANNEX IV

REQUIREMENTS FOR THE COMPLETE DOSSIER AND THE SUMMARY DOSSIER

- (a) The complete dossier must include the original test and study reports for each point of Annex IIA and IIB, or Annex IVA and IVB, to Directive 98/8/EC, and where specified the relevant parts of Annex IIIA and IIIB thereto, together with the summary dossier referred to in Article 11(1)(b) of that Directive.
- (b) The summary dossier must include the following:
- in the case of a collective dossier, the name of all participants concerned and a person designated by them as being responsible for the collective dossier and the processing of the dossier in accordance with this Regulation;
 - for each point of Annex IIA and IIB, or Annex IVA and IVB, to Directive 98/8/EC, and where specified the relevant parts of Annex IIIA and IIIB to the Directive, the summaries and results of studies and trials;
 - list of references used;
 - risk assessment;
 - overall summary and assessment;
 - a check by the participant or, where appropriate, by the person designated as responsible for a collective dossier of the completeness of the dossier.
- (c) The formats made available by the Commission must be used for submission of the dossiers. In addition, the special software package (IUCLID) made available by the Commission must be used for those parts of the dossiers to which IUCLID applies. Formats and further guidance on data requirements and dossier preparation are available on the ECB homepage at <http://ecb.jrc.it/biocides>.
- (d) For existing active substances that have been or are being evaluated under the review programme for plant protection products in accordance with Article 8(2) of Council Directive 91/414/EEC of 15 July 1991 concerning the placing of plant protection products on the market⁽¹⁾, the required format for an application for inclusion in Annex I thereto may be used for the preparation of the dossier for inclusion of the existing active substance in Annex I, IA or IB to Directive 98/8/EC, taking into account relevant differences in the dossier requirements. A summary of the dossier must be entered in IUCLID. Additional information related to the biocidal use must be submitted in accordance with the requirements of this Regulation.

⁽¹⁾ OJ L 230, 19.8.1991, p. 1.

ANNEX V

**TIME PERIODS AND RAPPORTEUR MEMBER STATES FOR THE SUBMISSION OF COMPLETE DOSSIERS
FOR EXISTING ACTIVE SUBSTANCES INCLUDED IN THE REVIEW PROGRAMME**

Part A

Existing active substances, notification of which has been accepted, within product types 8 and 14. For any of these active substances within the specified product type, the complete dossiers must be received by the competent authority of the Rapporteur Member State no later than 28 March 2004.

| Active substances for wood preservatives | | | Rapporteur Member State |
|--|--------------------------|-------------|-------------------------|
| Name (EINECS and/or others) | EC Number | CAS Number | |
| Cyclohexylhydroxydiazene 1-oxide, potassium salt | — | 66603-10-9 | A |
| Bis[1-cyclohexyl-1,2-di(hydroxy- κ .O)diazenu-mato(2-)]-copper | — | 312600-89-8 | A |
| 3-phenoxybenzyl-2-(4-ethoxyphenyl)-2-methylpro-pylether / Etofenprox | 407-980-2 | 80844-07-1 | A |
| Formic acid | 200-579-1 | 64-18-6 | B |
| Dazomet | 208-576-7 | 533-74-4 | B |
| Zinc oxide | 215-222-5 | 1314-13-2 | B |
| .alpha.-cyano-3-phenoxybenzyl 3-(2,2-dichlorovinyl)-2,2-dimethylcyclopropanecarboxylate / Cypermethrin | 257-842-9 | 52315-07-8 | B |
| [1alpha(S*),3alpha]-(alpha)-cyano-(3-phenoxyphenyl)-methyl 3-(2,2-dichloroethenyl)-2,2-dichlorovinyl)-2,2-dimethylcyclopropanecarboxylate / alpha-cypermethrin | Plant protection product | 67375-30-8 | B |
| Propan-2-ol | 200-661-7 | 67-63-0 | D |
| L-(+)-lactic acid | 201-196-2 | 79-33-4 | D |
| Hexa-2,4-dienoic acid / Sorbic acid | 203-768-7 | 110-44-1 | D |
| Calcium dihexa-2,4-dienoate | 231-321-6 | 7492-55-9 | D |
| Trimagnesium diphosphide | 235-023-7 | 12057-74-8 | D |
| Aluminium phosphide | 244-088-0 | 20859-73-8 | D |
| Potassium (E,E)-hexa-2,4-dienoate | 246-376-1 | 24634-61-5 | D |
| .alpha.-cyano-4-fluoro-3-phenoxybenzyl 3-(2,2-dichloro-vinyl)-2,2-dimethylcyclopropanecarboxylate / Cyfluthrin | 269-855-7 | 68359-37-5 | D |
| Margosa ext. | 283-644-7 | 84696-25-3 | D |
| (E)-1-(2-Chloro-1,3-thiazol-5-ylmethyl)-3-methyl-2-nitro-guanidine | 433-460-1 | 210880-92-5 | D |
| 3-Iodo-2-propynyl butylcarbamate | 259-627-5 | 55406-53-6 | DK |
| 1-(4-chlorophenyl)-4,4-dimethyl-3-(1,2,4-triazol-1-ylmethyl)pentan-3-ol / Tebuconazole | 403-640-2 | 107534-96-3 | DK |
| Thiabendazole | 205-725-8 | 148-79-8 | E |
| Hexaboron dizinc undecaoxide / Zinc borate | 235-804-2 | 12767-90-7 | E |
| Dodecylguanidine monohydrochloride | 237-030-0 | 13590-97-1 | E |

| Active substances for wood preservatives | | | Rapporteur Member State |
|--|--------------------------|-------------|-------------------------|
| Name (EINECS and/or others) | EC Number | CAS Number | |
| Hexafluorosilicic acid | 241-034-8 | 16961-83-4 | E |
| cis-4-[3-(p-tert-butylphenyl)-2-methylpropyl]-2,6-dimethylmorpholine | 266-719-9 | 67564-91-4 | E |
| Thiamethoxam | 428-650-4 | 153719-23-4 | E |
| Naphthenic acids, copper salts | 215-657-0 | 1338-02-9 | EL |
| Lignin | 232-682-2 | 9005-53-2 | EL |
| Ethanol | 200-578-6 | 64-17-5 | EL |
| N-Didecyl-N-dipolyethoxyammonium borate / Didecyl-polyoxethylammonium borate | Polymer | 214710-34-6 | EL |
| Copper oxide | 215-269-1 | 1317-38-0 | F |
| Dicopper oxide | 215-270-7 | 1317-39-1 | F |
| Copper sulphate | 231-847-6 | 7758-98-7 | F |
| Oxine-copper | 233-841-9 | 10380-28-6 | F |
| Copper(II) carbonate-copper(II) hydroxide (1:1) | 235-113-6 | 12069-69-1 | F |
| Copper dihydroxide | 243-815-9 | 20427-59-2 | F |
| 1-(4-(2-chloro- α,α,α -p-trifluorotolyloxy)-2-fluorophenyl)-3-(2,6-difluorobenzoyl)urea / Flufenoxuron | 417-680-3 | 101463-69-8 | F |
| Fipronil | 424-610-5 | 120068-37-3 | F |
| Cyclopropanecarboxylic acid, 3-[(1Z)-2-chloro-3,3,3-trifluoro-1-propenyl]-2,2-dimethyl-, (2-methyl[1,1'-biphenyl]-3-yl)methyl ester, (1R,3R)-rel- / Bifenthrin / Biphenate | Plant protection product | 82657-04-3 | F |
| Dichloro-N-[(dimethylamino)sulphonyl]fluoro-N-(p-tolyl)methanesulphenamide / Tolyfluanid | 211-986-9 | 731-27-1 | FIN |
| 1-[[2-(2,4-dichlorophenyl)-4-propyl-1,3-dioxolan-2-yl]methyl]-1H-1,2,4-triazole / Propiconazole | 262-104-4 | 60207-90-1 | FIN |
| Didecyl dimethylammonium chloride | 230-525-2 | 7173-51-5 | I |
| Quaternary ammonium compounds, benzyl-C12-18-alkyldimethyl, chlorides | 269-919-4 | 68391-01-5 | I |
| Quaternary ammonium compounds, benzyl-C12-16-alkyldimethyl, chlorides | 270-325-2 | 68424-85-1 | I |
| Quaternary ammonium compounds, di-C8-10-alkyldimethyl, chlorides | 270-331-5 | 68424-95-3 | I |
| Quaternary ammonium compounds, benzyl-C12-14-alkyldimethyl, chlorides | 287-089-1 | 85409-22-9 | I |
| Quaternary ammonium compounds, C12-14-alkyl[(ethylphenyl)methyl]dimethyl, chlorides | 287-090-7 | 85409-23-0 | I |

| Active substances for wood preservatives | | | Rapporteur Member State |
|---|-------------------------------------|-------------|-------------------------|
| Name (EINECS and/or others) | EC Number | CAS Number | |
| Poly(oxy-1,2-ethanediyl), .alpha.-[2-(didecylmethylammonio)ethyl]-.omega.-hydroxy-, propanoate (salt) | Polymer | 94667-33-1 | I |
| Quaternary ammonium compounds (benzylalkyldimethyl (alkyl from C8-C22, saturated and unsaturated, tallow alkyl, coco alkyl, and soya alkyl) chlorides, bromides, or hydroxides) / BKC | Mixture of EINECS listed substances | | I |
| Quaternary ammonium compounds (dialkyldimethyl (alkyl from C6-C18, saturated and unsaturated, and tallow alkyl, coco alkyl, and soya alkyl) chlorides, bromides, or methylsulphates) / DDAC | Mixture of EINECS listed substances | | I |
| Quaternary ammonium compounds (alkyltrimethyl (alkyl from C8-C18, saturated and unsaturated, and tallow alkyl, coco alkyl, and soya alkyl) chlorides, bromides, or methylsulphates) / TMAC | Mixture of EINECS listed substances | | I |
| m-phenoxybenzyl 3-(2,2-dichlorovinyl)-2,2-dimethylcyclopropanecarboxylate / Permethrin | 258-067-9 | 52645-53-1 | IRL |
| Sodium pentachlorophenolate | 205-025-2 | 131-52-2 | IRL |
| 1-[2-(allyloxy)-2-(2,4-Dichlorophenyl)ethyl]-1H-imidazole / Imazalil | 252-615-0 | 35554-44-0 | L |
| (±)-1-(.beta.-allyloxy-2,4-dichlorophenylethyl)imidazole / Technical grade imazalil | Plant protection product | 73790-28-0 | L |
| Diboron trioxide | 215-125-8 | 1303-86-2 | NL |
| Disodium tetraborate, anhydrous | 215-540-4 | 1330-43-4 | NL |
| Boric acid | 233-139-2 | 10043-35-3 | NL |
| Disodium octaborate tetrahydrate | 234-541-0 | 12280-03-4 | NL |
| Chlorothalonil | 217-588-1 | 1897-45-6 | NL |
| Ethyl [2-(4-phenoxyphenoxy)ethyl]carbamate / Fenoxycarb | 276-696-7 | 72490-01-8 | NL |
| N-(3-aminopropyl)-N-dodecylpropane-1,3-diamine | 219-145-8 | 2372-82-9 | P |
| 3-benzo(b)thien-2-yl-5,6-dihydro-1,4,2-oxathiazine,4-oxide | 431-030-6 | 163269-30-5 | P |
| Esfenvalerate / (S)-.alpha.-Cyano-3-phenoxybenzyl (S)-2-(4-chlorophenyl)-3-methylbutyrate | Plant protection product | 66230-04-4 | P |
| 4-Bromo-2-(4-chlorophenyl)-1-(ethoxymethyl)-5-(trifluoromethyl)-1H-pyrrole-3-carbonitrile / Chlorfenapyr | Plant protection product | 122453-73-0 | P |
| Sulphuryl difluoride | 220-281-5 | 2699-79-8 | S |
| Creosote | 232-287-5 | 8001-58-9 | S |
| .alpha.-cyano-3-phenoxybenzyl [1R-[1.alpha.(-S*),3.alpha.]]-3-(2,2-dibromovinyl)-2,2-dimethylcyclopropanecarboxylate / Deltamethrin | 258-256-6 | 52918-63-5 | S |
| Iodine | 231-442-4 | 7553-56-2 | S |
| Bis(tributyltin) oxide | 200-268-0 | 56-35-9 | UK |
| Fenitrothion | 204-524-2 | 122-14-5 | UK |

| Active substances for wood preservatives | | | Rapporteur Member State |
|--|--------------------------|-------------|-------------------------|
| Name (EINECS and/or others) | EC Number | CAS Number | |
| Cetylpyridinium chloride | 204-593-9 | 123-03-5 | UK |
| Dichlofluanid | 214-118-7 | 1085-98-9 | UK |
| Diarsenic pentaoxide | 215-116-9 | 1303-28-2 | UK |
| Chromium trioxide | 215-607-8 | 1333-82-0 | UK |
| Sodium dichromate | 234-190-3 | 10588-01-9 | UK |
| 2-octyl-2H-isothiazol-3-one | 247-761-7 | 26530-20-1 | UK |
| Stannane, tributyl-, mono(naphthenoxyloxy) derivs. | 287-083-9 | 85409-17-2 | UK |
| Guazatine triacetate | Plant protection product | 115044-19-4 | UK |
| Homopolymer of 2-tert-butylaminoethyl methacrylate (EINECS 223-228-44) | Polymer | 26716-20-1 | UK |
| Benzothiazole-2-thiol | 205-736-8 | 149-30-4 | N |

| Active substances for rodenticides | | | Rapporteur Member State |
|---|--------------------------|-------------|-------------------------|
| Name (EINECS and/or others) | EC Number | CAS Number | |
| Trizinc diphosphide | 215-244-5 | 1314-84-7 | A |
| .alpha.,.alpha.,.alpha.-trifluoro-N-methyl-4,6-dinitro-N-(2,4,6-tribromophenyl)-o-toluidine / Bromethalin | Plant protection product | 63333-35-7 | A |
| Diphacinone | 201-434-5 | 82-66-6 | B |
| Trimagnesium diphosphide | 235-023-7 | 12057-74-8 | D |
| Aluminium phosphide | 244-088-0 | 20859-73-8 | D |
| Coumatetralyl | 227-424-0 | 5836-29-3 | DK |
| Chlorophacinone | 223-003-0 | 3691-35-8 | E |
| Corn cob, powdered | 310-127-6 | 999999-99-4 | EL |
| Carbon dioxide | 204-696-9 | 124-38-9 | F |
| 3-(3-biphenyl-4-yl-1,2,3,4-tetrahydro-1-naphthyl)-4-hydroxycoumarin / Difenacoum | 259-978-4 | 56073-07-5 | FIN |
| 4-hydroxy-3-(3-(4'-bromo-4-biphenyl)-1,2,3,4-tetrahydro-1-naphthyl)coumarin / Brodifacoum | 259-980-5 | 56073-10-0 | I |
| Warfarin sodium | 204-929-4 | 129-06-6 | IRL |
| Warfarin | 201-377-6 | 81-81-2 | IRL |

| Active substances for rodenticides | | | Rapporteur Member State |
|--|--------------------------|-------------|-------------------------|
| Name (EINECS and/or others) | EC Number | CAS Number | |
| Mixture of: cis-4-hydroxy-3-(1,2,3,4-tetrahydro-3-(4-(4-trifluoromethylbenzyloxy)phenyl)-1-naphthyl)coumarin; trans-4-hydroxy-3-(1,2,3,4-tetrahydro-3-(4-(4-trifluoromethylbenzyloxy)phenyl)-1-naphthyl)coumarin / Flocoumafen | 421-960-0 | 90035-08-8 | NL |
| Chloralose | 240-016-7 | 15879-93-3 | P |
| 3-[3-(4'-bromo[1,1'-biphenyl]-4-yl)-3-hydroxy-1-phenylpropyl]-4-hydroxy-2-benzopyrone / Bromadiolone | 249-205-9 | 28772-56-7 | S |
| 3-(3-(4'-Bromo-(1,1'-biphenyl)-4-yl)-1,2,3,4-tetrahydro-1-naphthyl)-4-hydroxybenzothioopyran-2-one / 3-((RS,3RS;1RS,3SR)-3-(4'-bromobiphenyl-4-yl)-1,2,3,4-tetrahydro-1-naphthyl)-4-hydroxy-1-benzothin-2-one / Difethialone | Plant protection product | 104653-34-1 | N |

Part B

Existing active substances, notification of which has been accepted, within product types 16, 18, 19 and 21. For any of these active substances within the specified product type, complete dossiers must be received by the competent authority of the Rapporteur Member State no earlier than 1 November 2005 and no later than 30 April 2006.

| Active substances for molluscicides | | | Rapporteur Member State |
|---|--------------------------|------------|-------------------------|
| Name (EINECS and/or others) | EC Number | CAS Number | |
| Dodecylguanidine monohydrochloride | 237-030-0 | 13590-97-1 | E |
| Sodium hydrogencarbonate | 205-633-8 | 144-55-8 | EL |
| Silicon dioxide, amorphous | 231-545-4 | 7631-86-9 | F |
| Didecyldimethylammonium chloride | 230-525-2 | 7173-51-5 | I |
| Sodium chlorite | 231-836-6 | 7758-19-2 | I |
| Chlorine dioxide | 233-162-8 | 10049-04-4 | I |
| Quaternary ammonium compounds, benzyl-C12-18-alkyldimethyl, chlorides | 269-919-4 | 68391-01-5 | I |
| Quaternary ammonium compounds, di-C8-10-alkyldimethyl, chlorides | 270-331-5 | 68424-95-3 | I |
| Quaternary ammonium compounds, benzyl-C12-14-alkyldimethyl, chlorides | 287-089-1 | 85409-22-9 | I |
| Quaternary ammonium compounds, C12-14-alkyl[(ethylphenyl)methyl]dimethyl, chlorides | 287-090-7 | 85409-23-0 | I |
| Sodium bromide | 231-599-9 | 7647-15-6 | NL |
| Abamectin (Mixture of avermectin B _{1a} ; > 80 % EINECS 265-610-3, and avermectin B _{1b} ; < 20 % EINECS 265-611-9) | Plant protection product | 71751-41-2 | NL |
| N,N,N',N' — Tetramethylethylenediamine-bis(2-chloroethyl) ether copolymer | Polymer | 31075-24-8 | UK |

| Active substances for insecticides, acaricides and products to control other arthropods | | | Rapporteur Member State |
|--|--------------------------|-------------|-------------------------|
| Name (EINECS and/or others) | EC Number | CAS Number | |
| Octanoic acid | 204-677-5 | 124-07-2 | A |
| Decanoic acid | 206-376-4 | 334-48-5 | A |
| Cis-Tricos-9-ene | 248-505-7 | 27519-02-4 | A |
| 3-phenoxybenzyl-2-(4-ethoxyphenyl)-2-methylpropylether / Etofenprox | 407-980-2 | 80844-07-1 | A |
| Formic acid | 200-579-1 | 64-18-6 | B |
| N-(2-ethylhexyl)-8,9,10-trinorborn-5-ene-2,3-dicarboximide | 204-029-1 | 113-48-4 | B |
| Propoxur | 204-043-8 | 114-26-1 | B |
| (S)-3-allyl-2-methyl-4-oxocyclopent-2-enyl(1R,3R)-2,2-dimethyl-3-(2-methylprop-1-enyl)-cyclopropanecarboxylate (only 1R trans, 1S isomer) / S-Bioallethrin | 249-013-5 | 28434-00-6 | B |
| .alpha.-cyano-3-phenoxybenzyl 3-(2,2-dichlorovinyl)-2,2-dimethylcyclopropanecarboxylate / Cypermethrin | 257-842-9 | 52315-07-8 | B |
| 1-ethynyl-2-methylpent-2-enyl 2,2-dimethyl-3-(2-methylprop-1-enyl)cyclopropanecarboxylate / Empenthrin | 259-154-4 | 54406-48-3 | B |
| [1.alpha.(S*),3.alpha.]-(.alpha.)-cyano-(3-phenoxyphenyl)-methyl 3-(2,2-dichloroethenyl)-2,2-dichlorovinyl)-2,2-dimethylcyclopropanecarboxylate /alpha.-cypermethrin | Plant protection product | 67375-30-8 | B |
| Formaldehyde | 200-001-8 | 50-00-0 | D |
| Propan-2-ol | 200-661-7 | 67-63-0 | D |
| Cyanamide | 206-992-3 | 420-04-2 | D |
| (RS)-3-allyl-2-methyl-4-oxocyclopent-2-enyl-(1RS,3RS;1RS,3SR)-2,2-dimethyl-3-(2-methylprop-1-enyl)-cyclopropanecarboxylate (all isomers; ration 1:1:1:1:1:1) / Allethrin | 209-542-4 | 584-79-2 | D |
| Rape oil | 232-299-0 | 8002-13-9 | D |
| Trimagnesium diphosphide | 235-023-7 | 12057-74-8 | D |
| Aluminium phosphide | 244-088-0 | 20859-73-8 | D |
| 3-(4-isopropylphenyl)-1,1-dimethylurea / Isoproturon | 251-835-4 | 34123-59-6 | D |
| .alpha.-cyano-4-fluoro-3-phenoxybenzyl 3-(2,2-dichlorovinyl)-2,2-dimethylcyclopropanecarboxylate / Cyfluthrin | 269-855-7 | 68359-37-5 | D |
| Margosa ext. | 283-644-7 | 84696-25-3 | D |
| .alpha.-cyano-4-fluoro-3-phenoxybenzyl [1.alpha.(S*),3.alpha.]-(.t)-3-(2,2-dichlorovinyl)-2,2-dimethylcyclopropanecarboxylate | 289-244-9 | 86560-93-2 | D |
| Reaction products of: glutamic acid and N-(C12-14-alkyl)propylenediamine | 403-950-8 | 164907-72-6 | D |

| Active substances for insecticides, acaricides and products to control other arthropods | | | Rapporteur Member State |
|--|--------------------------|-------------|-------------------------|
| Name (EINECS and/or others) | EC Number | CAS Number | |
| 1-(6-chloropyridin-3-ylmethyl)-N-nitroimidazolidin-2-ylidenamine / Imidacloprid | 428-040-8 | 138261-41-3 | D |
| (E)-1-(2-Chloro-1,3-thiazol-5-ylmethyl)-3-methyl-2-nitroguanidine | 433-460-1 | 210880-92-5 | D |
| (RS)-3-allyl-2-methyl-4-oxocyclopent-2-enyl-(1R,3R)-2,2-dimethyl-3-(2-methylprop-1-enyl)-cyclopropanecarboxylate (mixture of 2 isomers: 1R trans: 1RS; 1:1) / Bioallethrin / d-trans-Allethrin | Plant protection product | | D |
| (RS)-3-allyl-2-methyl-4-oxocyclopent-2-enyl-(1R,3R;1R,3S)-2,2-dimethyl-3-(2-methylprop-1-enyl)-cyclopropanecarboxylate (mixture of 4 isomers: 1R trans, 1R:1R trans, 1S: 1R cis, 1R: 1R cis, 1S; 4:4:1:1)/ d-Allethrin | Plant protection product | | D |
| (RS)-3-allyl-2-methyl-4-oxocyclopent-2-enyl (1R,3R)-2,2-dimethyl-3-(2-methylprop-1-enyl)-cyclopropanecarboxylate (mixture of 2 isomers: 1R trans: 1R/S; 1:3) / Esbiothrin | Plant protection product | | D |
| Potassium salts of fatty acids (C15-21) | Mixture | | D |
| trans-isopropyl-3-[[[(ethylamino)methoxyphosphorothioyl]oxy]crotonate | 250-517-2 | 31218-83-4 | DK |
| 3-iodo-2-propynyl butylcarbamate | 259-627-5 | 55406-53-6 | DK |
| Chlorpyrifos | 220-864-4 | 2921-88-2 | E |
| Chlorpyrifos-methyl | 227-011-5 | 5598-13-0 | E |
| Pyrethrins and Pyrethroids | 232-319-8 | 8003-34-7 | E |
| Garlic ext. | 232-371-1 | 8008-99-9 | E |
| Bioresmethrin | 249-014-0 | 28434-01-7 | E |
| Amitraz | 251-375-4 | 33089-61-1 | E |
| Chrysanthemum cinerariaefolium, ext. | 289-699-3 | 89997-63-7 | E |
| Thiamethoxam | 428-650-4 | 153719-23-4 | E |
| 2-(2-butoxyethoxy)ethyl 6-propylpiperonyl ether / Piperonyl Butoxide | 200-076-7 | 51-03-6 | EL |
| Ethanol | 200-578-6 | 64-17-5 | EL |
| Sodium hydrogencarbonate | 205-633-8 | 144-55-8 | EL |
| 2-methyl-4-oxo-3-(prop-2-ynyl)cyclopent-2-en-1-yl 2,2-dimethyl-3-(2-methylprop-1-enyl)cyclopropanecarboxylate / Prallethrin | 245-387-9 | 23031-36-9 | EL |
| .alpha.-cyano-3-phenoxybenzyl 2,2-dimethyl-3-(2-methylprop-1-enyl)cyclopropanecarboxylate | 254-484-5 | 39515-40-7 | EL |
| N-cyclopropyl-1,3,5-triazine-2,4,6-triamine | 266-257-8 | 66215-27-8 | EL |
| Geraniol | 203-377-1 | 106-24-1 | F |
| 1,4-dichlorobenzene | 203-400-5 | 106-46-7 | F |
| Carbon dioxide | 204-696-9 | 124-38-9 | F |

| Active substances for insecticides, acaricides and products to control other arthropods | | | Rapporteur Member State |
|---|--------------------------|-------------|-------------------------|
| Name (EINECS and/or others) | EC Number | CAS Number | |
| Naled | 206-098-3 | 300-76-5 | F |
| Silicon dioxide — amorphous | 231-545-4 | 7631-86-9 | F |
| 1-(4-(2-chloro-a,a,p-trifluorotolyloxy)-2-fluorophenyl)-3-(2,6-difluorobenzoyl)urea / Flufenoxuron | 417-680-3 | 101463-69-8 | F |
| Fipronil | 424-610-5 | 120068-37-3 | F |
| Silica, amorphous, crystalline-free | | 112945-52-5 | F |
| Silicium dioxide / Kieselguhr | Plant protection product | 61790-53-2 | F |
| Cyclopropanecarboxylic acid, 3-[(1Z)-2-chloro-3,3,3-trifluoro-1-propenyl]-2,2-dimethyl-, (2-methyl[1,1'-biphenyl]-3-ylmethyl ester, (1R,3R)-rel- / Bifenthrin / Biphenate | Plant protection product | 82657-04-3 | F |
| S-Cyphenothrin | Plant protection product | | F |
| Malathion | 204-497-7 | 121-75-5 | FIN |
| (1,3,4,5,6,7-hexahydro-1,3-dioxo-2H-isoindol-2-yl)methyl (1R-trans)-2,2-dimethyl-3-(2-methylprop-1-enyl)cyclopropanecarboxylate/ d-tetramethrin | 214-619-0 | 1166-46-7 | FIN |
| Tetramethrin | 231-711-6 | 7696-12-0 | FIN |
| Phoxim | 238-887-3 | 14816-18-3 | FIN |
| Dichlorvos | 200-547-7 | 62-73-7 | I |
| Didecyldimethylammonium chloride | 230-525-2 | 7173-51-5 | I |
| 2-chloro-N-[[[4-(trifluoromethoxy)phenyl]amino]carbonyl]benzamide | 264-980-3 | 64628-44-0 | I |
| Quaternary ammonium compounds, benzyl-C12-18-alkyldimethyl, chlorides | 269-919-4 | 68391-01-5 | I |
| Quaternary ammonium compounds, benzyl-C12-16-alkyldimethyl, chlorides | 270-325-2 | 68424-85-1 | I |
| Quaternary ammonium compounds, benzyl-C12-14-alkyldimethyl, chlorides | 287-089-1 | 85409-22-9 | I |
| Quaternary ammonium compounds, C12-14-alkyl[(ethylphenyl)methyl]dimethyl, chlorides | 287-090-7 | 85409-23-0 | I |
| Bacillus sphaericus | Micro-organism | 143477-72-7 | I |
| Bacillus thuringiensis subsp. israelensis Serotype H14 | Micro-organism | | I |
| Nitrogen | 231-783-9 | 7727-37-9 | IRL |
| 3-phenoxybenzyl (1R)-cis,trans-2,2-dimethyl-3-(2-methylprop-1-enyl)cyclopropanecarboxylate / d-Phenothrin | Plant protection product | 188023-86-1 | IRL |
| m-phenoxybenzyl 3-(2,2-dichlorovinyl)-2,2-dimethylcyclopropanecarboxylate / Permethrin | 258-067-9 | 52645-53-1 | IRL |

| Active substances for insecticides, acaricides and products to control other arthropods | | | Rapporteur Member State |
|--|--------------------------|-------------|-------------------------|
| Name (EINECS and/or others) | EC Number | CAS Number | |
| 5,5-dimethyl-perhydro-pyrimidin-2-one .alpha.-(4-trifluoromethylstyryl)-.alpha.-(4-trifluoromethyl)cinnamylidenehydrazone / Hydramethylnon | 405-090-9 | 67485-29-4 | IRL |
| S-Methoprene / Isopropyl (s,(E,E))-11-methoxy-3,7,11-trimethyldodeca-2,4-dienoate | Plant protection product | 65733-16-6 | IRL |
| Disodium tetraborate, anhydrous | 215-540-4 | 1330-43-4 | NL |
| Boric acid | 233-139-2 | 10043-35-3 | NL |
| Disodium octaborate, tetrahydrate | 234-541-0 | 12280-03-4 | NL |
| Ethyl [2-(4-phenoxyphenoxy)ethyl]carbamate / Fenoxycarb | 276-696-7 | 72490-01-8 | NL |
| 2,3,5,6-tetrafluorobenzyl trans-2-(2,2-dichlorovinyl)-3,3-dimethylcyclopropanecarboxylate / Transfluthrin | 405-060-5 | 118712-89-3 | NL |
| 2-(1-methyl-2-(4-phenoxy-phenoxy)-ethoxy)-pyridine / Pyriproxyfen | 429-800-1 | 95737-68-1 | NL |
| Abamectin (Mixture of avermectin B _{1a} ; > 80 % EINECS 265-610-3, and avermectin B _{1b} ; < 20 % EINECS 265-611-9) | Plant protection product | 71751-41-2 | NL |
| Spinosad: fermentation product of soil micro-organisms containing Spinosyn A and Spinosyn D | Plant protection product | | NL |
| Sodium dimethylarsinate | 204-708-2 | 124-65-2 | P |
| Diazinon | 206-373-8 | 333-41-5 | P |
| (R)-p-mentha-1,8-diene | 227-813-5 | 5989-27-5 | P |
| Lavender, <i>Lavandula hybrida</i> , ext. / Lavandin oil | 294-470-6 | 91722-69-9 | P |
| 1-(3,5-dichloro-4-(1,1,2,2-tetrafluoroethoxy)phenyl)-3-(2,6-difluorobenzoyl)urea / Hexaflumuron | 401-400-1 | 86479-06-3 | P |
| Esfenvalerate / (S)-.alpha.-Cyano-3-phenoxybenzyl (S)-2-(4-chlorophenyl)-3-methylbutyrate | Plant protection product | 66230-04-4 | P |
| 4-Bromo-2-(4-chlorophenyl)-1-(ethoxymethyl)-5-(trifluoromethyl)-1H-pyrrole-3-carbonitrile / Chlorfenapyr | Plant protection product | 122453-73-0 | P |
| Sulphuryl difluoride | 220-281-5 | 2699-79-8 | S |
| N-[[[(4-chlorophenyl)amino]carbonyl]-2,6-difluorobenzamide | 252-529-3 | 35367-38-5 | S |
| .alpha.-cyano-3-phenoxybenzyl [1R-[1.alpha.-(S*),3.alpha.]-3-(2,2-dibromovinyl)-2,2-dimethylcyclopropanecarboxylate / Deltamethrin | 258-256-6 | 52918-63-5 | S |
| Mixture of: alpha-cyano-3-phenoxybenzyl (Z)-(1R,3R)-[(S)-3-(2-chloro-3,3,3-trifluoro-prop-1-enyl)]-2,2-dimethylcyclopropanecarboxylate;alpha-cyano-3-phenoxybenzyl (Z)-(1S,3S)-[(R)-3-(2-chloro-3,3,3-trifluoro-prop-1-enyl)]-2,2-dimethylcyclopropanecarboxylate / Lambda cyhalothrin | 415-130-7 | 91465-08-6 | S |
| Dimethoate | 200-480-3 | 60-51-5 | UK |
| Benzyl benzoate | 204-402-9 | 120-51-4 | UK |

| Active substances for insecticides, acaricides and products to control other arthropods | | | Rapporteur Member State |
|---|--------------------------|------------|-------------------------|
| Name (EINECS and/or others) | EC Number | CAS Number | |
| Fenitrothion | 204-524-2 | 122-14-5 | UK |
| Zinc sulphide | 215-251-3 | 1314-98-3 | UK |
| Methomyl | 240-815-0 | 16752-77-5 | UK |
| Bendiocarb | 245-216-8 | 22781-23-3 | UK |
| Pirimiphos-methyl | 249-528-5 | 29232-93-7 | UK |
| S-[(6-chloro-2-oxooxazolo[4,5-b]pyridin-3(2H)-yl)methyl] O,O-dimethyl thiophosphate / Azamethiphos | 252-626-0 | 35575-96-3 | UK |
| [2,4-Dioxo-(2-propyn-1-yl)imidazolidin-3-yl)methyl(1R)-cis-chrysanthemate;[2,4-Dioxo-(2-propyn-1-yl)imidazolidin-3-yl)methyl(1R)-trans-chrysanthemate / Imiprothrin | 428-790-6 | 72963-72-5 | UK |
| S-Hydroprene / Ethyl (S-(E,E))-3,7,11-trimethyldodeca-2,4-dienoate | Plant protection product | 65733-18-8 | UK |
| Sodium 5-chloro-2-[4-chloro-2-[[[(3,4-dichlorophenyl)-amino]carbonyl]amino]phenoxy]benzenesulphonate | 222-654-8 | 3567-25-7 | N |

| Active substances for repellents and attractants | | | Rapporteur Member State |
|--|-------------------|-------------|-------------------------|
| Name (EINECS and/or others) | EC Number | CAS Number | |
| Octanoic acid | 204-677-5 | 124-07-2 | A |
| Decanoic acid | 206-376-4 | 334-48-5 | A |
| cis-Tricos-9-ene | 248-505-7 | 27519-02-4 | A |
| (Z,E)-tetradeca-9,12-dienyl acetate | 250-753-6 | 31654-77-0 | A |
| (E)-2-octadecenal | Not yet allocated | 51534-37-3 | A |
| (E,Z)-2,13-Octadecadienal | Not yet allocated | 99577-57-8 | A |
| Ziram | 205-288-3 | 137-30-4 | B |
| ethyl N-acetyl-N-butyl-beta.-alaninate | 257-835-0 | 52304-36-6 | B |
| Propan-2-ol | 200-661-7 | 67-63-0 | D |
| Bone oil / Animal Oil | 232-294-3 | 8001-85-2 | D |
| Margosa ext. | 283-644-7 | 84696-25-3 | D |
| Linalool | 201-134-4 | 78-70-6 | DK |
| sec-butyl 2-(2-hydroxyethyl)piperidine-1-carboxylate / Icaridine | 423-210-8 | 119515-38-7 | DK |
| Undecan-2-one / Methylnonylketone | 203-937-5 | 112-12-9 | E |
| Pyrethrins and Pyrethroids | 232-319-8 | 8003-34-7 | E |
| Garlic ext. | 232-371-1 | 8008-99-9 | E |

| Active substances for repellents and attractants | | | Rapporteur Member State |
|--|-----------|-------------|-------------------------|
| Name (EINECS and/or others) | EC Number | CAS Number | |
| Melaleuca alternifolia, ext. / Australian tea tree oil | 285-377-1 | 85085-48-9 | E |
| Chrysanthemum cinerariaefolium, ext. | 289-699-3 | 89997-63-7 | E |
| Methyl neodecanamide | 414-460-9 | 105726-67-8 | E |
| 2-(2-butoxyethoxy)ethyl 6-propylpiperonyl ether / Piperonyl butoxide | 200-076-7 | 51-03-6 | EL |
| Ethanol | 200-578-6 | 64-17-5 | EL |
| Sodium hydrogencarbonate | 205-633-8 | 144-55-8 | EL |
| Lignin | 232-682-2 | 9005-53-2 | EL |
| Geraniol | 203-377-1 | 106-24-1 | F |
| 1,4-dichlorobenzene | 203-400-5 | 106-46-7 | F |
| Carbon dioxide | 204-696-9 | 124-38-9 | F |
| Methyl anthranilate | 205-132-4 | 134-20-3 | F |
| Silicon dioxide, amorphous | 231-545-4 | 7631-86-9 | F |
| Juniper, Juniperus mexicana, ext | 294-461-7 | 91722-61-1 | F |
| Quaternary ammonium compounds, benzyl-C12-18-alkyldimethyl, chlorides | 269-919-4 | 68391-01-5 | I |
| Quaternary ammonium compounds, benzyl-C12-16-alkyldimethyl, chlorides | 270-325-2 | 68424-85-1 | I |
| Quaternary ammonium compounds, benzyl-C12-14-alkyldimethyl, chlorides | 287-089-1 | 85409-22-9 | I |
| Quaternary ammonium compounds, C12-14-alkyl[(ethylphenyl)methyl]dimethyl, chlorides | 287-090-7 | 85409-23-0 | I |
| m-phenoxybenzyl 3-(2,2-dichlorovinyl)-2,2-dimethylcyclopropanecarboxylate / Permethrin | 258-067-9 | 52645-53-1 | IRL |
| (R)-p-mentha-1,8-diene | 227-813-5 | 5989-27-5 | P |
| Lavender, Lavandula hybrida, ext. / Lavandin oil | 294-470-6 | 91722-69-9 | P |
| N,N-diethyl-m-toluamide | 205-149-7 | 134-62-3 | S |
| Anthraquinone | 201-549-0 | 84-65-1 | UK |
| Naphthalene | 202-049-5 | 91-20-3 | UK |
| Benzyl benzoate | 204-402-9 | 120-51-4 | UK |
| Mixture of cis- and trans-p-menthane-3,8 diol / Citriodiol | 255-953-7 | 42822-86-6 | UK |
| Oct-1-ene-3-ol | 222-226-0 | 3391-86-4 | N |

| Active substances for antifouling products | | | Rapporteur Member State |
|--|-----------|-------------|-------------------------|
| Name (EINECS and/or others) | EC Number | CAS Number | |
| Bis[1-cyclohexyl-1,2-di(hydroxy- κ .O)diazeniumato(2-)]-copper | — | 312600-89-8 | A |
| Ziram | 205-288-3 | 137-30-4 | B |
| Formaldehyde | 200-001-8 | 50-00-0 | D |
| Sodium hydrogensulphite | 231-548-0 | 7631-90-5 | D |
| Disodium disulphite | 231-673-0 | 7681-57-4 | D |
| Sodium sulphite | 231-821-4 | 7757-83-7 | D |
| 3-(4-isopropylphenyl)-1,1-dimethylurea / Isoproturon | 251-835-4 | 34123-59-6 | D |
| Diuron | 206-354-4 | 330-54-1 | DK |
| Thiabendazole | 205-725-8 | 148-79-8 | E |
| Dodecylguanidine monohydrochloride | 237-030-0 | 13590-97-1 | E |
| Chlorotoluron | 239-592-2 | 15545-48-9 | E |
| Dimethyloctadecyl[3-(trimethoxysilyl)propyl]ammonium chloride | 248-595-8 | 27668-52-6 | E |
| cis-4-[3-(p-tert-butylphenyl)-2-methylpropyl]-2,6-dimethylmorpholine | 266-719-9 | 67564-91-4 | E |
| Fluometuron | 218-500-4 | 2164-17-2 | EL |
| Lignin | 232-682-2 | 9005-53-2 | EL |
| Copper thiocyanate | 214-183-1 | 1111-67-7 | F |
| Dicopper oxide | 215-270-7 | 1317-39-1 | F |
| Copper | 231-159-6 | 7440-50-8 | F |
| Poly-(hexamethylenediamine guanidinium chloride) | Polymer | 57028-96-3 | F |
| Oligo-(2-(2-ethoxy)ethoxyethyl guanidinium chloride) | Polymer | 374572-91-5 | F |
| Dichloro-N-[(dimethylamino)sulphonyl]fluoro-N-(p-tolyl)methanesulphenamide / Tolyfluanid | 211-986-9 | 731-27-1 | FIN |
| Captan | 205-087-0 | 133-06-2 | I |
| N-(trichloromethylthio)phthalimide / Folpet | 205-088-6 | 133-07-3 | I |
| Quaternary ammonium compounds, benzyl-C12-18-alkyldimethyl, chlorides | 269-919-4 | 68391-01-5 | I |
| Quaternary ammonium compounds, benzyl-C12-16-alkyldimethyl, chlorides | 270-325-2 | 68424-85-1 | I |
| Quaternary ammonium compounds, benzyl-C12-14-alkyldimethyl, chlorides | 287-089-1 | 85409-22-9 | I |
| Quaternary ammonium compounds, C12-14-alkyl[(ethylphenyl)methyl]dimethyl, chlorides | 287-090-7 | 85409-23-0 | I |
| Zineb | 235-180-1 | 12122-67-7 | IRL |

| Active substances for antifouling products | | | Rapporteur Member State |
|--|--------------------------|-------------|-------------------------|
| Name (EINECS and/or others) | EC Number | CAS Number | |
| Sulphur dioxide | 231-195-2 | 7446-09-5 | L |
| Potassium sulphite | 233-321-1 | 10117-38-1 | L |
| Dipotassium disulphite | 240-795-3 | 16731-55-8 | L |
| Chlorothalonil | 217-588-1 | 1897-45-6 | NL |
| N'-tert-butyl-N-cyclopropyl-6-(methylthio)-1,3,5-triazine-2,4-diamine | 248-872-3 | 28159-98-0 | NL |
| Prometryn | 230-711-3 | 7287-19-6 | P |
| 3-benzo(b)thien-2-yl-5,6-dihydro-1,4,2-oxathiazine,4-oxide | 431-030-6 | 163269-30-5 | P |
| 4-Bromo-2-(4-chlorophenyl)-1-(ethoxymethyl)-5-(trifluoromethyl)-1H-pyrrole-3-carbonitrile / Chlorfenapyr | Plant protection product | 122453-73-0 | P |
| Iodine | 231-442-4 | 7553-56-2 | S |
| Pyrithione zinc | 236-671-3 | 13463-41-7 | S |
| Bis(1-hydroxy-1H-pyridine-2-thionato-O,S)copper | 238-984-0 | 14915-37-8 | S |
| Cetylpyridinium chloride | 204-593-9 | 123-03-5 | UK |
| Dichlofluanid | 214-118-7 | 1085-98-9 | UK |
| Zinc sulphide | 215-251-3 | 1314-98-3 | UK |
| Homopolymer of 2-tert-butylaminoethyl methacrylate (EINECS 223-228-4) | Polymer | 26716-20-1 | UK |
| (benzothiazol-2-ylthio)methyl thiocyanate | 244-445-0 | 21564-17-0 | N |
| 4,5-dichloro-2-octyl-2H-isothiazol-3-one | 264-843-8 | 64359-81-5 | N |
| Chloromethyl n-octyl disulfide | 432-680-3 | 180128-56-7 | N |

Part C

Existing active substances, notification of which has been accepted, within product types 1, 2, 3, 4, 5, 6 and 13. For any of these active substances within the specified product type, the complete dossiers must be received by the competent authority of the Rapporteur Member State no earlier than 1 February 2007 and no later than 31 July 2007. Rapporteur Member States will be designated at a later stage.

Part D

Existing active substances, notification of which has been accepted, within product types 7, 9, 10, 11, 12, 15, 17, 20, 22 and 23. For any of these active substances within the specified product type, complete dossiers must be received by the competent authority of the Rapporteur Member State no earlier than 1 May 2008 and no later than 31 October 2008. Rapporteur Member States will be designated at a later stage.

ANNEX VI

COMPETENT AUTHORITIES, AS REFERRED TO IN ARTICLE 5(4)

BELGIUM

Federal Public Service-Health,
Food chain safety and Environment,
General Directorate Protection of Public Health: Environment
RAC Vesalius, V2-3/07
Pachecolaan, 19 b 5
B-1010 Brussels

DENMARK

Miljøstyrelsen
Strandgade 29
DK-1401 København K

GERMANY

Bundesumweltministerium
Robert-Schuman-Platz 3
D-53175 Bonn

GREECE

National Drug Organisation
(Product Types: 1-7, 11, 20, 22)
284 Messogion Street
GR-15562 Cholargos Athens

Ministry of Agriculture
(Product Types: 8-10, 12-19, 21, 23)
3-5 Ippokratous Street
GR-10164 Athens

SPAIN

Ministerio de Sanidad y Consumo
Direccion General de Salud Pública
Paseo del Prado 18-20
E-28071 Madrid

FRANCE

Ministère de l'Ecologie et du Développement durable
Bureau des Substances et Préparations Chimiques
20 Avenue de Ségur
F-Paris 07 SP

IRELAND

Pesticide Control Service, Abbotstown, Castleknock,
Dublin 15
Ireland

ITALY

Ministero della Salute
Direzione Generale per la Valutazione dei Medicinali e la Farmacovigilanza
Ufficio IX
Piazzale dell'Industria, 20
I-00144 Roma

LUXEMBOURG

Ministre de la Santé
L-2935 Luxembourg

NETHERLANDS

College voor de toelating van bestrijdingsmiddelen (Ctb)
Postbus 217
6700 Wageningen
Nederland

AUSTRIA

Bundesministerium für Land- und Forstwirtschaft,
Umwelt und Wasserwirtschaft Abteilung V/3
Stubenbastei 5
A-1010 Wien

PORTUGAL

Direcção-Geral da Saúde
(Tipos de produtos: à excepção 3 e 8)
Alameda D. Afonso Henriques, 45
P-1049-005 Lisboa

Direcção-Geral de Protecção das Culturas
(Tipos de produtos: 8)
Quinta do Marquês,
P-2780-155 Oeiras

Direcção-Geral de Veterinária
(Tipos de produtos: 3)
Largo da Academia Nacional das Belas Artes, 2
P-1200 Lisboa

FINLAND

Suomen ympäristökeskus
(Product Types: 8, 10-12, 14-17, 21, 23)
Mehelininkatu 34 a
FIN-00251 Helsinki

Sosiaali- ja terveydenhuollon tuotevalvontakeskus
(Product Types: 1-7, 9, 13, 18-20, 22)
Säästöpankinranta 2 A
FIN-00531 Helsinki

SWEDEN

Kemikalieninspektionen
Esplanaden 3 A
S-172 67 Sundbyberg

UNITED KINGDOM

Health & Safety Executive
Magdalen House
Stanley Precinct
Bootle
L20 3QZ Liverpool
United Kingdom

NORWAY

Norwegian Pollution Control Authority
Strømsveien 96
N-0032 Oslo